

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Finsäkringar – Del 8: Säkringsmotstånd med särskilt överströmsskydd

Miniature fuses –

Part 8: Fuse resistors with particular overcurrent protection

Som svensk standard gäller europastandarden EN IEC 60127-8:2018. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 60127-8:2018.

Nationellt förord

Europastandarden EN IEC 60127-8:2018

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60127-8, First edition, 2018 - Miniature fuses - Part 8: Fuse resistors with particular overcurrent protection**

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN 60127-1.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

**Miniature fuses - Part 8: Fuse resistors with particular
overcurrent protection
(IEC 60127-8:2018)**

Coupe-circuits miniatures – Partie 8 : Résistances fusibles
avec une protection particulière contre les surintensités
(IEC 60127-8:2018)

Geräteschutzsicherungen - Teil 8: Sicherungswiderstände
für Teilbereichsschutz
(IEC 60127-8:2018)

This European Standard was approved by CENELEC on 2018-07-31. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 32C/542/FDIS, future edition 1 of IEC 60127-8, prepared by SC 32C "Miniature fuses" of IEC/TC 32 "Fuses" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60127-8:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-04-30
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-07-31

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60127-8:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-2-58:2015 NOTE Harmonized as EN 60068-2-58:2015 (not modified)

IEC 61191-2:2013 NOTE Harmonized as EN 61191-2:2013 (not modified)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60063	2015	Preferred number series for resistors and capacitors	EN 60063	2015
IEC 60068-2-21	2006	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	2006
IEC 60115-1 (mod)	2008	Fixed resistors for use in electronic equipment -- Part 1: Generic specification	EN 60115-1	2011
-	-		+ A11	2015
IEC 60115-4-101	1995	Fixed resistors for use in electronic equipment - Part 4: Detail specification: Fixed power wirewound resistors with solderable axial wire leads - Stability class 5%. Assessment level E		-
IEC 60115-4-102	1995	Fixed resistors for use in electronic equipment - Part 4: Detail specification: Fixed power wirewound resistors with solderable axial wire leads - Stability class 1%. Assessment level E		-
IEC 60127-1	2006	Miniature fuses -- Part 1: Definitions for miniature fuses and general requirements for miniature fuse-links	EN 60127-1	2006
+ A1	2011		+ A1	2011
+ A2	2015		+ A2	2015
IEC 60194	2015	Printed board design, manufacture and assembly - Terms and definitions		-
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007

EN IEC 60127-8:2018 (E)

IEC 60695-2-12	2010	Fire hazard testing -- Part 2-12: EN 60695-2-12 Glowing/hot-wire based test methods - Glow-wire flammability index (GWFI) test method for materials	2010
IEC 60695-2-13	2010	Fire hazard testing -- Part 2-13: EN 60695-2-13 Glowing/hot-wire based test methods - Glow-wire ignition temperature (GWIT) test method for materials	2010
IEC 60695-4	2012	Fire hazard testing - Part 4: Terminology concerning fire tests for electrotechnical products	2012
IEC 61249-2-7	2002	Materials for printed boards and other interconnecting structures - Part 2-7: Reinforced base materials clad and unclad - Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad	2002
-	-	+ corrigendum Sep.	2005

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 General requirements	10
5 Standard ratings	10
6 Marking	11
7 General notes on tests	11
7.1 Atmospheric conditions for testing	11
7.2 Type tests.....	11
7.2.1 General	11
7.3 Fuse-bases for tests	12
7.3.1 General	12
7.3.2 General requirements	12
7.3.3 Through-hole mounting of fuse resistors with particular overcurrent protection	13
7.3.4 Surface mounting of fuse resistors with particular overcurrent protection	13
7.4 Nature of supply	13
8 Dimensions and construction	13
8.1 Dimensions.....	13
8.1.1 Creepage distances and clearances	13
8.2 Construction	14
8.3 Terminations.....	14
8.3.1 Through-hole mount fuse resistors with particular overcurrent protection	15
8.3.2 Surface mount fuse resistors with particular overcurrent protection	15
8.4 Alignment and configuration of terminations.....	15
8.5 Soldered joints.....	15
8.6 Solderability of terminations.....	16
8.7 Resistance to soldering heat.....	16
9 Electrical requirements	16
9.1 Resistance value	16
9.2 Functioning characteristic at the minimum breaking dissipation.....	16
9.2.1 Functioning characteristic at an ambient temperature of 70 °C	16
9.2.2 Test at elevated temperature	16
9.2.3 Test procedure	16
9.2.4 Presentation of results.....	17
9.3 Rated breaking capacity.....	17
9.3.1 Operating conditions.....	17
9.3.2 Criteria for satisfactory performance	17
9.3.3 Insulation resistance.....	18
9.3.4 Dielectric strength.....	18
9.4 Endurance tests.....	18
9.5 Maximum sustained dissipation.....	18

9.6	Pulse tests	18
9.7	Temperature of fuse resistors with particular overcurrent protection.....	18
9.8	Operating overvoltage.....	19
	Bibliography.....	25
	Figure 1 – Test board for through-hole mount fuse resistors with particular overcurrent protection	21
	Figure 2 – Test board for surface mount fuse resistors with particular overcurrent protection	22
	Figure 3 – Test fuse-base	23
	Figure 4 – Bending jig for surface mount fuse resistors with particular overcurrent protection	24
	Figure 5 – Test circuit for the tests according to 9.3.....	24
	Table 1 – Creepage distances and clearances (absolute minimum values)	14
	Table 2 – Test voltages for dielectric strength.....	18
	Table 3 – Testing schedule for individual dissipation ratings	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MINIATURE FUSES –**Part 8: Fuse resistors with particular
overcurrent protection****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60127-8 has been prepared by subcommittee SC 32C: Miniature fuses, of IEC technical committee 32: Fuses

This first edition of IEC 60127-8 cancels and replaces IEC PAS 60127-8:2014.

This international standard is to be used in conjunction with IEC 60127-1.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
32C/542/FDIS	32C/546/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60127 series, published under the general title *Miniature fuses*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

In recent years, so-called “fuse resistors” have increasingly been used in electrical and electronic applications. The term “fuse resistor”, however, which has become established in the market, is misleading. The actual function of a fuse resistor is that of a resistor in an electrical or electronic circuit. Only when an overload of multiple times the rated dissipation occurs can fuse resistors interrupt an electric current. In a wide range between the rated dissipation and the manufacturer’s specified breaking dissipation, fuse resistors provide poor or no overcurrent protection. Therefore if they are incorrectly rated and improperly used in an application, this may result in potential risk of fire.

Fuse resistors perform the function of a fuse only within a particular overcurrent range, and, from a technical point of view, must therefore be referred to as “fuse resistors with particular overcurrent protection”.

Fuse resistors with particular overcurrent protection can safely interrupt high short-circuit currents, but are not capable of interrupting overload currents.

For safety reasons, they are only used in combination with an accompanying overload current protection device, if overload currents cannot be excluded to occur in the respective application.

MINIATURE FUSES –

Part 8: Fuse resistors with particular overcurrent protection

1 Scope

This part of IEC 60127 relates to fuse resistors with particular overcurrent protection rated up to AC 500 V and/or DC 500 V for printed circuits and other substrate systems, used for the protection of electric appliances, electronic equipment and component parts thereof, normally intended to be used indoors.

It does not apply to fuse resistors with particular overcurrent protection for appliances intended to be used under special conditions, such as in a corrosive or explosive atmosphere.

The object of this part of IEC 60127 is

- a) to establish uniform requirements for fuse resistors with particular overcurrent protection so as to protect appliances or parts of appliances in the most suitable way;
- b) to define the performance of the fuse resistors with particular overcurrent protection, so as to give guidance to manufacturers of electrical appliances and electronic equipment and to ensure replacement of fuse resistors with particular overcurrent protection by those of similar dimensions and characteristics;
- c) to establish uniform test methods for fuse resistors with particular overcurrent protection, so as to allow verification of the values (for example rated dissipation, functioning characteristic and rated breaking capacity values) specified by the manufacturer.

Manufacturers of fuse resistors with particular overcurrent protection shall ensure on their own responsibility that their products comply with the requirements of the resistor-related standards IEC 60115-1, IEC 60115-4-101 and IEC 60115-4-102¹.

This part of IEC 60127 applies in addition to the requirements of IEC 60127-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60063:2015, *Preferred number series for resistors and capacitors*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60115-1:2008, *Fixed resistors for use in electronic equipment – Part 1: Generic specification*

¹ This standard has been withdrawn.

IEC 60115-4-101:1995, *Fixed resistors for use in electronic equipment – Part 4: Detail specification: Fixed power wirewound resistors with solderable axial wire leads – Stability class 5%. Assessment level E*

IEC 60115-4-102:1995, *Fixed resistors for use in electronic equipment – Part 4: Detail specification: Fixed power wirewound resistors with solderable axial wire leads – Stability class 1 % – Assessment level E*

IEC 60127-1:2006, *Miniature fuses – Part 1: Definitions for miniature fuses and general requirements for miniature fuse-links*

IEC 60127-1:2006/AMD1:2011

IEC 60127-1:2006/AMD2:2015

IEC 60194:2015, *Printed board design, manufacture and assembly – Terms and definitions*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60695-2-12:2010, *Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials*

IEC 60695-2-13:2010, *Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials*

IEC 60695-4:2012, *Fire hazard testing – Part 4: Terminology concerning fire tests for electrotechnical products*

IEC 61249-2-7:2002, *Materials for printed boards and other interconnecting structures – Part 2-7: Reinforced base materials clad and unclad – Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad*