

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Elektronikkomponenter – Varistorer –

Del 1: Artspecifikation

*Varistors for use in electronic equipment –
Part 1: Generic specification*

Som svensk standard gäller europastandarden EN IEC 61051-1:2018. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 61051-1:2018.

Nationellt förord

Europastandarden EN IEC 61051-1:2018

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61051-1, Third edition, 2018 - Varistors for use in electronic equipment - Part 1: Generic specification**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61051-1, utgåva 1, 2009, gäller ej fr o m 2021-12-03.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

**Varistors for use in electronic equipment - Part 1: Generic
specification
(IEC 61051-1:2018)**

Varistances utilisées dans les équipements électroniques -
Partie 1: Spécification générique
(IEC 61051-1:2018)

Varistoren zur Verwendung in Geräten der Elektronik - Teil
1: Fachgrundspezifikation
(IEC 61051-1:2018)

This European Standard was approved by CENELEC on 2018-12-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 40/2621/FDIS, future edition 3 of IEC 61051-1, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61051-1:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-09-03
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-12-03

This document supersedes EN 61051-1:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61051-1:2018 was approved by CENELEC as a European Standard without any modification.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60027	series	Letter symbols to be used in electrical technology	EN 60027	series
IEC 60050	series	International Electrotechnical Vocabulary	-	-
IEC 60062	-	Marking codes for resistors and capacitors	EN 60062	-
IEC 60068-1	2013	Environmental testing - Part 1: General and guidance	EN 60068-1	2014
IEC 60068-2-1	2007	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	2007
IEC 60068-2-2	2007	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	2007
IEC 60068-2-6	2007	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-13	1983	Basic environmental testing procedures - Part 2-13: Tests - Test M: Low air pressure	EN 60068-2-13	1999
IEC 60068-2-14	2009	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	2009
IEC 60068-2-20	2008	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60068-2-21	2006	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	2006
IEC 60068-2-21 Corrigendum 1	2012	Environmental testing - Part 2-21: Tests - Test -- U: Robustness of terminations and integral mounting devices; Corrigendum 1	-	-
IEC 60068-2-27	2008	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	2009

EN IEC 61051-1:2018 (E)

IEC 60068-2-30	2005	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60068-2-45	1980	Basic environmental testing procedures - Part 2-45: Tests - Test XA and guidance: Immersion in cleaning solvents	EN 60068-2-45	1992
+A1	1993		-	-
IEC 60068-2-58	2015	Environmental testing - Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)	EN 60068-2-58	2015
IEC 60068-2-69	2017	Environmental testing - Part 2-69: Tests - Test Te/Tc: Solderability testing of electronic components and printed boards by the wetting balance (force measurement) method	EN 60068-2-69	2017
IEC 60068-2-78	2012	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	2013
IEC 60294	-	Measurement of the dimensions of a cylindrical component with axial terminations	EN 60294	-
IEC 60617	-	Graphical symbols for diagrams	-	-
IEC 60695-11-5	2016	Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance	EN 60695-11-5	2017
IEC 60717	2012	Method for the determination of the space required by capacitors and resistors with unidirectional terminations	EN 60717	2012
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61193-2	-	Quality assessment systems - Part 2: Selection and use of sampling plans for inspection of electronic components and packages	EN 61193-2	-
IEC 61249-2-7	2002	Materials for printed boards and other interconnecting structures - Part 2-7: Reinforced base materials clad and unclad - Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad	EN 61249-2-7	2002
-	-		+ corrigendum Sep.	2005
ISO 80000-1	2009	Quantities and units - Part 1: General	EN ISO 80000-1	2013

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 Technical data	15
4.1 Units, symbols and terminology	15
4.2 Preferred values and characteristics	15
4.3 Marking.....	15
4.3.1 General	15
4.3.2 Coding	16
5 Quality assessment procedures	16
5.1 General.....	16
5.1.1 Overview	16
5.1.2 Applicability of qualification approval	16
5.1.3 Applicability of capability approval	16
5.1.4 Applicability of technology approval	17
5.2 Primary stage of manufacture	17
5.3 Subcontracting	17
5.4 Structurally similar components	17
5.5 Qualification approval procedures	18
5.5.1 Eligibility for qualification approval.....	18
5.5.2 Application for qualification approval	18
5.5.3 Test procedure for qualification approval	18
5.5.4 Granting of qualification approval	18
5.5.5 Maintenance of qualification approval	18
5.5.6 Quality conformance inspection.....	18
5.6 Capability approval procedures	19
5.6.1 General	19
5.6.2 Eligibility for capability approval.....	19
5.6.3 Application for capability approval	19
5.6.4 Description of capability	19
5.6.5 Demonstration and verification of capability	20
5.6.6 Programme for capability approval	21
5.6.7 Capability approval test report.....	21
5.6.8 Abstract of description of capability	21
5.6.9 Modifications likely to affect the capability approval	21
5.6.10 Initial capability approval.....	21
5.6.11 Granting of capability approval	22
5.6.12 Maintenance of capability approval.....	23
5.6.13 Extension of capability approval	23
5.6.14 Quality conformance inspection.....	23
5.7 Rework and repair	23
5.7.1 Rework	23
5.7.2 Repair	24
5.8 Release for delivery	24
5.8.1 General	24

5.8.2	Certified records of released lots.....	24
5.8.3	Delayed delivery	24
5.8.4	Release for delivery before the completion of Group B tests	24
5.9	Alternative test methods.....	24
5.10	Unchecked parameters.....	25
5.11	Characteristics and parameters for application reference	25
5.12	Technology approval procedures	25
5.12.1	General	25
5.12.2	Eligibility for technology approval	25
5.12.3	Application of technology approval	25
5.12.4	Description of technology	25
5.12.5	Demonstration and verification of the technology	25
5.12.6	Granting of technology approval	26
5.12.7	Maintenance of technology approval.....	26
5.12.8	Quality conformance inspection.....	26
5.12.9	Failure rate level determination	26
5.12.10	Outgoing quality level.....	26
6	Test and measurement procedures	26
6.1	General.....	26
6.2	Standard atmospheric conditions	26
6.2.1	Standard atmospheric conditions for testing.....	26
6.2.2	Recovery conditions	27
6.2.3	Referee conditions	27
6.2.4	Reference conditions	27
6.3	Drying and recovery	27
6.3.1	General	27
6.3.2	Procedure I.....	27
6.3.3	Procedure II.....	27
6.4	Visual examination and check of dimensions	28
6.4.1	Visual examination.....	28
6.4.2	Marking	28
6.4.3	Dimensions (gauging)	28
6.4.4	Dimensions (detail)	28
6.5	General requirements for electrical tests.....	28
6.6	Varistor voltage.....	29
6.7	Leakage current	29
6.8	Capacitance.....	30
6.9	Voltage proof (for insulated varistors only).....	30
6.9.1	General	30
6.9.2	V-block method.....	30
6.9.3	Metal ball method	30
6.9.4	Foil method.....	30
6.10	Insulation resistance (for insulated varistors only)	31
6.10.1	Test procedure.....	31
6.10.2	Measurement and requirements.....	31
6.11	Clamping voltage	31
6.12	ESD clamping voltage (for surface mount electrostatic protective varistors only)	32
6.13	Maximum peak current	32

6.13.1	Initial measurement.....	32
6.13.2	Test procedure.....	32
6.13.3	Final inspection, measurement and requirements.....	32
6.14	Rated average dissipation power	32
6.14.1	General	32
6.14.2	Initial measurement.....	33
6.14.3	Test procedure.....	33
6.14.4	Final inspection, measurement and requirements.....	33
6.15	Rated energy	33
6.15.1	General	33
6.15.2	Initial measurement.....	33
6.15.3	Test procedure.....	34
6.15.4	Final inspection, measurement and requirements.....	34
6.16	Electrostatic discharge (ESD) (for surface mount electrostatic protective varistors only)	35
6.16.1	Initial measurement.....	35
6.16.2	Test procedure.....	35
6.16.3	Final inspection, measurement and requirements.....	35
6.17	Robustness of terminations	35
6.17.1	General	35
6.17.2	Test Ua ₁ – Tensile	35
6.17.3	Test Ub – Bending (half of the number of terminations)	35
6.17.4	Test Uc – Torsion (the other half of the number of terminations)	35
6.17.5	Test Ud – Torque (for terminations with threaded studs or screws and for integral mounting devices)	36
6.17.6	Visual examination	36
6.17.7	Final measurement.....	36
6.17.8	Robustness of terminations of surface mount varistors.....	36
6.18	Resistance to soldering heat	37
6.18.1	Preconditioning	37
6.18.2	Test procedure.....	37
6.18.3	Recovery	38
6.18.4	Final inspection, measurement and requirements.....	38
6.19	Solderability.....	38
6.19.1	General	38
6.19.2	Test procedure.....	38
6.19.3	Final inspection, measurements and requirements.....	39
6.20	Rapid change of temperature	39
6.20.1	Initial measurement.....	39
6.20.2	Test procedure.....	39
6.20.3	Final inspection, measurement and requirements.....	39
6.21	Shock	39
6.21.1	Initial measurement.....	39
6.21.2	Test procedure.....	39
6.21.3	Final inspection, measurement and requirements.....	39
6.22	Vibration	40
6.22.1	Initial measurement.....	40
6.22.2	Test procedure.....	40
6.22.3	Final inspection, measurement and requirements.....	40

6.23	Climatic sequence	40
6.23.1	General	40
6.23.2	Initial measurement.....	40
6.23.3	Dry heat.....	40
6.23.4	Damp heat, cyclic, Test Db, first cycle	40
6.23.5	Cold.....	40
6.23.6	Low air pressure	40
6.23.7	Damp heat, cyclic, Test Db, remaining cycles	41
6.23.8	Final inspection, measurement and requirements.....	41
6.24	Damp heat, steady state.....	41
6.24.1	Initial measurement.....	41
6.24.2	Test procedure.....	41
6.24.3	Final inspection, measurement and requirements.....	41
6.25	Fire hazard	42
6.26	Endurance at upper category temperature.....	42
6.26.1	Test system	42
6.26.2	Initial measurement.....	42
6.26.3	Mounting of the samples	42
6.26.4	Test procedure, measurement and requirements	43
6.27	Solvent resistance of marking.....	43
6.27.1	Test procedure.....	43
6.27.2	Requirements	43
6.28	Component solvent resistance.....	43
6.28.1	Initial measurements	43
6.28.2	Test procedure.....	43
6.28.3	Measurement and requirements	44
6.29	Mounting (for surface mount varistors only)	44
Annex A (informative)	Rules for the preparation of detail specifications for capacitors and resistors for electronic equipment.....	46
Annex B (normative)	Test pulses used in this specification.....	47
B.1	Types of test pulses	47
B.1.1	General	47
B.1.2	Pulse type 1.....	47
B.1.3	Pulse type 2 (rectangular pulse)	47
B.1.4	Pulse type 3 (ESD discharge pulse).....	47
B.2	Pulse parameters.....	48
B.2.1	Value of the pulse current/voltage	48
B.2.2	Virtual front time T_1	48
B.2.3	Virtual origin O_1	49
B.2.4	Virtual time to half-value T_2	49
B.2.5	Virtual duration of peak of a rectangular pulse current T_D	49
B.2.6	Virtual total duration T_T of a pulse current	49
B.3	Tolerances for the pulses	50
Annex C (informative)	Recommended measurement/test methods for characteristics and parameters for application reference.....	51
C.1	Voltage vs. current characteristic.....	51
C.2	Maximum peak current derating characteristic	52
C.2.1	Rationale related to this test.....	52
C.2.2	Failure criteria.....	52

C.2.3	Pulse life test.....	52
C.2.4	Graphing of the maximum peak current derating curves	54
C.3	Thermal resistance (for leaded varistors only).....	54
C.3.1	Test system	54
C.3.2	Mounting of the sample	55
C.3.3	Test procedure.....	55
C.4	Abnormal overvoltage withstanding duration	55
C.4.1	Test system	55
C.4.2	Test procedure.....	56
C.4.3	Requirements	56
Figure 1 – General scheme for capability approval.....		19
Figure 2 – Mounting method for measurement of surface mount varistors.....		44
Figure B.1 – Shape of pulse current type 1.....		47
Figure B.2 – Shape of pulse voltage type 1.....		48
Figure B.3 – Shape of pulse type 2.....		48
Figure B.4 – Shape of pulse type 3.....		49
Figure C.1 – Maximum peak current derating characteristic		54
Table 1 – Standard atmospheric conditions.....		27
Table 2 – Force for wire terminations.....		36
Table 3 – Torque		36
Table 4 – Number of cycles.....		41
Table B.1 – Accepted differences between specified and recorded pulse values		50
Table B.2 – Tolerances for pulse type 3		50

INTERNATIONAL ELECTROTECHNICAL COMMISSION

VARISTORS FOR USE IN ELECTRONIC EQUIPMENT –**Part 1: Generic specification****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61051-1 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This third edition cancels and replaces the second edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) 10 new terms and definitions – leaded varistors, surface mount varistors (SMV), electrostatic discharge (ESD), ESD clamping voltage, equivalent rectangular pulse duration, maximum peak current derating characteristic, rated average dissipation power, rated energy, abnormal overvoltage withstanding duration and temperature derating curve – have been added (see 3.6, 3.7, 3.14, 3.15, 3.19, 3.20, 3.23, 3.24, 3.25 and 3.29);
- b) General requirements for electrical tests and 7 new test items – clamping voltage, ESD clamping voltage, maximum peak current, rated average dissipation power, rated energy, electrostatic discharge (ESD), robustness of terminations of surface mount varistors – have been added (see 6.5, 6.11, 6.12, 6.13, 6.14, 6.15, 6.16 and 6.17.8);
- c) In 6.6, 6.7, 6.8, 6.9.3, 6.23.2, 6.23.4 and 6.26, following test items have been revised:

- Varistor voltage, leakage current and capacitance: more detailed requirements and information have been added;
 - Voltage proof – foil method: the space between the edge of the foil and each termination has been changed from 1 mm ~ 1,5 mm to 3 mm ~ 3.5 mm for testing varistors not having axial terminations and the minimum space between the foil and the termination has been changed from 1 mm to 3 mm for testing varistors having axial terminations;
 - Climatic sequence – dry heat: the method has been changed from Ba to Bb;
 - Climatic sequence – cold: the method has been changed from Aa to Ab;
 - Endurance at upper category temperature: the method of "applying test voltages in cycles of 1,5 h on and 0,5 h off" has been changed to the method of applying test voltages continuously throughout the test lasting for 1 000 h;
- d) The test items of pulse current, voltage under pulse condition and bump have been deleted from the section of test and measurement procedures;
- e) Annex A and the contents referring to the test fixture specified in Annex A have been deleted;
- f) All contents related to silicon carbide varistors have been deleted;
- g) A new normative annex entitled "Test pulses used in this specification" (Annex B) has been added;
- h) A new informative annex entitled "Recommended measurement/test methods for characteristics and parameters for application reference" (Annex C) has been added, in which guidelines of measuring/testing characteristics and parameters for application reference including voltage vs. current characteristic, maximum peak current derating characteristic, thermal resistance and abnormal overvoltage withstanding duration have been given.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
40/2621/FDIS	40/2625/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61051 series, published under the general title *Varistors for use in electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

VARISTORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 1: Generic specification

1 Scope

This part of IEC 61051 is a generic specification and is applicable to varistors with symmetrical voltage-current characteristics for use in electronic equipment.

It establishes standard terms, inspection procedures and methods of test for use in sectional and detail specifications for quality assessment or any other purpose.

NOTE Detail specifications can be specifications within the IEC system, another specification system linked to IEC, or specified by the manufacturer or user. The drafting of a complete detail specification by IEC technical committee 40, if required, follows the rules described in Annex A.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)*

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1:2007, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Tests B: Dry heat*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (Sinusoidal)*

IEC 60068-2-13:1983, *Environmental testing – Part 2-13: Tests – Test M: Low air pressure*

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-21:2006/COR1:2012

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12-hour cycle)*

IEC 60068-2-45:1980, *Environmental testing – Part 2-45: Tests – Test XA – Immersion in cleaning solvents*

IEC 60068-2-45:1980/AMD1:1993

IEC 60068-2-58:2015, *Environmental testing – Part 2-58: Tests – Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)*

IEC 60068-2-69:2017, *Environmental testing – Part 2-69: Tests – Test Te/Tc: Solderability testing of electronic components and printed boards by the wetting balance (force measurement) method*

IEC 60068-2-78:2012, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60294, *Measurement of the dimensions of a cylindrical component having two axial terminations*

IEC 60617, *Graphical symbols for diagrams*
(available at <http://std.iec.ch/iec60617>)

IEC 60695-11-5:2016, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60717:2012, *Method for the determination of the space required by capacitors and resistors with unidirectional terminations*

IEC 61000-4-2:2008, *Electromagnetic Compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61193-2, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

IEC 61249-2-7:2002, *Materials for printed boards and other interconnecting structures – Part 2-7: Reinforced base materials clad and unclad – Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad*

ISO 80000-1:2009, *Quantities and units – Part 1: General*