

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Industriell processtyrning –

Fältbuss –

Del 6-4: Specifikation av protokoll i applikationsskiktet –

Delar i fältbuss, Typ 4

Industrial communication networks –

Fieldbus specifications –

Part 6-4: Application layer protocol specification –

Type 4 elements

Som svensk standard gäller europastandarden EN IEC 61158-6-4:2019. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 61158-6-4:2019.

Nationellt förord

Europastandarden EN IEC 61158-6-4:2019

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-6-4, Third edition, 2019 - Industrial communication networks - Fieldbus specifications - Part 6-4: Application layer protocol specification - Type 4 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61158-6-4, utgåva 2, 2015, gäller ej fr o m 2022-07-25.

ICS 35.110.00; 25.040.40; 35.100.70

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61158-6-4

August 2019

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN 61158-6-4:2014 and all of its
amendments and corrigenda (if any)

English Version

Industrial communication networks - Fieldbus specifications -
Part 6-4: Application layer protocol specification - Type 4
elements
(IEC 61158-6-4:2019)

Réseaux de communication industriels - Spécifications des
bus de terrain - Partie 6-4: Spécification du protocole de la
couche application - Eléments de type 4
(IEC 61158-6-4:2019)

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-4:
Protokollspezifikation des Application Layer
(Anwendungsschicht) - Typ 4-Elemente
(IEC 61158-6-4:2019)

This European Standard was approved by CENELEC on 2019-07-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2019 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 61158-6-4:2019 E

European foreword

The text of document 65C/948/FDIS, future edition 3 of IEC 61158-6-4, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-6-4:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-04-25
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-07-25

This document supersedes EN 61158-6-4:2014 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61158-6-4:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- IEC 61158-1:2019 NOTE Harmonized as EN IEC 61158-1:2019 (not modified)
IEC 61158-2 NOTE Harmonized as EN 61158-2
IEC 61158-4-4:2019 NOTE Harmonized as EN IEC 61158-4-4:2019 (not modified)
IEC 61784-1:2019 NOTE Harmonized as EN IEC 61784-1:2019 (not modified)
IEC 61784-2:2019 NOTE Harmonized as EN IEC 61784-2:2019 (not modified)

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-3-4	2019	Industrial communication networks - Fieldbus specifications - Part 3-4: Data-link layer service definition - Type 4 elements	-EN IEC 61158-3-4	2019
IEC 61158-5-4	2019	Industrial communication networks - Fieldbus specifications - Part 5-4: Application layer service definition - Type 4 elements	-EN IEC 61158-5-4	2019
ISO/IEC 7498-1	-	Information technology - Open Systems-Interconnection - Basic reference model: The basic model	-	
ISO/IEC 8822	-	Information technology - Open Systems-Interconnection - Presentation service definition	-	
ISO/IEC 8824-1	-	Information technology - Abstract Syntax-Notation One (ASN.1): Specification of basic notation	-	
ISO/IEC 9545	-	Information technology - Open Systems-Interconnection - Application layer structure	-	
ISO/IEC 9797-1	-	Information technology - Security-techniques - Message Authentication Codes (MACs) – Part 1: Mechanisms using a block cipher	-	
ISO/IEC 10731	-	Information technology - Open Systems-Interconnection - Basic Reference Model - Conventions for the definition of OSI services	-	

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
1.1 General	8
1.2 Specifications	8
1.3 Conformance	9
2 Normative references	9
3 Terms, definitions, symbols, abbreviations and conventions	9
3.1 Referenced terms and definitions	10
3.1.1 ISO/IEC 7498-1 terms	10
3.1.2 ISO/IEC 8822 terms	10
3.1.3 ISO/IEC 9545 terms	10
3.1.4 ISO/IEC 8824-1 terms	10
3.1.5 Fieldbus data-link layer terms	10
3.2 Abbreviations and symbols	11
3.3 Conventions	11
3.3.1 General concept	11
3.3.2 Conventions for state machines for Type 4	12
4 FAL syntax description	13
4.1 FAL-AR PDU abstract syntax	13
4.1.1 General	13
4.1.2 Abstract syntax of APDU header	13
4.1.3 Abstract syntax of APDU body	14
4.2 Data types	16
5 Transfer syntaxes	16
5.1 APDU encoding	16
5.1.1 APDU Header encoding	16
5.1.2 APDU body encoding	18
5.2 Variable object encoding and packing	20
5.2.1 Encoding of simple variables	20
5.2.2 Encoding of constructed variables	21
5.2.3 Alignment	22
5.2.4 Variable object attributes	23
5.3 Error codes	24
6 FAL protocol state machines	25
7 AP-context state machine	26
8 FAL service protocol machine (FSPM)	27
8.1 Primitives exchanged between FAL User and FSPM	27
8.2 FSPM states	27
8.2.1 General	27
8.2.2 FSPM proxy object states	27
8.2.3 FSPM real object state machine description	32
9 Application relationship protocol machine (ARPM)	34
9.1 Primitives exchanged between ARPM and FSPM	34
9.2 ARPM States	34
9.2.1 General	34

9.2.2	Sender state transitions	34
9.2.3	Receiver state transitions	35
10	DLL mapping protocol machine (DMPM)	36
10.1	Data-link Layer service selection.....	36
10.1.1	General	36
10.1.2	DL-UNITDATA request	36
10.1.3	DL-UNITDATA indication	36
10.1.4	DL-UNITDATA response.....	36
10.1.5	DLM-Set primitive and parameters.....	36
10.1.6	DLM-Get primitive and parameters	36
10.2	Primitives exchanged between ARPM and DLPM	36
10.3	Primitives exchanged between DLPM and data-link layer.....	37
10.4	DLPM states	37
10.4.1	States.....	37
10.4.2	Sender state transitions.....	38
10.4.3	Receiver state transitions	39
11	Protocol options.....	39
	Bibliography.....	40
	 Figure 1 – State transition diagram	12
	Figure 2 – APDU header structure	16
	Figure 3 –Subfields of ControlStatus for Request.....	17
	Figure 4 – Subfields of ControlStatus for Response with error	17
	Figure 5 – Subfields of ControlStatus for Response with no error.....	18
	Figure 6 – DataFieldFormat encoding	18
	Figure 7 – Structure of request APDU body	19
	Figure 8 – Structure of response APDU body.....	19
	Figure 9 – Variable identifier.....	19
	Figure 10 – Code subfield of variable identifier	19
	Figure 11 – Sequence of data in the APDU body subfield	21
	Figure 12 – MSG consists of APDU header and APDU body	22
	Figure 13 – Summary of FAL architecture	26
	Figure 14 – FSPM proxy object state machine	28
	Figure 15 – FSPM real object state machine	33
	Figure 16 – ARPM state machine.....	34
	Figure 17 – DLPM state machine	37
	 Table 1 – State machine description elements	12
	Table 2 – APDU header	13
	Table 3 – APDU body	15
	Table 4 – Transfer syntax for Array.....	23
	Table 5 – Transfer syntax for Structure	23
	Table 6 – Common variable object attributes	23
	Table 7 – Variable type identifiers	24
	Table 8 – FIFO variable object attributes	24

Table 9 – Error codes	25
Table 10 – Primitives exchanged between FAL-User and FSPM	27
Table 11 – REQUEST.req FSPM constraints.....	28
Table 12 – REQUEST.req FSPM actions	29
Table 13 – RESPONSE.cnf FSPM constraints	30
Table 14 – RESPONSE.cnf FSPM actions	31
Table 15 – AR Send.ind proxy FSPM constraints	32
Table 16 – AR Send.ind proxy FSPM actions	32
Table 17 – AR Send.ind real FSPM constraints.....	33
Table 18 – AR Send.ind real FSPM Actions	33
Table 19 – Primitives issued by FSPM to ARPM	34
Table 20 – Primitives issued by ARPM to FSPM	34
Table 21 – Primitives issued by ARPM to ARPM	34
Table 22 – AR Send.req ARPM constraints	35
Table 23 – AR Send.req ARPM actions.....	35
Table 24 – AR Acknowledge.req ARPM constraints	35
Table 25 – AR Acknowledge.req ARPM actions	35
Table 26 – AR Send.ind ARPM constraints	36
Table 27 – AR Send.req ARPM actions.....	36
Table 28 – Primitives issued by ARPM to DLPM	37
Table 29 – Primitives issued by DLPM to ARPM	37
Table 30 – Primitives issued by DLPM to data-link layer	37
Table 31 – Primitives issued by data-link layer to DLPM	37
Table 32 – AR Send.req DLPM constraints	38
Table 33 – AR Send.req DLPM actions	38
Table 34 – AR Acknowledge.req DLPM constraints.....	38
Table 35 – AR Acknowledge.req DLPM actions.....	39
Table 36 – DL-UNITDATA.ind DLPM constraints	39
Table 37 – DL-UNITDATA.ind DLPM actions.....	39

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 6-4: Application layer protocol specification –
Type 4 elements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-6-4 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) additional user parameters to services;
- b) additional services to support distributed objects;
- c) additional secure services.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/948/FDIS	65C/956/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all the parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-4: Application layer protocol specification – Type 4 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 4 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This International Standard specifies interactions between remote applications and defines the externally visible behavior provided by the Type 4 fieldbus application layer in terms of

- a) the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this document is to define the protocol provided to

- 1) define the wire-representation of the service primitives defined in IEC 61158-5-4, and
- 2) define the externally visible behavior associated with their transfer.

This document specifies the protocol of the Type 4 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this document is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-4.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in IEC 61158-6 series.

1.3 Conformance

This document do not specify individual implementations or products, nor do they constrain the implementations of application layer entities within industrial automation systems. Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61158-3-4:2019, *Industrial communication networks – Fieldbus specifications – Part 3-4: Data-link layer service definition – Type 4 elements*

IEC 61158-5-4:2019, *Industrial communication networks – Fieldbus specifications – Part 5-4: Application layer service definition – Type 4 elements*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model – Part 1: The Basic Model*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC 9797-1, *Information technology – Security techniques – Message Authentication Codes (MACs) – Part 1: Mechanisms using a block cipher*