# SVENSK STANDARD SS-EN IEC 55015



Fastställd 2019-10-23 Utgåva 7 Sida

1 (1+77)

Ansvarig kommitté SEK TK EMC

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

# Belysningsmateriel och liknande utrustning – Radiostörningar – Gränsvärden och mätmetoder

Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

Som svensk standard gäller europastandarden EN IEC 55015:2019. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 55015:2019.

#### Nationellt förord

Europastandarden EN IEC 55015:2019

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- CISPR 15, Ninth edition, 2018 Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 55015, utgåva 6, 2013 och SS-EN 55015/A1, utgåva 1, 2015, gäller ej fr o m 2022-08-30.

ICS 33.100.10

#### Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

# SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

#### Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

#### Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

# **EN IEC 55015**

August 2019

ICS 33.100.10

Supersedes EN 55015:2013 and all of its amendments and corrigenda (if any)

## **English Version**

# Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment (CISPR 15:2018)

Limites et méthodes de mesure des perturbations radioélectriques produites par les appareils électriques d'éclairage et les appareils analogues (CISPR 15:2018) Grenzwerte und Messverfahren für Funkstörungen von elektrischen Beleuchtungseinrichtungen und ähnlichen Elektrogeräten (CISPR 15:2018)

This European Standard was approved by CENELEC on 2018-06-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2019 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 55015:2019 E

# **European foreword**

The text of document CIS/F/733/FDIS, future edition 9 of CISPR 15, prepared by CISPR SC F "Interference relating to household appliances tools, lighting equipment and similar apparatus" of CISPR "International special committee on radio interference" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 55015:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-08-30

This document supersedes EN 55015:2013 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

#### **Endorsement notice**

The text of the International Standard CISPR 15:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

CISPR/TR 16-4-3:2004	NOTE	Harmonized as EN 55016-4-3 (not modified) <sup>1</sup>
IEC 60155:1993	NOTE	Harmonized as EN 60155:1995 (not modified)
IEC 60155:1993/A1:1995	NOTE	Harmonized as EN 60155:1995/A1:1995 (not modified)
IEC 60155:1993/A2:2006	NOTE	Harmonized as EN 60155:1995/A2:2007 (not modified)
IEC 61000-6-3:2006	NOTE	Harmonized as EN 61000-6-3:2007 (not modified)
IEC 61000-6-3:2006/A1:2010	NOTE	Harmonized as EN 61000-6-3:2007/A1:2011 (not modified)
IEC 61347-1:2015	NOTE	Harmonized as EN 61347-1:2015 (not modified)
IEC 62776:2014	NOTE	Harmonized as EN 62776:2015 (not modified)

<sup>&</sup>lt;sup>1</sup> To be published. Stage at the time of publication: prEN 55016-4-3:2018

# **Annex ZA**

(normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="https://www.cenelec.eu">www.cenelec.eu</a>.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60038	-	IEC standard voltages	EN 60038	-
IEC 60050-161	-	International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility	-	-
IEC 60050-845	1987	International Electrotechnical Vocabulary. Lighting	-	-
IEC 60061-1	-	Lamp caps and holders together with gauges for the control ofinterchangeability and safety. Part 1: Lamp caps	EN 60061-1	-
IEC 60081	-	Double-capped fluorescent lamps - Performance specifications	EN 60081	-
IEC 60598-1 (mod)	2014	Luminaires - Part 1: General requirements and tests	EN 60598-1	2015
+ A1	2017		+ A1	2018
IEC 60921	-	Ballasts for tubular fluorescent lamps - Performance requirements	EN 60921	-
IEC 61000-4-20	2010	Electromagnetic compatibility (EMC) - Part 4-20: Testing and measurement techniques - Emission and immunity testing in transverse electromagnetic (TEM) waveguides	EN 61000-4-20	2010
IEC 61195	-	Double-capped fluorescent lamps - Safety specifications	EN 61195	-
IEC 62504	2014	General lighting - Light emitting diode (LED) products and related equipment - Terms and definitions	EN 62504	2014

# EN IEC 55015:2019 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
CISPR 16-1-1	2015	Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus	-	-
CISPR 16-1-2	2014	Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-2: Radio disturbance and immunity measuring apparatus - Coupling devices for conducted disturbance measurements	EN 55016-1-2	2014
CISPR 16-1-4	2010	Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements	EN 55016-1-4	2010
+ A1	2012		+ A1	2012
+ A2	2017		+ A2	2017
CISPR 16-2-1	2014	Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-1: Methods of measurement of disturbances and immunity - Conducted disturbance measurements	N 55016-2-1	2014
+ A1	2017	+	· A1	2017
CISPR 16-2-3	2016	Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance	EN 55016-2-3	2017
		measurements		
CISPR 16-4-2	2011	· · · · · · · · · · · · · · · · · · ·	EN 55016-4-2	2011
CISPR 16-4-2 + A1	2011	measurements  Specification for radio disturbance and immunity measuring apparatus and methods - Part 4-2: Uncertainties, statistics and limit modelling - Measurement	EN 55016-4-2 + A1	2011
		measurements  Specification for radio disturbance and immunity measuring apparatus and methods - Part 4-2: Uncertainties, statistics and limit modelling - Measurement		
+ A1	2014	measurements  Specification for radio disturbance and immunity measuring apparatus and methods - Part 4-2: Uncertainties, statistics and limit modelling - Measurement instrumentation uncertainty  Test method on electromagnetic emissions - Part 1: Electronic control gear for single-		

# CONTENTS

F	DREWC	RD	7
1	Scop	e	9
2	Norm	native references	10
3	Term	s, definitions and abbreviated terms	11
	3.1	General	
	3.2	General terms and definitions	
	3.3	Terms and definitions related to equipment	
	3.4	Terms and definitions related to interfaces and ports	
	3.5	Abbreviated terms	
4	Limit	S	
	4.1	General	20
	4.2	Frequency ranges	
	4.3	Limits and methods for the assessment of wired network ports	
	4.3.1	•	
	4.3.2		
	4.4	Limits and methods for the assessment of local wired ports	
	4.5	Limits and methods for the assessment of the enclosure port	
	4.5.1	General	23
	4.5.2	Frequency range 9 kHz to 30 MHz	23
	4.5.3	Frequency range 30 MHz to 1 GHz	24
5	Appli	cation of the limits	25
	5.1	General	25
	5.2	Identification of the interfaces subject to test	25
	5.3	Application of limits to the interfaces	26
	5.3.1	General	26
	5.3.2	Conducted disturbance requirements for the wired network port	26
	5.3.3	Conducted disturbance requirements for local wired ports	26
	5.3.4	Radiated disturbance requirements for the enclosure port	26
	5.3.5	Multiple interfaces of the same type	27
	5.3.6	Interfaces that can be categorised as multiple types of ports	27
6	Prod	uct specific limit application requirements	28
	6.1	General	28
	6.2	Passive EUT	28
	6.3	Rope lights	28
	6.3.1	General	28
	6.3.2	Requirements for rope lights	28
	6.4	Modules	28
	6.4.1	General	
	6.4.2	3 - 1 - 1	
	6.4.3		
	6.4.4		
	6.4.5	5	30
	6.4.6	Double-capped self-ballasted lamps, double-capped lamp adapters, double-capped semi-luminaires and double-capped retrofit lamps used in fluorescent lamp luminaires	30
	6.4.7	·	
	0.7.7		

	6.4.8	Single-capped semi-luminaires	30
	6.4.9	Independent igniters	30
	6.4.1	0 Replaceable starters for fluorescent lamps	30
7	Oper	ating and test conditions of the EUT	31
	7.1	General	31
	7.2	Switching	31
	7.3	Supply voltage and frequency	31
	7.4	Rated lamp load and light regulation	
	7.5	Operating modes	31
	7.6	Ambient conditions	32
	7.7	Lamps	32
	7.7.1	Type of lamps used in lighting equipment	32
	7.7.2	Ageing times	32
	7.8	Stabilization times	32
	7.9	Operation and loading of wired interfaces	32
	7.9.1	General	32
	7.9.2	Interface intended for a continuous signal or data transmission	32
	7.9.3	Interface not intended for a continuous signal or data transmission	33
	7.9.4	Load	33
8	Meth	ods of measurement of conducted disturbances	33
	8.1	General	33
	8.2	Measurement instrumentation and methods	33
	8.3	Electrical power supply interface disturbance measurement	34
	8.4	Disturbance measurement of wired network interfaces other than power	
		supply	
	8.5	Local wired port disturbance measurement	
	8.5.1	Electrical power supply of ELV lamps	
	8.5.2	1 11 7 1	
9	Meth	ods of measurement of radiated disturbances	35
	9.1	General	35
	9.2	Intentional wireless transmitters	35
	9.3	Measurement instrumentation and methods	36
	9.3.1	General	36
	9.3.2	LLAS radiated disturbance measurement 9 kHz to 30 MHz	36
	9.3.3	·	
	9.3.4	Radiated disturbance measurement 30 MHz to 1 GHz	37
10	Com	pliance with this document	38
11	Meas	surement uncertainty	38
12	Test	report	38
		normative) Product specific application notes referring to particular nent set-ups or operating conditions	42
	A.1	Single-capped self-ballasted lamps	
	A.1.1		
	A.1.2	-	
	A.2	Semi-luminaires	
	A.3	Rope lights	
	A.3.1	Preparation of the EUT	
	A 3 2	·	43

	A.3.3	Arrangement for radiated disturbance measurements	43
	A.4	Double-capped lamp adapters, double-capped self-ballasted lamps, double-capped semi-luminaires and double-capped retrofit lamps used in fluorescent lamp luminaires	42
	A.4.1	For application in linear luminaires with electromagnetic controlgear	
	A.4.1 A.4.2		
	A.4.3	• • • • • • • • • • • • • • • • • • • •	
	A.4.4		
	A.5	ELV lamps	
	A.5.1		
	A.5.2		
۸.	A.6	Independent igniters	
Αr	,	normative) Test arrangements for conducted disturbance measurements	
	B.1	General	
	B.2	Arrangement of cables connected to interfaces of wired network ports	
	B.2.1	должно и стоим рам и сиргу и и и и и и и и и и и и и и и и и и и	
	B.2.2	9	
	B.3	Arrangement of cables connected to interfaces of local wired ports	
	B.3.1	General	
	B.3.2	Cables of local-wired ports indirectly connected to a network	51
	B.3.3	71	
	B.3.4	Power-supply cables of an ELV lamp	52
	B.3.5	J I	
	B.4	Loading and termination of cables	52
	B.5	Luminaires	52
	B.6	Modules	53
Ar	nnex C (	normative) Test arrangements for radiated disturbance measurements	57
	C.1	General	57
	C.2	Arrangements of electric power supply cables	57
	C.3	Arrangement of cables other than electric power supply cables	57
	C.4	Arrangements of EUT, auxiliary equipment and associated equipment	57
	C.4.1	General	57
	C.4.2	EUT arrangements for table-top, wall-mounted or ceiling-mounted	
		applications	
	C.4.3	EUT arrangements for floor-standing and pole-mounted applications	57
	C.5	Loading and termination of cables	
Ar	nex D (	informative) Examples of application of limits and test methods	61
	D.1	General	61
	D.2	Case 1: Power controlgear with remote battery connection	61
	D.2.1	EUT description	61
	D.2.2	Interfaces, ports and limits	61
	D.3	Case 2: Universal presence and light detector	62
	D.3.1	•	
	D.3.2	Interfaces, ports and limits	62
	D.4	Case 3: Driver with three load interfaces	
	D.4.1	EUT description	64
	D.4.2	·	
	D.5	Case 4: Ethernet powered OLED	
	D.5.1		

D.5.2	Interfaces, ports and limits	66
D.6	Case 5: Stand-alone occupancy-daylight sensor	66
D.6.1	EUT description	66
D.6.2	Interfaces, ports and limits	67
	informative) Statistical considerations in the determination of EMC	
compliance	e of mass-produced products	
E.1	General	68
E.2	Test method based on a general margin to the limit	
E.3	Test method based on the non-central t-distribution	
E.3.1	Practical implementation by using frequency sub-ranges	
E.3.2	1 7 3	
E.3.3	3 ,	
E.4	Test method based on the binomial distribution	71
E.5	Application of larger sample size	
Bibliograp	hy	73
Figure 1 -	· EMC-ports of an EUT	18
associate	Generic depiction of the definitions of test-, ancillary-, auxiliary- and dequipment w.r.t. EUT and the test/measurement environment (definitions ISPR 16-2-3)	20
J	,	
	EUT and its physical interfaces	
	Decision process on the application of limits to the EUT	
Figure 5 -	Example of a host system with different types of modules	41
ballasted	<ul> <li>Reference luminaire for double-capped lamp adapter, double-capped self- lamp, double-capped semi-luminaire and double-capped retrofit lamp used in rescent lamp luminaires (see A.4.1)</li> </ul>	45
Figure A.2	2 - Conical metal housing for single capped lamps (see A.1.1)	46
Figure A.3	B – Arrangements for conducted disturbance measurements from non- ELV lamps (see A.5.1)	
	4 – Arrangements for conducted disturbance measurements from restricted s (see A.5.1)	48
	5 – Hose-clamp reference luminaire for self-ballasted lamps with a onet cap (see A.1.1)	49
	6 – Support plate for arranging long cables and rope lights , Clauses A.3 and B.3)	49
(Figure B.	<ul> <li>Circuit for measuring conducted disturbances from a luminaire</li> <li>1a), an internal/mounted/replaceable module (Figure B.1b) and a single</li> <li>If-ballasted or independent non-gas-discharge lamp Figure B.1c)</li> </ul>	54
Figure B.2	2 – Circuit for measuring conducted disturbances from an external module	55
Figure B.3	B – Measuring arrangements for conducted disturbances (see Clause B.5)	56
Figure C.	- EUT arrangement of ceiling-, wall-mounted and table-top applications radiated (OATS, SAC or FAR) disturbance measurement	
Figure C.2	2 – EUT arrangement of floor-standing and pole-mounted applications during ed (OATS, SAC or FAR) disturbance measurement	
	B – Example of arrangement of a luminaire during the radiated (OATS, SAC isturbance measurement	59
	I – Example of arrangement of an internal module during the radiated	60

Figure C.5 – Example of arrangement of an external module during the radiated (OATS, SAC or FAR) disturbance measurement	60
Figure D.1 – Case 1 EUT	61
Figure D.2 – Case 2 EUT	63
Figure D.3 – Case 3 EUT	65
Figure D.4 – Case 4 EUT	66
Figure D.5 – Case 5 EUT	67
Figure E.1 – Illustration of difficulties in case the maximum value of the disturbance is at the boundary of a sub-range	71
Table 1 – Disturbance voltage limits at the electric power supply interface	21
Table 2 – Disturbance voltage limits at wired network interfaces other than power supply	21
Table 3 – Disturbance current limits at wired network interfaces other than power supply	22
Table 4 – Disturbance voltage limits of local wired ports: electrical power supply interface of non-restricted ELV lamps	22
Table 5 – Disturbance voltage limits at local wired ports: local wired ports other than electrical power supply interface of ELV lamp	23
Table 6 – Disturbance current limits at local wired ports: local wired ports other than electrical power supply interface of ELV lamp	23
Table 7 – Maximum EUT dimension that can be used for testing using LLAS with different diameters	24
Table 8 – LLAS radiated disturbance limits in the frequency range 9 kHz to 30 MHz	24
Table 9 – Loop antenna radiated disturbance limits in the frequency range 9 kHz to 30 MHz for equipment with a dimension > 1,6 m	24
Table 10 – Radiated disturbance limits and associated measurement methods in the frequency range 30 MHz to 1 GHz	25
Table 11 – Overview of standardized conducted disturbance measurement methods	34
Table 12 – Overview of standardized radiated disturbance measurement methods	36
Table D.1 – Case 1: Summary of interfaces, applicable ports and limits	62
Table D.2 – Case 2 – Application 1: Summary of interfaces, applicable ports and limits	63
Table D.3 – Case 2 – Application 2: Summary of interfaces, applicable ports and limits	64
Table D.4 – Case 3: Summary of interfaces, applicable ports and limits	65
Table D.5 – Case 4: Summary of interfaces, applicable ports and limits	66
Table D.6 – Case 5: Summary of interfaces, applicable ports and limits	67
Table E.1 – General margin to the limit for statistical evaluation	69
Table E.2 – Sample size and corresponding $\it k$ factor in a non-central t-distribution	70
Table E.3 – Application of the binomial distribution	71

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

# LIMITS AND METHODS OF MEASUREMENT OF RADIO DISTURBANCE CHARACTERISTICS OF ELECTRICAL LIGHTING AND SIMILAR EQUIPMENT

# **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard CISPR 15 has been prepared by subcommittee CIS/F: Interference relating to household appliances tools, lighting equipment and similar apparatus, of IEC technical committee CISPR: International special committee on radio interference.

This ninth edition cancels and replaces the eighth edition published in 2013 and its Amendment 1:2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) full editorial revision and restructuring;
- b) the restriction to mains and battery operation is deleted in the scope;
- c) radiated disturbance limits in the frequency range 300 MHz to 1 GHz have been introduced;

- d) the load terminals limits and the CDNE (alternative to radiated emissions) limits have changed;
- e) deletion of the insertion-loss requirements and the associated Annex A;
- f) introduction of three basic ports: wired network ports, local wired ports and the enclosure port;
- g) introduction of a more technology-independent approach;
- h) replacement of Annex B (CDNE) by appropriate references to CISPR 16-series of standards;
- i) modified requirements for the metal holes of the conical housing;
- j) new conducted disturbance measurement method for GU10 self-ballasted lamp;
- k) addition of current probe measurement method and limits for various types of ports (in addition to voltage limits and measurement methods);
- introduction of the term 'module' (instead of independent auxiliary) and requirements for measurement of modules using a host (reference) system;
- m) modified specifications for stabilization times of EUTs;
- n) for large EUT (> 1,6 m), addition of the magnetic field measurement method using a 60 cm loop antenna at 3 m distance (method from CISPR 14-1) as an alternative to the 3 m and 4 m LAS.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
CIS/F/733/FDIS	CIS/F/736/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# LIMITS AND METHODS OF MEASUREMENT OF RADIO DISTURBANCE CHARACTERISTICS OF ELECTRICAL LIGHTING AND SIMILAR EQUIPMENT

# 1 Scope

This document applies to the emission (radiated and conducted) of radiofrequency disturbances from:

- lighting equipment (3.3.16);
- the lighting part of multi-function equipment where this lighting part is a primary function;
  - NOTE 1 Examples are lighting equipment with visible-light communication, entertainment lighting.
- UV and IR radiation equipment for residential and non-industrial applications;
- advertising signs;
  - NOTE 2 Examples are neon tube advertising signs.
- decorative lighting;
- emergency signs.

Excluded from the scope of this document are:

- components or modules intended to be built into lighting equipment and which are not user-replaceable;
  - NOTE 3 See CISPR 30 (all parts) for built-in controlgear.
- lighting equipment operating in the ISM frequency bands (as defined in Resolution 63 (1979) of the ITU Radio Regulation);
- lighting equipment for aircraft and airfield facilities (runways, service facilities, platforms);
- video signs;
- installations;
- equipment for which the electromagnetic compatibility requirements in the radio-frequency range are explicitly formulated in other CISPR standards, even if they incorporate a builtin lighting function.

NOTE 4 Examples of exclusions are:

- equipment with built-in lighting devices for display back lighting, scale illumination and signaling;
- SSL-displays;
- range hoods, refrigerators, freezers;
- photocopiers, projectors;
- lighting equipment for road vehicles (in scope of CISPR 12).

The frequency range covered is 9 kHz to 400 GHz. No measurements need to be performed at frequencies where no limits are specified in this document.

Multi-function equipment which is subjected simultaneously to different clauses of this document and/or other standards need to meet the provisions of each clause/standard with the relevant functions in operation.

For equipment outside the scope of this document and which includes lighting as a secondary function, there is no need to separately assess the lighting function against this document, provided that the lighting function was operative during the assessment in accordance with the applicable standard.

NOTE 5 Examples of equipment with a secondary lighting function can be range hoods, fans, refrigerators, freezers, ovens and TV with ambient lighting.

The radiated emission requirements in this document are not intended to be applicable to the intentional transmissions from a radio transmitter as defined by the ITU, nor to any spurious emissions related to these intentional transmissions.

Within the remainder of this document, wherever the term "lighting equipment" or "EUT" is used, it is meant to be the electrical lighting and similar equipment falling in the scope of this document as specified in this clause.

# 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, IEC standard voltages

IEC 60050-161, International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility

IEC 60050-845:1987, International Electrotechnical Vocabulary - Chapter 845: Lighting

IEC 60061-1, Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps

IEC 60081, Double-capped fluorescent lamps – Performance specifications

IEC 60598-1:2014, Luminaires – Part 1: General requirements and tests IEC 60598-1:2014/AMD1:2017

IEC 60921, Ballasts for tubular fluorescent lamps – Performance requirements

IEC 61000-4-20:2010: Electromagnetic compatibility (EMC) – Part 4-20: Testing and measurement techniques – Emission and immunity testing in transverse electromagnetic (TEM) waveguides

IEC 61195, Double-capped fluorescent lamps – Safety specifications

IEC 62504:2014, General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions

CISPR 16-1-1:2015, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus

CISPR 16-1-2:2014, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Coupling devices for conducted disturbance measurements

CISPR 16-1-4:2010, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Antennas and test sites for radiated disturbance measurements

CISPR 16-1-4:2010/AMD1:2012

CISPR 16-1-4:2010/AMD2:2017

CISPR 16-2-1:2014, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements

CISPR 16-2-1:2014/AMD1:2017

CISPR 16-2-3:2016, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements

CISPR 16-4-2:2011, Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-2: Uncertainties, statistics and limit modelling – Measurement instrumentation uncertainty

CISPR 16-4-2:2011/AMD1:2014

CISPR TR 30-1:2012, Test method on electromagnetic emissions – Part 1: Electronic control gear for single- and double-capped fluorescent lamps

CISPR 32:2015, Electromagnetic compatibility of multimedia equipment – Emission requirements

ISO/IEC 17025:2005<sup>1</sup>, General requirements for the competence of testing and calibration laboratories

<sup>1</sup> This edition was replaced by ISO/IEC 17025:2017 but the listed edition applies.