

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Järnvägsanläggningar – Kompatibilitet mellan rälsfordon och fordonsdetekterande system – Del 1: Allmänt

*Railway applications –
Compatibility between rolling stock and train detection systems –
Part 1: General*

Som svensk standard gäller europastandarden EN 50238-1:2019. Den svenska standarden innehåller den officiella engelska språkversionen av EN 50238-1:2019.

Nationellt förord

Tidigare fastställd svensk standard SS-EN 50238-1, utgåva 1, 2003 och SS-EN 50238-1 AC1, utgåva 1, 2014, gäller ej fr o m 2022-09-09.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

Railway applications - Compatibility between rolling stock and train detection systems - Part 1: General

Applications ferroviaires - Compatibilité entre matériel
roulant et systèmes de détection de train - Partie 1 :
Généralités

Bahnanwendungen - Kompatibilität zwischen Fahrzeugen
und Gleisfreimeldesystemen - Teil 1: Allgemein

This European Standard was approved by CENELEC on 2019-09-09. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

European foreword	4
Introduction	5
1 Scope	7
2 Normative references	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	8
4 Compatibility process	8
4.1 Overview	8
4.2 Detailed compatibility process	9
4.3 Compatibility case	10
4.4 Quality management	11
4.5 Route identification for introduction of RST (new or changed)	11
4.6 Introduction of infrastructure elements (new or changed)	11
4.7 Characterization	11
4.8 Compatibility analyses	11
5 Characterization of train detection systems	14
5.1 Objective of procedure	14
5.2 Track circuit systems - Standards, regulations and technical specifications	14
5.3 Axle counter systems - Standards, regulations and technical specifications	14
5.4 Wheel detectors (treadle applications)	14
5.5 Loops	15
6 Characterization of rolling stock	16
6.1 Objective	16
6.2 General procedure	16
7 Characterization of traction power supply systems	16
7.1 Objective	16
7.2 DC traction power supplies	17
7.3 AC traction power supplies	17
7.4 Test procedures	17
8 Test report	18
8.1 General	18
8.2 Introduction	18
8.3 Test organization	18
8.4 Configuration	18
8.5 Reference documents	18
8.6 Application of the test plan	18

8.7 Test results	18
8.8 Comments.....	18
8.9 Archive of test results	18
Annex A (informative) Guidelines for the determination of susceptibility of train detection systems	19
A.1 Examples of system configurations	19
A.2 "Normal" configuration	19
A.3 Interference mechanism with broken signal rail	19
A.4 Interference mechanism with broken return rail	20
A.5 Double rail track circuits.....	21
A.6 Voltage between axles of rolling stock	22
A.7 Effect of resistance between coupled vehicles.....	23
A.8 Radiated interference	25
A.9 Example of sensitive zone of wheel detector	25
A.10 Factor of safety	25
A.11 Multiple interference sources.....	26
Annex B (informative) General characterization of rolling stock	27
B.1 Objective of procedure.....	27
B.2 Description of rolling stock and factors affecting its characteristics	27
B.3 Configuration (design status).....	27
B.4 Test plan	27
Annex C (informative) Factors affecting rolling stock characteristics and compatibility.....	30
Annex D (informative) DC traction power supplies	33
D.1 General	33
D.2 Interference currents generated by the rolling stock	33
D.3 Interference currents generated by the traction power supply system.....	33
Annex E (informative) Compatibility parameters for loops (example).....	36
E.1 Principles of operation - Electrical background	36
E.2 Vehicle metal construction.....	36
Bibliography	39

European foreword

This document (EN 50238-1:2019) has been prepared by CLC/SC 9XA "Communication, signalling and processing systems" of CLC/TC 9X "Electrical and electronic applications for railways".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-09-09
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2022-09-09

This document supersedes EN 50238-1:2003 and all of its amendments and corrigenda (if any).

EN 50238-1:2019 includes the following significant technical changes with respect to EN 50238-1:2003:

Generic compatibility process to be followed irrespective of whether the trigger is a change to the signalling system, rolling stock or the power system:

- 1) generic Compatibility Process, which is broken into two stage process depending on whether there are established compatibility limits or not;
- 2) rules for characterization of train detection systems;
- 3) rules for characterization of Rolling Stock;
- 4) rules for characterization of the Power System;
- 5) references are provided to established CENELEC standards for compatibility;
- 6) terminology is updated.

Introduction

This document defines a process to demonstrate compatibility between rolling stock operating on an area of use or network and train detection systems installed in this area of use or network.

Currently, general rules for the maximum levels of interference allowed, and maximum susceptibility levels (or minimum required immunity levels) are not established in every country. This is due to the great diversity of rolling stock, power supply and return current systems, and train detection systems installed in Europe. This diversity leads to consideration of compatibility of rolling stock and train detection systems on a 'route by route' or "network by network" basis, to avoid unnecessarily restrictive specifications.

The compatibility process described in this document is generic. The process refers to all types of Train Detection Systems (TDS), which may be influenced by electromagnetic emissions of rolling stock or traction power supply systems, (e.g. axle counters, track circuits, wheel detectors, loops).

Compatibility is determined by both physical and electromagnetic considerations. With regard to the Electro Magnetic Compatibility, the need is not for general values for maximum levels of interference permitted, and maximum susceptibility levels (or minimum required immunity levels) but for convenient methods by which to specify the level of interference allowed for operation on routes or a network.

Main interference sources are considered to be:

- rail currents and voltage sources;
- electromagnetic fields;
- differential voltage between adjacent axles of the train;

as shown in Figure 1.




Figure 1 — Sources of electromagnetic interference

In practice, the susceptibility of the system is determined by:

- the sensitivity of individual components of the system and the type of interference it is susceptible to;
- the application of the components, i.e. the configuration of the system.

Therefore the problems concerning TDS are considered separately for each type.

- CLC/TS 50238-2 or national rules define compatibility limits for track circuits;
- CLC/TS 50238-3 or national rules define compatibility limits for axle counters and wheel detectors;
- EN 50592 defines the testing method of rolling stock for electromagnetic compatibility with axle counters;
- Compatibility with other types of wheel detectors (mechanical or magnetic) is described in 5.4;
- Compatibility with loops can be established following the guidance in 5.5;
- Compatibility with any other type of TDS not explicitly covered by this document can also be established following the generic process in this document.

For determining the susceptibility of signalling systems, laboratory/simulation testing methods and *in situ* tests on the “real railway” are proposed. Modelling enables worst-case conditions to be simulated. In addition, particular test sites are selected because, from experience, they are expected to provide the test evidence required.

Then, taking account of the experience of the railways, it is possible to establish a general method for determining the susceptibility of train detection systems, described in this document. General requirements how to establish immunity have been defined in EN 50617-1 and EN 50617-2.

Before assessing the electromagnetic emissions of rolling stock, sufficient knowledge of the electric circuit diagram of the power equipment is necessary, including switching frequencies of on-board power converters, type of regulation used for power converters, resonant frequency of each filter, operating limits under high and low supply voltages, degraded modes of operation, etc. EN 50592 defines the testing method of rolling stock for electromagnetic compatibility with axle counters.

1 Scope

This document describes a process to demonstrate compatibility between Rolling Stock (RST) and Train Detection Systems (TDS). It describes the characterization of train detection systems, rolling stock and traction power supply systems.

It is worth noting that the demonstration of technical compatibility between the rolling stock and infrastructure with respect to physical dimensions is not detailed in this document.

This document is not generally applicable to those combinations of rolling stock, traction power supply and train detection system which were accepted as compatible prior to the issue of this document. However, as far as is reasonably practicable, this document can be applied to modifications of rolling stock, traction power supply or train detection systems which may affect compatibility. The detailed process can be used where no rules and processes for compatibility are established.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50617-1, *Railway applications – Technical parameters of train detection systems for the interoperability of the trans-European railway system – Part 1: Track circuits*

EN 50617-2, *Railway Applications – Technical parameters of train detection systems for the interoperability of the trans-European railway system -- Part 2: Axle counters*

EN 50592, *Railway applications – Testing of rolling stock for electromagnetic compatibility with axle counters*