

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Optofibrer – Del 2-10: Produktspecifikationer – Gruppspecifikation för multimodfibrer kategori A1

Optical fibres –

Part 2-10: Product specifications –

Sectional specification for category A1 multimode fibres

Som svensk standard gäller europastandarden EN IEC 60793-2-10:2019. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 60793-2-10:2019.

Nationellt förord

Europastandarden EN IEC 60793-2-10:2019

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60793-2-10, Seventh edition, 2019 - Optical fibres - Part 2-10: Product specifications - Sectional specification for category A1 multimode fibres**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60793-2-10, utgåva 6, 2018, gäller ej fr o m 2022-06-26.

ICS 33.180.10

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

Optical fibres - Part 2-10: Product specifications - Sectional
specification for category A1 multimode fibres
(IEC 60793-2-10:2019)

Fibres optiques - Partie 2-10: Spécifications de produits -
Spécification intermédiaire pour les fibres multimodales de
catégorie A1
(IEC 60793-2-10:2019)

Lichtwellenleiter - Teil 2-10: Produktspezifikationen -
Rahmenspezifikation für Mehrmodenfasern der Kategorie
A1
(IEC 60793-2-10:2019)

This European Standard was approved by CENELEC on 2019-06-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 86A/1932/FDIS, future edition 7 of IEC 60793-2-10, prepared by SC 86A "Fibres and cables" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60793-2-10:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-03-26
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-06-26

This document supersedes EN 60793-2-10:2017 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60793-2-10:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

| | | |
|---------------------|------|---|
| IEC 61280-1-3 | NOTE | Harmonized as EN 61280-1-3 |
| IEC 61280-1-4 | NOTE | Harmonized as EN 61280-1-4 |
| IEC 60793-2-10:2017 | NOTE | Harmonized as EN 60793-2-10:2017 (not modified) |
| IEC 60794-1-1 | NOTE | Harmonized as EN 60794-1-1 |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|-------------------|-------------|
| IEC 60793-1-20 | - | Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry | EN 60793-1-20 | - |
| IEC 60793-1-21 | - | Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry | EN 60793-1-21 | - |
| IEC 60793-1-22 | - | Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement | EN 60793-1-22 | - |
| IEC 60793-1-30 | - | Optical fibres - Part 1-30: Measurement methods and test procedures - Fibre proof test | EN 60793-1-30 | - |
| IEC 60793-1-31 | - | Optical fibres - Part 1-31: Measurement methods and test procedures - Tensile strength | EN IEC 60793-1-31 | - |
| IEC 60793-1-32 | - | Optical fibres - Part 1-32: Measurement methods and test procedures - Coating strippability | EN IEC 60793-1-32 | - |
| IEC 60793-1-33 | - | Optical fibres - Part 1-33: Measurement methods and test procedures - Stress corrosion susceptibility | EN 60793-1-33 | - |
| IEC 60793-1-40 | - | Optical fibres - Part 1-40: Attenuation measurement methods | EN IEC 60793-1-40 | - |
| IEC 60793-1-41 | - | Optical fibres - Part 1-41: Measurement methods and test procedures - Bandwidth | EN 60793-1-41 | - |
| IEC 60793-1-42 | - | Optical fibres - Part 1-42: Measurement methods and test procedures - Chromatic dispersion | EN 60793-1-42 | - |
| IEC 60793-1-43 | - | Optical fibres - Part 1-43: Measurement methods and test procedures - Numerical aperture measurement | EN 60793-1-43 | - |
| IEC 60793-1-46 | - | Optical fibres - Part 1-46: Measurement methods and test procedures - Monitoring of changes in optical transmittance | EN 60793-1-46 | - |
| IEC 60793-1-47 | - | Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss | EN IEC 60793-1-47 | - |

EN IEC 60793-2-10:2019 (E)

| | | | | |
|----------------|------|---|-------------------|------|
| IEC 60793-1-49 | - | Optical fibres - Part 1-49: Measurement methods and test procedures - Differential mode delay | EN IEC 60793-1-49 | - |
| IEC 60793-1-50 | - | Optical fibres - Part 1-50: Measurement methods and test procedures - Damp heat (steady state) tests | EN 60793-1-50 | - |
| IEC 60793-1-51 | - | Optical fibres - Part 1-51: Measurement methods and test procedures - Dry heat (steady state) tests | EN 60793-1-51 | - |
| IEC 60793-1-52 | - | Optical fibres - Part 1-52: Measurement methods and test procedures - Change of temperature tests | EN 60793-1-52 | - |
| IEC 60793-1-53 | - | Optical fibres - Part 1-53: Measurement methods and test procedures - Water immersion tests | EN 60793-1-53 | - |
| IEC 60793-2 | - | Optical fibres - Part 2: Product specifications - General | EN 60793-2 | - |
| IEC 61280-4-1 | 2009 | Fibre-optic communication subsystem test procedures - Part 4-1: Installed cable plant - Multimode attenuation measurement | EN 61280-4-1 | 2009 |

CONTENTS

| | |
|---|----|
| FOREWORD..... | 5 |
| 1 Scope..... | 7 |
| 2 Normative references | 8 |
| 3 Terms and definitions | 9 |
| 4 Abbreviated terms | 10 |
| 5 Specifications | 10 |
| 5.1 General..... | 10 |
| 5.2 Dimensional requirements..... | 10 |
| 5.3 Mechanical requirements | 12 |
| 5.4 Transmission requirements | 12 |
| 5.5 Environmental requirements | 14 |
| 5.5.1 General | 14 |
| 5.5.2 Mechanical environmental requirements (common to all fibres in category A1)..... | 15 |
| 5.5.3 Transmission environmental requirements..... | 16 |
| Annex A (normative) Specifications for sub-categories A1-OM2, A1-OM3, A1-OM4 and A1-OM5 multimode fibres..... | 17 |
| A.1 General..... | 17 |
| A.2 Dimensional requirements..... | 17 |
| A.3 Mechanical requirements | 18 |
| A.4 Transmission requirements | 18 |
| A.5 Environmental requirements | 20 |
| Annex B (normative) Specifications for sub-category A1-OM1 multimode fibres | 21 |
| B.1 General..... | 21 |
| B.2 Dimensional requirements..... | 21 |
| B.3 Mechanical requirements | 21 |
| B.4 Transmission requirements | 22 |
| B.5 Environmental requirements | 22 |
| Annex C (normative) Specifications for sub-category A1d multimode fibres | 23 |
| C.1 General..... | 23 |
| C.2 Dimensional requirements..... | 23 |
| C.3 Mechanical requirements | 23 |
| C.4 Transmission requirements | 24 |
| C.5 Environmental requirements | 24 |
| Annex D (normative) Fibre differential mode delay (DMD), calculated effective modal bandwidth (EMB _c) and calculated overfilled modal bandwidth (OMB _c) requirements..... | 25 |
| D.1 A1-OM3 fibre DMD requirements | 25 |
| D.1.1 General | 25 |
| D.1.2 DMD templates..... | 25 |
| D.1.3 DMD interval masks..... | 26 |
| D.2 A1-OM3 fibre EMB _c requirements | 27 |
| D.2.1 General | 27 |
| D.2.2 Calculated effective bandwidth | 27 |
| D.3 A1-OM4 DMD requirements | 29 |
| D.3.1 General | 29 |

| | | |
|-----------------------|---|----|
| D.3.2 | DMD templates | 29 |
| D.3.3 | DMD interval masks | 30 |
| D.4 | A1-OM4 fibre EMB _C requirements | 30 |
| D.4.1 | General | 30 |
| D.4.2 | Calculated effective bandwidth | 30 |
| D.5 | A1-OM5 fibre modal bandwidth requirements | 30 |
| D.5.1 | General | 30 |
| D.5.2 | Calculated effective modal bandwidth | 31 |
| D.6 | A1-OM2, A1-OM3, A1-OM4 and A1-OM5 calculated overfilled modal bandwidth | 31 |
| Annex E (informative) | System, modal bandwidth, and transmitter considerations | 33 |
| E.1 | Background | 33 |
| E.2 | System considerations | 33 |
| E.2.1 | A1-OM3 and A1-OM4 fibres | 33 |
| E.2.2 | A1-OM5 fibre | 33 |
| E.3 | Effective modal bandwidth (EMB) | 34 |
| E.4 | Transmitter encircled flux (EF) and centre wavelength requirements | 37 |
| E.4.1 | Encircled flux | 37 |
| E.4.2 | Centre wavelength for A1-OM3 and A1-OM4 fibres | 38 |
| E.4.3 | Centre wavelength for A1-OM5 fibre | 38 |
| Annex F (informative) | Bandwidth nomenclature explanation | 40 |
| Annex G (informative) | Preliminary indications for items needing further study | 41 |
| G.1 | Effective modal bandwidth (EMB) at 1 300 nm | 41 |
| G.2 | Scaling of EMB with DMD | 41 |
| Annex H (informative) | Applications and cabling categories supported by A1 fibres | 43 |
| Annex I (informative) | 1-Gigabit, 10-Gigabit, 25-Gigabit, 40-Gigabit and 100-Gigabit Ethernet applications | 44 |
| Bibliography | | 50 |
| Figure 1 | – Relation between bandwidths at 850 nm and 1 300 nm | 14 |
| Figure D.1 | – DMD template requirements | 26 |
| Figure E.1 | – Estimated minimum wide band EMB versus wavelength for A1-OM3 | 35 |
| Figure E.2 | – Estimated minimum wide band EMB versus wavelength for A1-OM4 | 36 |
| Figure E.3 | – Estimated minimum wide band EMB versus wavelength for A1-OM5 | 37 |
| Figure E.4 | – Approximate position of DMD weightings relative to the EF boundaries of Equations (E.10) and (E.11) | 38 |
| Table 1 | – Cross reference IEC A1 multimode fibre designations to IEC 60793-2-10:2017 | 8 |
| Table 2 | – Dimensional attributes and measurement methods | 11 |
| Table 3 | – Dimensional requirements common to category A1 fibres | 11 |
| Table 4 | – Additional dimensional attributes required in sub-category specifications | 11 |
| Table 5 | – Mechanical attributes and measurement methods | 12 |
| Table 6 | – Mechanical requirements common to category A1 fibres | 12 |
| Table 7 | – Transmission attributes and measurement methods | 13 |
| Table 8 | – Additional transmission attributes required in sub-category specifications | 13 |
| Table 9 | – Environmental exposure tests | 15 |

| | |
|---|----|
| Table 10 – Attributes measured for environmental tests | 15 |
| Table 11 – Strip force for environmental tests | 15 |
| Table 12 – Tensile strength for environmental tests | 16 |
| Table 13 – Stress corrosion susceptibility for environmental tests | 16 |
| Table 14 – Change in attenuation for environmental tests | 16 |
| Table A.1 – Dimensional requirements specific to A1-OM2, A1-OM3, A1-OM4 and A1-OM5 fibres | 18 |
| Table A.2 – Mechanical requirements specific to A1-OM2, A1-OM3, A1-OM4 and A1-OM5 fibres | 18 |
| Table A.3 – Transmission requirements specific to A1-OM2, A1-OM3, A1-OM4 and A1-OM5 fibres | 19 |
| Table B.1 – Dimensional requirements specific to A1-OM1 fibres | 21 |
| Table B.2 – Mechanical requirements specific to A1-OM1 fibres | 21 |
| Table B.3 – Transmission requirements specific to A1-OM1 fibres | 22 |
| Table C.1 – Dimensional requirements specific to A1d fibres | 23 |
| Table C.2 – Mechanical requirements specific to A1d fibres | 23 |
| Table C.3 – Transmission requirements specific to A1d fibres | 24 |
| Table D.1 – DMD templates for A1-OM3 fibres | 25 |
| Table D.2 – DMD interval masks for A1-OM3 fibres | 27 |
| Table D.3 – DMD weightings | 28 |
| Table D.4 – DMD templates for A1-OM4 fibres | 30 |
| Table D.5 – DMD interval masks for A1-OM4 fibres | 30 |
| Table D.6 – DMD weighting for OMB _C | 32 |
| Table F.1 – Bandwidth nomenclature explanation | 40 |
| Table H.1 – Some standardised applications supported by A1-OM2, A1-OM3, A1-OM4, A1-OM5 fibres and in some cases A1-OM1 fibres | 43 |
| Table I.1 – Summary of 1 Gb/s, 10 Gb/s, 25 Gb/s, 40 Gb/s and 100 Gb/s Ethernet requirements and capabilities | 45 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRES –**Part 2-10: Product specifications –
Sectional specification for category A1 multimode fibres**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60793-2-10 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This seventh edition cancels and replaces the sixth edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant change with respect to the previous edition: revision of the naming convention for A1 multimode fibres, which better matches with those found in ISO/IEC standards. These changes are outlined in the scope of this document along with a cross reference table for the new names.

The text of this International Standard is based on the following documents:

| FDIS | Report on voting |
|---------------|------------------|
| 86A/1932/FDIS | 86A/1939/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60793 series, published under the general title *Optical fibres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OPTICAL FIBRES –

Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres

1 Scope

This part of IEC 60793 is applicable to optical fibre sub-categories A1-OM1, A1-OM2, A1-OM3, A1-OM4, A1-OM5, and A1d. These fibres are used or can be incorporated in information transmission equipment and optical fibre cables.

Sub-categories A1-OM2, A1-OM3, A1-OM4 and A1-OM5 apply to 50/125 μm graded index fibre in four bandwidth grades. Each of these bandwidth grades is defined for two levels of macrobend loss performance that are distinguished by "a" or "b" suffix. Those sub-categories with suffix "a" are specified to meet traditional macrobend loss performance levels. Those sub-categories with suffix "b" are specified to meet enhanced macrobend loss (i.e. lower loss) performance levels.

Sub-category A1-OM5 is specified to support single wavelength or multi-wavelength transmission systems in the vicinity of 850 nm to 950 nm. Although not normatively specified, bandwidth information covering this wavelength range is also included for A1-OM3 and A1-OM4.

Sub-category A1-OM1 applies to 62,5/125 μm graded index fibre and sub-category A1d applies to 100/140 μm graded index fibre.

Other applications include, but are not restricted to, the following: short reach, high bit-rate systems in telephony, distribution and local networks carrying data, voice and/or video services; on-premises intra-building and inter-building fibre installations including data centres, local area networks (LANs), storage area networks (SANs), private branch exchanges (PBXs), video, various multiplexing uses, outside telephone cable plant use, and miscellaneous related uses.

Three types of requirements apply to these fibres:

- general requirements, as defined in IEC 60793-2;
- specific requirements common to the category A1 multimode fibres covered in this document and which are given in Clause 5;
- particular requirements applicable to individual fibre sub-categories and models, or specific applications, which are defined in the normative specification Annexes A to D.

Table 1 shows the cross reference between the IEC A1 multimode optical fibre designations used in this document compared to those used in IEC 60793-2-10:2017. The table also refers to the normative annexes A, B and C for the A1 sub-category multimode fibres in this document that contains the detailed specification.

Table 1 – Cross reference IEC A1 multimode fibre designations to IEC 60793-2-10:2017

| Annex | Sub-category | Sub-category/Model | Core diameter (nominal) | ISO/IEC 11801-1:2017 |
|--|----------------------------|----------------------------------|-------------------------|----------------------------|
| | This document designations | IEC 60793-2-10:2017 designations | | Usage of cabled OMx fibres |
| A | A1-OM2 | A1a.1 | 50 µm ^a | OM2 ^b |
| | A1-OM3 | A1a.2 | 50 µm | OM3 |
| | A1-OM4 | A1a.3 | 50 µm | OM4 |
| | A1-OM5 | A1a.4 | 50 µm | OM5 |
| B | A1-OM1 | A1b | 62,5 µm ^c | OM1 ^d |
| C | A1d | A1d | 100 µm | - |
| ^a Historically, ISO/IEC 11801:2002 also defined OM2 cables made with 62,5/125 µm fibres having a minimum overfilled launch bandwidth of 500 MHz·km at 850 nm and 500 MHz·km at 1 300 nm. This specific bandwidth combination of 62,5/125 µm fibre is not part of this document. ^b OM2 cables are not supported for new installations within ISO/IEC 11801-1:2017. ^c Historically, ISO/IEC 11801:2002 also defined OM1 cables made with 50/125 µm fibres having a minimum overfilled launch bandwidth of 200 MHz·km at 850 nm and 500 MHz·km at 1 300 nm. This specific bandwidth combination of 50/125 µm fibre is not part of this document. ^d OM1 cables are not supported for new installations within ISO/IEC 11801-1:2017. | | | | |

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-1-20, *Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry*

IEC 60793-1-21, *Optical fibres – Part 1-21: Measurement methods and test procedures – Coating geometry*

IEC 60793-1-22, *Optical fibres – Part 1-22: Measurement methods and test procedures – Length measurement*

IEC 60793-1-30, *Optical fibres – Part 1-30: Measurement methods and test procedures – Fibre proof test*

IEC 60793-1-31, *Optical fibres – Part 1-31: Measurement methods and test procedures – Tensile strength*

IEC 60793-1-32, *Optical fibres – Part 1-32: Measurement methods and test procedures – Coating strippability*

IEC 60793-1-33, *Optical fibres – Part 1-33: Measurement methods and test procedures – Stress corrosion susceptibility*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-41, *Optical fibres – Part 1-41: Measurement methods and test procedures – Bandwidth*

IEC 60793-1-42, *Optical fibres – Part 1-42: Measurement methods and test procedures – Chromatic dispersion*

IEC 60793-1-43, *Optical fibres – Part 1-43: Measurement methods and test procedures – Numerical aperture measurement*

IEC 60793-1-46, *Optical fibres – Part 1-46: Measurement methods and test procedures – Monitoring of changes in optical transmittance*

IEC 60793-1-47, *Optical fibres – Part 1-47: Measurement methods and test procedures – Macrobending loss*

IEC 60793-1-49, *Optical fibres – Part 1-49: Measurement methods and test procedures – Differential mode delay*

IEC 60793-1-50, *Optical fibres – Part 1-50: Measurement methods and test procedures – Damp heat (steady state) tests*

IEC 60793-1-51, *Optical fibres – Part 1-51: Measurement methods and test procedures – Dry heat (steady state) tests*

IEC 60793-1-52, *Optical fibres – Part 1-52: Measurement methods and test procedures – Change of temperature tests*

IEC 60793-1-53, *Optical fibres – Part 1-53: Measurement methods and test procedures – Water immersion tests*

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

IEC 61280-4-1:2009, *Fibre-optic communication subsystem test procedures – Part 4-1: Installed cable plant – Multimode attenuation measurement*