

Edition 1.0 2020-04

# TECHNICAL SPECIFICATION



Active assisted living (AAL) use cases

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 11.020.20; 11.020.99; 11.180

ISBN 978-2-8322-8017-1

Warning! Make sure that you obtained this publication from an authorized distributor.

# CONTENTS

	_	RD	_
IN		CTION	
1	Scop	e	12
2	Norm	ative references	12
3	Term	s, definitions and abbreviated terms	12
	3.1	Terms and definitions	12
	3.2	Abbreviated terms	12
4	Gene	ral	13
	4.1	Overview	13
	4.2	Objectives	13
	4.3	Use case development stages	13
	4.4	AAL architecture model	13
5	Defin	ition of AAL use case template	15
	5.1	Overview	15
	5.2	Description of use case	15
	5.3	AAL levels of criticality	15
	5.4	Levels of assistance (user domains)	16
	5.5	Use case categories	17
	5.6	Context of use	18
	5.7	System component composition	19
	5.8	Actors	20
	5.8.1	General	20
	5.8.2	Persons	20
	5.8.3	Technical components	
	5.8.4	Organizations	
	5.8.5	Relationship between actors	
6	Use o	case analysis	21
	6.1	General	
	6.2	Overview and representative use cases	
	6.2.1	General	
	6.2.2	Prevention and management of chronic long-term conditions	
	6.2.3	Social interaction	
	6.2.4	Mobility	
	6.2.5	Health & wellness	
	6.2.6	(Self-)management of daily life activities at home	
_	6.3	Functionalities that appear in each use case	
7		iderations of user requirements	
	7.1	General	
	7.2	Definition of user requirements	
	7.2.1	General	
	7.2.2	Safety	
	7.2.3	Security	
	7.2.4	Privacy and data protection	
0	7.2.5	Functional requirements	
8		nary of standards gap analysis	
9	Conc	lusions and recommendations	32

Annex A	(informative) AAL use case template (version 1.10)	33
A.1	Level of criticality (See 5.3)	33
A.2	Name of use case	33
A.3	AAL function and service layer	33
A.4	AAL system component composition	33
A.5	Version management	33
A.6	Basic information to use case	34
A.7	Scope and objectives of use case	34
A.8	Narrative of use case	34
A.9	Actors: people, components, systems, integrated systems, applications and organizations	34
A.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	
A.11	Referenced standards and/or standardization committees	35
A.12	Relation with other known use cases	35
A.13	General remarks	35
A.14	Data security and privacy	35
A.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL	35
A.16	User requirements and interactions with other actors	35
A.17	Drawings or diagrams depicting the use case	35
Annex B	(informative) Representative use cases	36
B.1	Use case 1 personal health check	36
B.1.	1 Level of criticality (See 5.3)	36
B.1.	2 Name of use case	36
B.1.	3 AAL function and service layer	36
B.1.	4 AAL system component composition	36
B.1.	5 Version management	37
B.1.	6 Basicinformation to use case	37
B.1.	7 Scope and objectives of use case	37
B.1.	8 Narrative of use case	38
B.1.	9 Actors: people, components, systems, integrated systems, applications and organizations	
B.1.		
	(including regional regulations)	
B.1.		
B.1.	12 Relation with other known use cases	39
B.1.	13 General remarks	39
B.1.	, , ,	39
B.1.	15 Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	39
B.1.	16 User requirements and interactions with other actors	39
B.1.	17 Drawings or diagrams depicting the use case	40
B.2	Use Case 2 Advanced medication monitoring	40
B.2.	1 Level of criticality (See 5.3)	40
B.2.	2 Name of Use Case	40
B.2.	3 AAL function and service layer	40
B.2.	4 AAL system component composition	41
B.2.	5 Version management	41
B 2	6 Basic Information to use case	41

B.2.7	Scope and objectives of use case	41
B.2.8	Narrative of use case	41
B.2.9	Actors: people, components, systems, integrated systems, applications and organizations	44
B.2.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	44
B.2.11	Referenced standards and/or standardization committees	44
B.2.12	Relation with other known use cases	44
B.2.13	General remarks	44
B.2.14	Security and privacy	45
B.2.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	45
B.2.16	User requirements and interactions with other actors	45
B.2.17	Drawings or diagrams depicting the use case	46
B.3 Use	Case 3 enable social interaction with care provider	46
B.3.1	Level of criticality (See 5.3)	46
B.3.2	Name of use case	47
B.3.3	AAL function and service layer	47
B.3.4	AAL system component composition	47
B.3.5	Version management	47
B.3.6	Basic information to use case	
B.3.7	Scope and objectives of use Case	48
B.3.8	Narrative of use case	
B.3.9	Actors: people, components, systems, integrated systems, applications and organizations	50
B.3.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	50
B.3.11	Standards and/or Standardization Committees	50
B.3.12	Relation with other known use cases	51
B.3.13	General remarks	51
B.3.14	Data security and privacy	51
B.3.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	51
B.3.16	User requirements and interactions with other actors	51
B.3.17	Drawings or diagrams depicting the use case	52
B.4 Use	Case 4 social interaction with smart TV	53
B.4.1	Level of criticality (see 5.3)	53
B.4.2	Name of use case	
B.4.3	AAL function and service layer	53
B.4.4	AAL system component composition	
B.4.5	Version management	
B.4.6	Basic information to use case	
B.4.7	Scope and objectives of use case	55
B.4.8	Narrative of use case	55
B.4.9	Actors: people, components, systems, integrated systems, applications and organizations	55
B.4.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	
B.4.11	Referenced standards and/or standardization Committees	
B.4.12	Relation with other known use cases	56
B.4.13	General remarks	56

B.4.14	Data security and privacy	56
B.4.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	56
B.4.16	User requirements and interactions with other actors	57
B.4.17	Drawings or diagrams depicting the use case	57
B.5 Use	Case 5 smart wheeled walker	58
B.5.1	Level of criticality (See 5.3)	58
B.5.2	Name of use case	59
B.5.3	AAL function and service layer	59
B.5.4	AAL system component composition	59
B.5.5	Version management	
B.5.6	Basic information to use case	
B.5.7	Scope and objectives of use case	
B.5.8	Narrative of use case	61
B.5.9	Actors: people, components, systems, integrated systems, applications and organizations	61
B.5.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	62
B.5.11	Referenced standards and/or standardization sommittees	62
B.5.12	Relation with other known use cases	
B.5.13	General remarks	62
B.5.14	Data security and privacy	62
B.5.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	63
B.5.16	User requirements and interactions with other actors	63
B.5.17	Drawings or diagrams depicting the use case	63
B.6 Use	Case 6 enhanced terminal accessibility	64
B.6.1	Level of criticality (See 5.3)	64
B.6.2	Name of Use Case	64
B.6.3	AAL function and service layer	65
B.6.4	AAL system component composition	65
B.6.5	Version management	65
B.6.6	Basic information to use case	65
B.6.7	Scope and objectives of use case	66
B.6.8	Narrative of use case	66
B.6.9	Actors: people, components, systems, integrated systems, applications and organizations	67
B.6.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	
B.6.11	Referenced standards and/or standardization committees	67
B.6.12	Relation with other known use cases	67
B.6.13	General Remarks	68
B.6.14	Data Security and Privacy	68
B.6.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	68
B.6.16	User requirements and interactions with other actors	68
B.6.17	Drawings or diagrams depicting the use case	69
B.7 Use	Case 7 intelligent apartment	
B.7.1	Level of criticality (See 5.3)	69
B 7 2	Name of use case	69

B.7.3	AAL function and service layer	70
B.7.4	BAAL system component composition	70
B.7.5	Version management	70
B.7.6	Basic information to use case	71
B.7.7	Scope and objectives of use case	71
B.7.8	Narrative of use case	
B.7.9	Actors: people, components, systems, integrated systems, applications and organizations	73
B.7.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	73
B.7.11	Referenced standards and/or standardization committees	73
B.7.12	Relation with other known use cases	74
B.7.13	General remarks	74
B.7.14	Data security and privacy	74
B.7.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	74
B.7.16	User requirements and interactions with other actors	74
B.7.17	Drawings or diagrams depicting the use case	75
B.8 Use	e Case 8 personal trainer	75
B.8.1	Level of criticality (See 5.3)	75
B.8.2	Name of use case	76
B.8.3	AAL function and service layer	76
B.8.4	AAL system component composition	76
B.8.5	Version management	76
B.8.6	Basic information to use case	77
B.8.7	Scope and objectives of use case	77
B.8.8	Narrative of Use Case	77
B.8.9	Actors: people, components, systems, integrated systems, applications and organizations	78
B.8.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	78
B.8.11	Referenced standards and/or standardization committees	78
B.8.12	Relation with other known use cases	78
B.8.13	General remarks	79
B.8.14	Data security and privacy	79
B.8.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	79
B.8.16	User requirements and interactions with other actors	79
B.8.17	Drawings or diagrams depicting the use case	80
B.9 Use	e Case 9 behaviour monitoring	82
B.9.1	Level of criticality (See 5.3)	82
B.9.2	Name of use case	82
B.9.3	AAL function and service layer	82
B.9.4	AAL system component composition	82
B.9.5	Version Management	
B.9.6	Basic Information to Use Case	
B.9.7	Scope and Objectives of Use Case	83
B.9.8	Narrative of Use Case	
B.9.9	Actors: people, components, systems, integrated systems, applications and organizations	84

В.9.10	(including regional regulations)(including regional regulations) (including regional regulations)	85
B.9.11	Referenced standards and/or standardization committees	
B.9.12	Relation with other known use cases	
B.9.13	General remarks	
B.9.14	Data security and privacy	
B.9.15	Conformity aspects (common international assessment	
D.0.10	methodology/critical requirements) (to be completed by IEC SyC AAL)	86
B.9.16	User requirements and interactions with other actors	
B.9.17	Drawings or diagrams depicting the use case	87
B.10 Use	Case 10 shopping and nutrition planner	8
B.10.1	Level of criticality (See 5.3)	88
B.10.2	Name of Use Case	89
B.10.3	AAL function and service layer	89
B.10.4	AAL system component composition	89
B.10.5	Version management	89
B.10.6	Basic iInformation to use case	90
B.10.7	Scope and objectives of use case	90
B.10.8	Narrative of use case	91
B.10.9	Actors: people, components, systems, integrated systems, applications and organizations	91
B.10.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	91
B.10.11	Referenced standards and/or standardization committees	92
B.10.12	Relation with other known use cases	92
B.10.13	General remarks	92
B.10.14	Data security and privacy	92
B.10.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	92
B.10.16	User requirements and interactions with other actors	92
B.10.17	Drawings or diagrams depicting the use case	93
B.11 Use	Case 11 intelligent lighting fixtures	94
B.11.1	Level of criticality (See 5.3)	94
B.11.2	Name of use case	94
B.11.3	AAL function and service layer	94
B.11.4	AAL system component composition	95
B.11.5	Version management	95
B.11.6	Basic iInformation to use case	95
B.11.7	Scope and objectives of use case	95
B.11.8	Narrative of use case	96
B.11.9	Actors: people, components, systems, integrated systems, applications and organizations	97
B.11.10	Issues: legal contracts, legal regulations, constraints and others (including regional regulations)	97
B.11.11	Referenced standards and/or standardization committees	
B.11.12	Relation with other known use cases	98
B.11.13	General remarks	98
B.11.14	Data security and privacy	
B.11.15	Conformity aspects (common international assessment methodology/critical requirements) (to be completed by IEC SyC AAL)	
D 11 16	User requirements and interactions with other actors	Q.S

B.11.17 Drawings or diagrams depicting the use case	99
Annex C (informative) User requirements analysis	103
Annex D (informative) Extraction of user requirements from the 10 representative	use
cases	108
Bibliography	113
Figure 1 – AAL architecture model	14
Figure 2 – Overview of AAL user domains	17
Figure 3 – AAL use case categories	18
Figure 4 – Relationship between actors	21
Figure 5 – Overview of user requirements	29
Figure 6 – AAL use case classification	30
Figure C.1 – Extraction example of user requirements from UC #1	103
Figure D.1 – Extraction example of user requirements from UC #1(same as Figure	e C.1)108
Figure D.2 – Extraction of user requirements from UC #2	108
Figure D.3 – Extraction of user requirements from UC #3	109
Figure D.4 – Extraction of user requirements from UC #4	109
Figure D.5 – Extraction of user requirements from UC #5	110
Figure D.6 – Extraction of user requirements from UC #6	110
Figure D.7 – Extraction of user requirements from UC #7	111
Figure D.8 – Extraction of user requirements from UC #8	111
Figure D.9 – Extraction of user requirements from UC #9	112
Figure D.10 – Extraction of user requirements from UC #10	112
Table 1 – Titles and categories of use cases	22
Table 2 – Categories and functionalities of use cases	28
Table C.1 – Extraction of user requirements from use cases	104
Table C.2 – Allocation to user requirements groups	106
Table C.3 – Mapping of user requirements groups by UC categories and Figure 5	107

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# **ACTIVE ASSISTED LIVING (AAL) USE CASES**

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 63134, which is a Technical Specification, has been prepared by IEC systems committee Active Assisted Living.

The text of this Technical Specification is based on the following documents:

Enquiry draft	Report on voting
SyCAAL/152/DTS	SyCAAL/167/RVDTS

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · transformed into an International Standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

### INTRODUCTION

IEC SyC AAL is developing use cases for AAL system standards with a view to identify gaps in standardization.

All selected use cases have a real-world validity. The development of use cases makes it easier to define AAL categories of similar use cases and highlight their commonalities. It was then possible to extract functional requirements from the use cases and make recommendations for future standardization items related to AAL. Collecting the use cases also allowed SyC AAL to validate the proposed AAL reference model and reference architecture.

This document captures the results of a use case input process that began with the call for contributions of AAL use cases in November 2015. The current document reflects contributions and discussions by SyC AAL experts, mirror committees and liaison members. This document also contains material gathered from reports, AAL research projects and group output from the SyC AAL meetings in November 2015 (Tokyo), April 2016 (Wellington), October 2016 (Frankfurt), April 2017 (Beijing), September 2017 (Cleveland), May 2018 (Tokyo) and October 2018 (Seoul), as well as information obtained from the subsequent web calls to the meetings.

As of November 2018, a total of 45 use cases were submitted. To start the project, members of the SyC AAL user focus working group were requested to submit use cases using the IEC template. The use case submissions consisted of the title of the use case, a description and the origin of the use case. The use case template helped to group and categorize the use cases according to the identified functional requirements and needs of users. The former AAL use case template developed in SG 3 AAL was modified in order to capture also wider societal issues including security, risk and privacy, as well as looking at AAL in relation to the Internet of Things (IoT).

Experts from the following national committees, liaison organizations and research projects contributed use cases on AAL: Canada, China, Japan, Germany, Netherlands, South Korea, UK, USA, ISO IEC JTC 1 SC 41 PCHA and Continua and AALiance2.

The target audience for this document includes the following stakeholders who have an interest in the AAL system:

- AAL users and service provider personnel who can learn about AAL user needs and how to operate AAL systems;
- first responders, formal carers, etc. to understand how to respond to an AAL system emergency call;
- CE and ICT device manufacturers who want to understand AAL devices and interface and interoperability requirements;
- AAL care recipients who are interested in the usability, accessibility and performance of the AAL system;
- AAL operators to understand the system requirements;
- regulators who are responsible for developing and supervising AAL and related regulations.

## **ACTIVE ASSISTED LIVING (AAL) USE CASES**

### 1 Scope

This document identifies AAL scenarios and use cases based on real-world applications and requirements. The use cases provide a practical context for considerations of interoperability and standards based on user experience. Use cases provide a context for utilizing existing standards and identifying further standardization work. User requirements have also been identified.

This document also highlights potential areas for standardization in the AAL environment to ensure safety, security, privacy, ease of operation, performance and interoperability.

Lastly, this document is a contribution to the IEC use case management repository, the purpose of which is to collect, administer, maintain, and analyse use cases.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-871, International Electrotechnical Vocabulary – Part 871: Active assisted living (AAL)