# SVENSK STANDARD SS-EN IEC 61238-1-1



Fastställd 2020-05-13

Utgåva 1 Sida 1 (1+43) Ansvarig kommitté SEK TK 20

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

# Kraftkablar -

Förbindningsdon för kontaktpressning eller annan mekanisk förbindning – Del 1-1: Fordringar och provning –

Förbindningsdon för kontaktpressning eller annan mekanisk förbindning för kraftkablar med märkspänning högst 1 kV ( $U_m$  = 1,2 kV) provade på oisolerade ledare

Compression and mechanical connectors for power cables -

Part 1-1: Test methods and requirements for compression and mechanical connectors for power cables for rated voltages up to 1 kV ( $U_m = 1.2 \text{ kV}$ ) tested on non-insulated conductors

Som svensk standard gäller europastandarden EN IEC 61238-1-1:2019. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 61238-1-1:2019.

#### Nationellt förord

Europastandarden EN IEC 61238-1-1:2019

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- IEC 61238-1-1, First edition, 2018 Compression and mechanical connectors for power cables Part 1-1: Test methods and requirements for compression and mechanical connectors for power cables for rated voltages up to 1 kV ( $U_m = 1.2$  kV) tested on non-insulated conductors

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61238-1, utg 1, 2003, gäller ej fr o m 2022-07-19.

Denna standard ersätter tillsammans med SS-EN IEC 61238-1-2 och SS-EN IEC 61238-1-3 tidigare fastställd svensk standard SS-EN 61238-1, utgåva 1, 2003.

ICS 29.060.20

### Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

#### Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

# EN IEC 61238-1-1

September 2019

ICS 29.060.20

Supersedes EN 61238-1:2003 (partially) and all of its amendments and corrigenda (if any)

#### **English Version**

Compression and mechanical connectors for power cables - Part 1-1: Test methods and requirements for compression and mechanical connectors for power cables for rated voltages up to 1 kV ( $U_m$  = 1,2 kV) tested on non-insulated conductors (IEC 61238-1-1:2018)

Raccords sertis et à serrage mécanique pour câbles d'énergie - Partie 1-1: Méthodes et exigences d'essai relatives aux raccords sertis et à serrage mécanique pour câbles d'énergie de tensions assignées inférieures ou égales à 1 kV (*U*<sub>m</sub> = 1,2 kV) soumis à essai sur des conducteurs non isolés (IEC 61238-1-1:2018)

Pressverbinder und Schraubverbinder für Starkstromkabel - Teil 1-1: Prüfverfahren für und Anforderungen an Pressverbinder und Schraubverbinder für Starkstromkabel für Nennspannungen bis zu 1 kV (  $U_m = 1,2$  kV), geprüft an nicht isolierten Leitern (IEC 61238-1-1:2018)

This European Standard was approved by CENELEC on 2019-07-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2019 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 61238-1-1:2019 E

# **European foreword**

This document (EN IEC 61238-1-1:2019) consists of the text of IEC 61238-1-1:2018 prepared by IEC/TC 20 "Electric cables".

The following dates are fixed:

- latest date by which this document has to be (dop) 2020-07-19 implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards (dow) 2022-07-19 conflicting with this document have to be withdrawn

This document partially supersedes EN 61238-1:2003 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

# **Endorsement notice**

The text of the International Standard IEC 61238-1-1:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61238-1	NOTE	Harmonized as EN 61238-1.
IEC 61238-1-2	NOTE	Harmonized as EN IEC 61238-1-2.
IEC 61238-1-3	NOTE	Harmonized as EN IEC 61238-1-3.

IEC 62475:2010 NOTE Harmonized as EN 62475:2010 (not modified).

# Annex ZA

(normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-461	-	International Electrotechnical Vocabulary -	-	-
		Part 461: Electric cables		
IEC 60228	-	Conductors of insulated cables	EN 60228	-
IEC 60493-1	_	Guide for the statistical analysis of ageing	-	_
		test data - Part 1: Methods based on mear	1	
		values of normally distributed test results		
IEC 60949	1988	Calculation of thermally permissible short-	-	-
+A1	2008	circuit currents, taking into account non-		
		adiabatic heating effects		

# CONTENTS

Ε(	DREWO	RD	4
IN	TRODU	CTION	6
1	Scop	e	7
2	Norm	ative references	7
3	Term	s and definitions	7
4		ools	
5	•	eral	
J		Definition of classes	
	5.1 5.2	Conductor	
	5.2	Connectors and installation procedure	
	5.4	Range of approval	
6		rical tests	
U			
	6.1 6.1.1	Installation	
	6.1.1		
	6.1.3	•	
	6.2	Measurements	
	6.2.1	General	
	6.2.2		
	6.2.3		
	6.3	Heat cycling test	
	6.3.1	General	
	6.3.2		
	6.3.3	•	
	6.3.4	•	
	6.4	Short-circuit test for connectors according to Class A	
	6.4.1	General	
	6.4.2	Aluminium conductors with cross-sectional areas below 1 000 mm <sup>2</sup> and copper conductors with cross-sectional areas below 630 mm <sup>2</sup>	18
	6.4.3		18
	6.5	Assessment of results	19
	6.6	Requirements	19
	6.7	Examples of electrical test loop configurations and associated parameters	19
7	Mech	anical test	25
	7.1	General	25
	7.2	Method	25
	7.3	Requirements	25
8	Test	reports	26
	8.1	General	26
	8.2	Electrical tests	26
	8.3	Mechanical test	26
Ar	nnex A (	normative) Equalizers and their preparation	27
	A.1	Requirements for equalizers	27
	A.2	Recommendations for welding equalizers	27
Ar	nnex B (	normative) Measurements	29

B.1	Potential measuring positions for typical connectors	29
B.2	Temperature measurement	29
B.3	Equivalent conductor resistance	29
Annex C (	informative) Recommendations to decrease uncertainties of measurement	30
C.1	Handling the test loop	30
C.2	Measurements, instruments and readings	30
Annex D (	normative) Calculation of adiabatic short-circuit current	31
Annex E (i	informative) Determination of the value of the short-circuit current	32
Annex F (ı	normative) Calculation method	33
F.1	General	33
F.2	Measurements made	33
F.3	Connector resistance factor k	33
F.4	Initial scatter $\delta$	34
F.5	Mean scatter $\beta$	34
F.6	Change in resistance factor of each connector	36
F.6.1	General	36
F.6.2	Line of best fit	36
F.6.3	- 1	
F.6.4	•	
	Resistance factor ratio $\lambda$	
	Maximum temperatures $\theta_{ extsf{max}}$	37
	informative) Explanation on assessment of results of electrical tests on s	38
	History	
	Short examination of the assessment methods of IEC 61238-1 compared	30
	with the Italian standard CEI 20-28 and the British standard BS 4579-3	38
G.3	The IEC 61238-1 method of assessing test results	39
Bibliograp	hy	41
Figure 1 –	Example of second heat cycle profile	17
	Typical electrical test loops for through connectors and terminal lugs	
_	Typical electrical test loop for branch connectors	
	Typical cases of resistance measurements	
_	Preparation of equalizers	
	Determination of equivalent RMS value of current during the short-circuit test.	
•	·	
Figure F.1	Graphic example of assessment of a Class A individual connector	35
Table 1	Minimum period of temperature stability	15
	·	
	Electrical resistance measurements during the electrical test	
	Electrical test requirements	
	Selection of tensile force withstand values for the mechanical test	
	- Material properties	
Table G.1	- Summary of assessed behaviour of a tested connector	40

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

# COMPRESSION AND MECHANICAL CONNECTORS FOR POWER CABLES –

# Part 1-1: Test methods and requirements for compression and mechanical connectors for power cables for rated voltages up to 1 kV $(U_{\rm m}$ = 1,2 kV) tested on non-insulated conductors

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61238-1-1 has been prepared by IEC technical committee 20: Electric cables.

This first edition, together with IEC 61238-1-2 and IEC 61238-1-3, cancels and replaces IEC 61238-1:2003.

This edition includes the following significant technical changes with respect to IEC 61238-1:2003:

a) The scope has been widened to cover connectors for copper conductors from  $10~\text{mm}^2$  down to  $2.5~\text{mm}^2$  and has been limited to  $1~200~\text{mm}^2$  for connectors for copper and aluminium conductors because test experience and applications are rare for conductors of larger cross-sectional areas.

- b) Two new mechanical classes have been introduced to satisfy the demand for connectors subjected to no mechanical force and for connectors subjected to higher mechanical forces than those specified in Class 1 for conductors of larger cross-sectional areas.
- c) For the electrical test, a maximum elevated heating current has been set in order to avoid unrealistic current densities during testing which may change properties of tested connectors.
- d) For the short-circuit test, the method of calculation and requirements have been updated.
- e) For the mechanical test, the methods and requirements have been updated.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
20/1788/FDIS	20/1803/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61238 series, published under the general title *Compression and mechanical connectors for power cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

The IEC 61238 series has been divided into the following parts:

- Part 1-1: Test methods and requirements for compression and mechanical connectors for power cables for rated voltages up to 1 kV ( $U_{\rm m}$  = 1,2 kV) tested on non-insulated conductors
- Part 1-2: Test methods and requirements for insulation piercing connectors for power cables for rated voltages up to 1 kV ( $U_{\rm m}$  = 1,2 kV) tested on insulated conductors
- Part 1-3: Test methods and requirements for compression and mechanical connectors for power cables for rated voltages above 1 kV ( $U_{\rm m}$  = 1,2 kV) up to 30 kV ( $U_{\rm m}$  = 36 kV) tested on non-insulated conductors

This Part 1-1 of IEC 61238 deals with type tests for compression and mechanical connectors for use on copper or aluminium conductors of power cables for rated voltages up to 1 kV ( $U_{\rm m}$  = 1,2 kV).

When a design of connector meets the requirements of this document, then it is expected that in service:

- a) the resistance of the connection will remain stable within specified limits;
- b) the temperature of the connector will be of the same order or less than that of the conductor during current heating;
- c) if the intended use demands it, application of short-circuit currents will not affect a) and b);
- d) independently from the electrical performance, conforming axial tensile strength will ensure an acceptable mechanical performance for the connections to the cable conductors, when applicable.

It should be stressed that, although the object of the electrical and mechanical tests specified in this document is to prove the suitability of connectors for most operating conditions, they do not necessarily apply to situations where a connector may be raised to a high temperature by virtue of connection to a highly rated plant, to corrosive conditions, or where the connector is subjected to external mechanical stresses such as excessive vibration, shock and large displacement after installation. In these instances, the tests in this document may need to be supplemented by special tests agreed between supplier and purchaser.

This document does not invalidate existing approvals of products achieved on the basis of national standards and specifications and/or the demonstration of satisfactory service performance. However, products approved according to such national standards or specifications cannot directly claim approval to this document.

Once successfully completed, these tests are not repeated unless changes are made in material, manufacturing process and design which might adversely change the connector performance characteristics.

# COMPRESSION AND MECHANICAL CONNECTORS FOR POWER CABLES –

Part 1-1: Test methods and requirements for compression and mechanical connectors for power cables for rated voltages up to 1 kV  $(U_{\rm m}$  = 1,2 kV) tested on non-insulated conductors

## 1 Scope

This part of IEC 61238 applies to compression and mechanical connectors for power cables for rated voltages up to 1 kV ( $U_{\rm m}$  = 1,2 kV), for example buried cables or cables installed in buildings, having

- a) conductors complying with IEC 60228 having nominal cross-sectional areas between 2,5 mm<sup>2</sup> and 1 200 mm<sup>2</sup> for copper and between 16 mm<sup>2</sup> and 1 200 mm<sup>2</sup> for aluminium;
- b) a maximum continuous conductor temperature not exceeding 90 °C.

This document is not applicable to connectors for overhead line conductors nor to connectors with a sliding contact.

The object of this document is to define the type test methods and requirements which apply to compression and mechanical connectors for power cables with copper or aluminium conductors. The reference method is to perform the tests on unused conductors.

# 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-461, International Electrotechnical Vocabulary – Part 461: Electric cables (available at http://www.electropedia.org)

IEC 60228, Conductors of insulated cables

IEC 60493-1, Guide for the statistical analysis of ageing test data – Part 1: Methods based on mean values of normally distributed test results

IEC 60949:1988, Calculation of thermally permissible short-circuit currents, taking into account non-adiabatic heating effects

IEC 60949:1988/AMD1:2008