SVENSK STANDARD SS-EN 62552-3



Fastställd 2020-10-21

Utgåva 1 Sida 1 (1+174) Ansvarig kommitté SEK TK 59

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Kylar och frysar för hushållsbruk – Egenskaper och provningsmetoder – Del 3: Elförbrukning och volym

Household refrigerating appliances – Characteristics and test methods – Part 3: Energy consumption and volume

Som svensk standard gäller europastandarden EN 62552-3:2020. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62552-3:2020.

Nationellt förord

Europastandarden EN 62552-3:2020

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- IEC 62552-3, First edition, 2015 Household refrigerating appliances Characteristics and test methods Part 3: Energy consumption and volume

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN 62552-1, utgåva 1, 2020 och SS-EN 62552-2, utgåva 1, 2020.

Standarden ersätter, tillsammans med SS-EN 62552-1 och SS-EN 62552-2, tidigare fastställd svensk standard SS-EN 62552, utgåva 1, 2013, som ej gäller fr o m 2023-02-24.

ICS 97.030.00

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 62552-3

April 2020

ICS 97.030

Supersedes EN 62552:2013 (partially) and all of its amendments and corrigenda (if any)

English Version

Household refrigerating appliances - Characteristics and test methods - Part 3: Energy consumption and volume (IEC 62552-3:2015, modified)

Appareils de réfrigération à usage ménager -Caractéristiques et méthodes d'essai - Partie 3: Consommation d'énergie et volume (IEC 62552-3:2015, modifiée) Haushaltskühlgeräte - Eigenschaften und Prüfverfahren -Teil 3: Energieverbrauch und Rauminhalt (IEC 62552-3:2015, modifiziert)

This European Standard was approved by CENELEC on 2020-02-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN 62552-3:2020 E

SEK Svensk Elstandard SS-EN 62552-3, utg 1:2020

EN 62552-3:2020

Co	Contents	
Eur	opean foreword	3
1	Modification to the Introduction	4
2	Modification to Clause 3, "Terms, definitions and symbols"	4
3	Modification to Clause 5, "Target temperatures for energy determination"	4
4	Modifications to Clause 6, "Determination of energy consumption"	4
5	Modification to Annex A, "Set up for Energy testing"	5
6	Modifications to Annex B, "Determination of steady state power and temperature"	5
7	Modifications to Annex C, "Defrost and recovery energy and temperature change"	5
8	Modifications to Annex D, "Defrost interval"	6
9	Modifications to Annex F, "Energy consumption of specified auxiliaries"	8
10	Modifications to Annex G, "Determination of load processing efficiency"	9
11	Modifications to Annex H, "Determination of volume"	10
12	Modifications to Annex I, "Worked examples of energy consumption calculations"	13
13	Addition of Annex ZA, "Chill compartment temperature control test"	15
14 cor	Addition of Annex ZB, "Normative references to international publications with their responding European publications"	16
15 ecc	Addition of Annexes ZZA, "Relationship between this European Standard and the odesign requirements of Commission Regulation (EU) 2019/2019 aimed to be covered"	17
	Addition of Annexes ZZB, "Relationship between this European Standard and the ergy labelling requirements of Commission Delegated Regulation (EU) 2019/2016 aimed be covered"	1Ω
	Addition of Bibliography	
	· ··································	

European foreword

This document (EN 62552-3:2020) consists of the text of IEC 62552-3:2015 prepared by IEC/TC 59 "Performance of household and similar electrical appliances", together with the common modifications prepared by CLC/TC 59X "Performance of household and similar electrical appliances".

The following dates are fixed:

- latest date by which this document has (dop) 2021-02-24 to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national (dow) 2023-02-24 standards conflicting with this document have to be withdrawn

This standard in combination with standards EN 62552-1:2020 and EN 62552-2:2020 will supersede EN 62552:2013.

This standard shall be read in combination with standards EN 62552-1:2020 and EN 62552-2:2020.

EN 62552-3:2020 includes the following significant technical changes:

- a) definition of the "regional function", i.e. calculation formula for annual energy consumption for Europe;
- b) some clauses have been completely modified, i.e. D.3, F.1 and H.2.2;
- c) adding of H.Z1 and Figures H.Z1, H.Z2, H.Z3, H.Z4 and H.Z5.

Clauses, subclauses, notes, tables, figures and annexes which are additional to those in IEC 62552-3:2015 are prefixed "Z".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under Standardization Request M/459 given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

Endorsement notice

The text of IEC 62552-3:2015 was approved by CENELEC as a European Standard with agreed common modifications.

CONTENTS

FC	DREWO	RD	8
IN	TRODU	CTION	11
1	Scop	e	12
2	Norm	ative references	12
3	Term	s, definitions and symbols	12
	3.1	Terms and definitions	12
	3.2	Symbols	
4		cable test steps for determination of energy and volume	
	4.1	Setup for energy testing	13
	4.2	Steady state power consumption	
	4.3	Defrost and recovery energy and temperature change	
	4.4	Defrost frequency	
	4.5	Number of test points and interpolation	
	4.6	Load processing efficiency	
	4.7	Specified auxiliaries	
	4.8	Volume determination	
5	Targe	et temperatures for energy determination	14
	5.1	General	
	5.2	Temperature control settings for energy consumption test	
6	Deter	mination of energy consumption	
	6.1	General	
	6.2	Objective	
	6.3	Number of test runs	
	6.4	Steady state power consumption	
	6.5	Defrost and recovery energy and temperature change	
	6.6	Defrost interval	
	6.7	Specified auxiliaries	
	6.8	Calculation of energy consumption	
	6.8.1	General	
	6.8.2	Daily energy consumption	18
	6.8.3	Interpolation	19
	6.8.4	Specified auxiliaries	19
	6.8.5	Total energy consumption	20
7	Circu	mvention devices	20
8	Unce	rtainty of measurement	21
9		report	
Ar	nex A (normative) Set up for energy testing	22
	A.1	General	
	A.2	Additional set up requirements for energy testing	
	A.2.1	Ice making trays	
	A.2.2		
	A.2.3	•	
	A.2.4	•	
	A.2.5		
	A.2.6		

Annex B ((normative) Determination of steady state power and temperature	26
B.1	General	26
B.2	Setup for testing and data collection	26
B.3	Case SS1: no defrost control cycle or where stability is established for a period between defrosts	26
B.3.1	Case SS1 approach	26
B.3.2	Case SS1 acceptance criteria	29
B.3.3	Case SS1 calculation of values	30
B.4	Case SS2: steady state determined between defrosts	30
B.4.1	Case SS2 approach	30
B.4.2	Case SS2 acceptance criteria	32
B.4.3	Case SS2 calculation of values	33
B.5	Correction of steady state power	34
Annex C	(normative) Defrost and recovery energy and temperature change	36
C.1	General	36
C.2	Setup for testing and data collection	36
C.3	Case DF1: where steady state operation can normally be established before and after defrosts	37
C.3.1	Case DF1 approach	37
C.3.2	Case DF1 acceptance criteria	39
C.3.3	Case DF1 calculation of values	40
C.4	Number of valid defrost and recovery periods	42
C.5	Calculation of representative defrost energy and temperature	42
Annex D	(normative) Defrost interval	44
D.1	General	44
D.2	Elapsed time defrost controllers	44
D.3	Compressor run time defrost controllers	45
D.4	Variable defrost controllers	47
D.4.1	l General	47
D.4.2	Variable defrost controllers – declared defrost intervals	48
D.4.3	Variable defrost controllers – no declared defrost intervals (demand defrost)	48
D.4.4	Variable defrost controllers – non compliant	49
Annex E ((normative) Interpolation of results	50
E.1	General	50
E.2	Temperature adjustment prior to interpolation	51
E.3	Case 1: linear interpolation – two test points	51
E.3.1	General	51
E.3.2	Requirements	51
E.3.3	B Calculations	51
E.4	Case 2: triangulation – three (or more) test points	55
E.4.1	General	55
E.4.2	Requirements for two (or more) compartment triangulation	56
E.4.3	Calculations for two compartment triangulation – manual interpolation	59
E.4.4	Calculations for two compartment triangulation – matrices	60
E.4.5	Checking temperature validity where there are more than two compartments for triangulation	62
E.4.6	Calculations for three compartment triangulation – matrices	63
Annex F (normative) Energy consumption of specified auxiliaries	67

F.1	Purpose	67
F.2	Ambient controlled anti-condensation heaters	67
F.2.1	Outline of the method	67
F.2.2	Measurement procedure	67
F.2.3	Data requirements	68
F.2.4	Regional weather data	68
F.2.5	Calculation of power consumption	68
F.2.6	Where anti-condensation heater(s) cannot be disabled but their power consumption can be measured directly	69
F.2.7	consumption cannot be measured directly	
F.2.8	Where anti-condensation heater(s) has a user-adjustable setting	70
F.3	Automatic icemakers – energy to make ice	70
F.3.1	General	70
F.3.2	Tank type automatic icemakers	70
Annex G	(normative) Determination of load processing efficiency	77
G.1	Purpose	77
G.2	General description	77
G.3	Setup, equipment and preparation	78
G.3.1	General	78
G.3.2	2 Equipment	79
G.3.3	Quantity of water to be processed	79
G.3.4	Position of the water load in compartments	80
G.3.5	Temperature of the water to be processed	83
G.4	Load processing efficiency test method	84
G.4.1	Commencement of the load processing efficiency test	84
G.4.2	Placement of the load	84
G.4.3	Measurements to be taken	85
G.4.4	Conclusion of load processing efficiency test	85
G.5	Determination of load processing efficiency	86
G.5.1	General	86
G.5.2	2 Quantification of input energy	87
G.5.3	Quantification of additional energy used to process the load	88
G.5.4	Load processing efficiency	89
G.5.5	Load processing multiplier	90
G.5.6	Addition of user related loads into daily energy	91
Annex H	(normative) Determination of volume	93
H.1	Scope	93
H.2	Total volume	
H.2.1		
H.2.2		
H.2.3		
H.2.4		
H.3	Key for Figures H.1 through H.5	
	nformative) Worked examples of energy consumption calculations	
I.1	Example calculation of daily energy consumption	
1. 1 1.2	Variable defrost – calculation of defrost intervals	
1.2	Examples of Interpolation	
I.3.1	General	
1.0.1		100

1.3.2	Linear interpolation	100
1.3.3	Two compartments – manual triangulation	109
1.3.4	Two compartments – triangulation using matrices	113
1.3.5	Three compartments – triangulation using matrices	115
1.4	Calculating the energy impact of internal temperature changes	117
1.4.1	General	117
1.4.2	One compartment	117
1.4.3	Triangulation	118
1.5	Automatically controlled anti-condensation heater(s)	119
1.6	Calculation of load processing efficiency	121
1.7	Determination of annual energy consumption	123
1.8	Examples of determination of power and temperature from raw data	124
1.8.1	Manual review of data	124
1.8.2	Review of data and selection of minimum spread using bespoke software	144
Annex J (informative) Development of the IEC global test method for refrigerating	
appliance	S	146
J.1	Purpose	146
J.2	Overview	
J.3	Test method objective	
J.4	Description of key components of energy consumption	
	(normative) Analysis of a refrigerating appliance without steady state	
	defrosts	
K.1	Purpose	
K.2	Products with regular characteristics but without steady state operation	
K.2.1		
K.2.2	- грания - г	
K.2.3	•	
K.2.4		
`	informative) Derivation of ambient temperature correction formula	
L.1	Purpose	
L.2	· ·	
L.3	Approach	153
	1 – Illustration of a test period made of blocks of 5 temperature control cycles atures for Case SS1	27
Figure B.2	2 – Illustration of a test period made of blocks of 5 temperature control cycles or Case SS1	
Figure B.	3 – Case SS2 – typical operation of a refrigerating appliance with a defrost	
•	cle	31
	1 – Conceptual illustration of the additional energy associated with a defrost very period	37
Figure C.:	2 – Case DF1 with steady state operation before and after a defrost	38
	1 – Interpolation where temperatures change in multiple compartments ment D critical)	54
, ,	2 – Interpolation with valid results in both Compartment A and B	
•		
•	3 – Interpolation with no valid results	
•	4 – Schematic representation of interpolation by triangulation	
Figure G	1 - Concentual illustration of the load processing efficiency test	78

Figure G.2 – Shelf locations and loading sequence (example showing 10 PET bottles)	81
Figure G.3 – Ice cube tray locations and clearances	83
Figure G.4 – Representation of the additional energy to process the added load	87
Figure G.5 – Case where a defrost and recovery period occurs during load processing	89
Figure H.1 – Basic view of top mounted freezer appliance	95
Figure H.2 – Automatic ice-maker dispenser and chute	96
Figure H.3 – Automatic ice-making compartment	96
Figure H.4 – Rail of drawer type shelves or baskets	97
Figure H.5 – Rotary divider of fresh food compartment for French Doors	97
Figure I.1 – Example linear interpolation two compartments (Compartment B critical)	102
Figure I.2 – Example linear interpolation two compartments (Compartment B critical)	103
Figure I.3 – Example Interpolation where both test points have both compartments below target (two valid results)	104
Figure I.4 – Example Interpolation where both test points have both compartments below target (two valid results)	105
Figure I.5 – Example Interpolation where neither test point has both compartments below target (no valid results)	106
Figure I.6 – Example Interpolation where neither test point has both compartments below target (no valid results)	107
Figure I.7 – Example Interpolation for 4 compartments	109
Figure I.8 – Example of triangulation (temperatures)	111
Figure I.9 – Example of triangulation (temperature and energy)	112
Figure I.10 – An example of power and temperature data	125
Figure I.11 – Example of finding a test period with minimum spread in power	145
Figure K.1 – Special Case SS2 – where steady state operation is never reached between defrost and recovery periods and Annex C stability may not be established	149
Table 1 – Target temperatures for energy determination by compartment type	
Table B.1 – Assumed △COP adjustment	35
Table F.1 – Format for temperature and humidity data – ambient controlled anti-	60
condensation heaters	
Table I.2 – Example 1 of linear interpolation, two compartments	
Table I.3 – Example 2 of linear interpolation, two compartments	
Table I.4 – Example 3 of linear interpolation, two compartments	
Table I.5 – Example 3 of linear interpolation, two compartments	
Table I.6 – Example of linear interpolation, results for four compartments	
Table I.7 – Example of initeal interpolation, results for four compartments	
Table I.8 – Example of triangulation, two compartments	
Table I.9 – Example of triangulation, tiffee compartments	113
at 16 °C, 22 °C and 32 °C	120
Table I.10 – An example of calculation of energy, power and temperature for each temperature control cycle (TCC)	126
possible blocks (size = 3 TCC)possible blocks (size = 3 TCC)	128

Table I.12 – An example of calculation of energy, power and temperature for all possible test periods (3 blocks each of 3 TCC)	130
Table I.13 – An example of calculation of energy, power and temperature for all possible blocks (size = 5 TCC)	133
Table I.14 – An example of calculation of energy, power and temperature for all possible blocks (size = 9 TCC)	135
Table I.15 – An example of calculation of energy, power and temperature for all possible test periods (3 blocks each of 5 TCC)	137
Table I.16 – An example of calculation of energy, power and temperature for all possible test periods (3 blocks each of 9 TCC)	139
Table I.17 – Determination of defrost validity DF1	141
Table I.18 – Determination of steady state values using SS2	143
Table L.1 – Assumed relative insulation value for multi-compartment products	155

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD REFRIGERATING APPLIANCES – CHARACTERISTICS AND TEST METHODS –

Part 3: Energy consumption and volume

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62552-3 has been prepared by subcommittee 59M: Performance of electrical household and similar cooling and freezing appliances, of IEC technical committee 59: Performance of household and similar electrical appliances

IEC 62552-1, IEC 62552-2 and IEC 62552-3 cancel and replace the first edition of IEC 62552 published in 2007. IEC 62552-1, IEC 62552-2 and IEC 62552-3 together constitute a technical revision and include the following significant technical changes with respect to IEC 62552:2007:

- a) All parts of the standard have been largely rewritten and updated to cope with new testing requirements, new product configurations, the advent of electronic product controls and computer based test-room data collection and processing equipment.
- b) In Part 1 there are some changes to test room equipment specifications and the setup for testing to provide additional flexibility especially when testing multiple appliances in a single test room.

- c) For more efficient analysis and to better characterise the key product characteristics under different operating conditions, the test data from many of the energy tests in Part 3 (this part) is now split into components (such as **steady state** operation and defrost and recovery). The approach to determination of energy consumption has been completely revised, with many internal checks now included to ensure that data complying with the requirements of the standard is as accurate as possible and of high quality.
- d) Part 3 (this part) now provides a method to quantify each of the relevant energy components and approaches on how these can be combined to estimate energy under different conditions on the expectation that different regions will select components and weightings that are most applicable when setting both their local performance and energy efficiency criteria while using a single set of global test measurements.
- e) For energy consumption measurements in Part 3 (this part), no thermal mass (test packages) is included in any compartment and compartment temperatures are based on the average of air temperature sensors (compared to the temperature in the warmest test package). There are also significant differences in the position of temperature sensors in unfrozen compartments.
- f) The energy consumption test in Part 3 (this part) now has two specified ambient temperatures (16°C and 32°C).
- g) While, in Part 2 test packages are still used for the storage test to confirm performance in different operating conditions, in Part 1 they have been standardised to one size (100 mm \times 100 mm \times 50 mm) to simply loading and reduce test variability. A clearance of at least 15 mm is now specified between test packages and the compartment liner.
- h) A load processing energy efficiency test has been added in Part 3 (this part).
- i) A tank-type ice making energy efficiency test has been added in Part 3 (this part).
- j) A cooling capacity test has been added in Part 2.
- k) A pull-down test has been added in Part 2.
- Shelf area and storage volume measurement methods are no longer included. In Part 3 the volume measurement has been revised to be the total internal volume with only components necessary for the satisfactory operation of the refrigeration system considered as being in place.
- m) Tests (both performance (Part 2) and energy (Part 3 this part)) have been added for wine storage appliances.

The following print types are used in this international standard:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.
- Words in **bold** are defined in IEC 62552-1:2015, Clause 3 or in this part.

The text of this standard is based on the following documents:

FDIS	Report on voting
59M/63/FDIS	59M/66/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62252 series, published under the general title *Household refrigerating appliances – characteristics and test methods*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62552 is split into 3 parts as follows:

- IEC 62552-1: Scope, definitions, instrumentation, test room and set up of refrigerating products;
- IEC 62552-2: General performance requirements for **refrigerating appliances** and methods for testing them;
- IEC 62552-3: **Energy consumption** and **volume** determination (this part).

HOUSEHOLD REFRIGERATING APPLIANCES – CHARACTERISTICS AND TEST METHODS –

Part 3: Energy consumption and volume

1 Scope

This part of IEC 62552 specifies the essential characteristics of household and similar **refrigerating appliances** cooled by internal natural convection or forced air circulation, and establishes test methods for checking these characteristics.

This part of IEC 62552 describes the methods for the determination of **energy consumption** characteristics and defines how these can be assembled to estimate **energy consumption** under different usage and climate conditions. This part of IEC 62552 also defines the determination of **volume**.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62552-1:2015, Household refrigerating appliances – Characteristics and test methods – Part 1: General requirements

IEC 62552-2:2015, Household refrigerating appliances – Characteristics and test methods – Part 2: Performance requirements