

© Copyright SEK. Reproduction in any form without permission is prohibited.

Ljusarmatur – Säkerhet – **Del 1: Allmänna fordringar och provning**

*Luminaires –
Part 1: General requirements and tests*

Som svensk standard gäller europastandarden EN 60598-1:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60598-1:2008.

Nationellt förord

Europastandarden EN 60598-1:2008

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60598-1, Seventh edition, 2008 - Luminaires - Part 1: General requirements and tests**

utarbetad inom International Electrotechnical Commission, IEC.

I bilaga ZB redovisas svensk avvikelse, vilken av CENELEC accepterats till följd av speciella nationella förhållanden.

Tidigare fastställd svensk standard SS-EN 60598-1, utgåva 6, 2004, SS-EN 60598-1/A1, utgåva 1, 2007 och SS-EN 60598-1 C1, utgåva 1, 2007, gäller ej fr o m 2012-04-12.

ICS 29.140.40

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringssarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utdriften av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtidens standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Luminaires -
Part 1: General requirements and tests
(IEC 60598-1:2008, modified)**

Luminaires -
Partie 1: Exigences générales
et essais
(CEI 60598-1:2008, modifiée)

Leuchten -
Teil 1: Allgemeine Anforderungen
und Prüfungen
(IEC 60598-1:2008, modifiziert)

This European Standard was approved by CENELEC on 2008-10-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 34D/889/FDIS, future edition 7 of IEC 60598-1, prepared by SC 34D, Luminaires, of IEC TC 34, Lamps and related equipment, was submitted to the IEC-CENELEC parallel vote.

A draft amendment, prepared by the Technical Committee CENELEC TC 34Z, Luminaires and associated equipment, covering the needed common modifications towards IEC 60598-1:2008 (34D/889/FDIS) was submitted to the formal vote.

The combined texts were approved by CENELEC as EN 60598-1 on 2008-10-21.

This European Standard supersedes EN 60598-1:2004 + A1:2006 + corrigendum August 2007.

The major changes which may affect certification are given in Annex R. Annex R shows where a new text has been included which contains more serious/critical requirements requiring products to be re-tested.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2009-08-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2012-04-12 |

NOTE In this standard, the following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Annexes ZA, ZB and ZC have been added by CENELEC.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60061 (mod)	Series	Lamp caps and holders together with gauges for the control of interchangeability and safety	EN 60061	Series
IEC 60061-2 (mod)	– ¹⁾	Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 2: Lampholders	EN 60061-2 + A1 to A37	1993 ²⁾
IEC 60061-3	data-base	Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 3: Gauges	EN 60061-3 + A1 to A38	1993 ²⁾
IEC 60065 (mod)	2001	Audio, video and similar electronic apparatus - Safety requirements	EN 60065 + corr. August	2002 2007
IEC 60068-2-75	– ¹⁾	Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests	EN 60068-2-75	1997 ²⁾
IEC 60079 (mod)	Series	Explosive atmospheres	EN 60079	Series
IEC 60083	– ¹⁾	Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC	–	–
IEC 60085	– ¹⁾	Thermal evaluation and designation of electrical insulation	EN 60085	2008 ²⁾
IEC 60112	2003	Method for the determination of the proof and the comparative tracking indices of solid insulating materials	EN 60112	2003
IEC 60155	– ¹⁾	Glow-starters for fluorescent lamps	EN 60155	1995 ²⁾
IEC 60227	Series	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V	HD 21 ³⁾	Series
IEC 60238	2004	Edison screw lampholders	EN 60238 + corr. January	2004 2005

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

³⁾ The HD 21 series, *Cables of rated voltages up to and including 450/750 V and having thermoplastic insulation*, is related to, but not directly equivalent with the IEC 60227 series.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60245	Series	Rubber insulated cables - Rated voltages up to and including 450/750 V	HD 22 ⁴⁾	Series
IEC 60269 (mod)	Series	Low-voltage fuses	EN/HD 60269	Series
IEC 60320	Series	Appliance couplers for household and similar general purposes	EN 60320	Series
IEC 60357 (mod)	- ¹⁾	Tungsten halogen lamps (non-vehicle) - Performance specifications	EN 60357 + corr. July	2003 ²⁾ 2003
IEC 60360	- ¹⁾	Standard method of measurement of lamp cap temperature rise	EN 60360	1998 ²⁾
IEC 60364-4-41 (mod)	2005	Low-voltage electrical installations - Part 4-41: Protection for safety - Protection against electric shock	HD 60364-4-41 + corr. July	2007 2007
IEC 60384-14	- ¹⁾	Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	EN 60384-14	2005 ²⁾
IEC 60400	- ¹⁾	Lampholders for tubular fluorescent lamps and starterholders	EN 60400	2008 ²⁾
IEC 60417	data-base	Graphical symbols for use on equipment	-	-
IEC 60432-1 (mod) A1	1999 2005	Incandescent lamps - Safety specifications - Part 1: Tungsten filament lamps for domestic and similar general lighting purposes	EN 60432-1 A1	2000 2005
IEC 60432-2 (mod) A1 (mod)	1999 2005	Incandescent lamps - Safety specifications - Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes	EN 60432-2 A1	2000 2005
IEC 60432-3	- ¹⁾	Incandescent lamps - Safety specifications - Part 3: Tungsten-halogen lamps (non-vehicle)	EN 60432-3	2003 ²⁾
IEC 60449 + A1	1973 1979	Voltage bands for electrical installations of buildings	HD 193 S2	1982
IEC 60529	- ¹⁾	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 ²⁾ 1993
IEC 60570 (mod)	2003	Electrical supply track systems for luminaires	EN 60570	2003
IEC 60598-2 (mod)	Series	Luminaires - Part 2: Particular requirements	EN 60598-2	Series
IEC 60598-2-4	1997	Luminaires - Part 2: Particular requirements - Section 4: Portable general purpose luminaires	EN 60598-2-4	1997

⁴⁾ The HD 22 series, *Cables of rated voltages up to and including 450/750 V and having cross-linked insulation*, is related to, but not directly equivalent with the IEC 60245 series.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60634	– ¹⁾	Heat test source (H.T.S.) lamps for carrying out heating tests on luminaires	EN 60634	1995 ²⁾
IEC 60662 (mod)	– ¹⁾	High pressure sodium vapour lamps	EN 60662	1993 ²⁾
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60682	– ¹⁾	Method of measuring the pinch temperature of quartz glass lamps	EN 60682	1993 ²⁾
IEC 60684	Series	Flexible insulating sleeving	EN 60684	Series
IEC 60695-2	Series	Fire hazard testing - Part 2: Glowing/hot-wire based test methods	EN 60695-2	Series
IEC 60695-2-10	– ¹⁾	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	2001 ²⁾
IEC 60695-11-5	– ¹⁾	Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance	EN 60695-11-5	2005 ²⁾
IEC 60838	Series	Miscellaneous lampholders	EN 60838	Series
IEC 60989	– ¹⁾	Separating transformers, autotransformers, variable transformers and reactors	–	–
IEC 60990	1999	Methods of measurement of touch current and protective conductor current	EN 60990	1999
IEC 61032	1997	Protection of persons and equipment by enclosures - Probes for verification	EN 61032	1998
IEC 61058-1 (mod)	2000	Switches for appliances - Part 1: General requirements	EN 61058-1 ⁵⁾	2002
IEC 61140	2001	Protection against electric shock - Common aspects for installation and equipment	EN 61140	2002
IEC 61167	– ¹⁾	Metal halide lamps	EN 61167	1994 ²⁾
IEC 61184	– ¹⁾	Bayonet lampholders	EN 61184	2008 ²⁾
IEC 61199	1999	Single-capped fluorescent lamps - Safety specifications	EN 61199	1999
IEC 61249	Series	Materials for printed boards and other interconnecting structures	EN 61249	Series
IEC 61347 (mod)	Series	Lamp controlgear	EN 61347	Series
IEC 61347-2-9	– ¹⁾	Lamp controlgear - Part 2-9: Particular requirements for ballasts for discharge lamps (excluding fluorescent lamps)	EN 61347-2-9 + corr. July	2001 ²⁾ 2003
IEC 61558-1	2005	Safety of power transformers, power supplies, reactors and similar products - Part 1: General requirements and tests	EN 61558-1 + corr. August	2005 2006

⁵⁾ EN 61058-1 includes A1:2001 to IEC 61058-1 (mod).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61558-2 (mod)	Series	Safety of power transformers, power supplies, reactors and similar products - Part 2: Particular requirements	EN 61558-2	Series
IEC 61558-2-5	- ¹⁾	Safety of power transformers, power supply units and similar - Part 2-5: Particular requirements for shaver transformers and shaver supply units	EN 61558-2-5 + A11	1998 ²⁾ 2004
IEC 61558-2-6	- ¹⁾	Safety of power transformers, power supply units and similar - Part 2-6: Particular requirements for safety isolating transformers for general use	EN 61558-2-6	1997 ²⁾
IEC 62031	- ¹⁾	LED modules for general lighting - Safety specifications	EN 62031	2008 ²⁾
IEC 62035 (mod)	- ¹⁾	Discharge lamps (excluding fluorescent lamps) - Safety specifications	EN 62035	2000 ²⁾
IEC 62471 (mod)	- ¹⁾	Photobiological safety of lamps and lamp systems	EN 62471	2008 ²⁾
IEC 80416-1	- ¹⁾	Basic principles for graphical symbols for use on equipment - Part 1: Creation of symbol originals	EN 80416-1	2001 ²⁾
ISO 4046-4	2002	Paper, board, pulps and related terms - Vocabulary - Part 4: Paper and board grades and converted products	-	-

CONTENTS

SECTION 0: GENERAL INTRODUCTION

0.1 Scope and object	11
0.2 Normative references	12
0.3 General requirements	15
0.4 General test requirements and verification	15
0.5 Components of luminaires	16
0.6 List of parts of IEC 60598-2	17

SECTION 1: DEFINITIONS

1.1 General	18
1.2 Definitions	18

SECTION 2: CLASSIFICATION OF LUMINAIRES

2.1 General	30
2.2 Classification according to type of protection against electric shock	30
2.3 Classification according to degree of protection against ingress of dust, solid objects and moisture	30
2.4 Classification according to material of supporting surface for which the luminaire is designed	31
2.5 Classification according to the circumstances of use	31

SECTION 3: MARKING

3.1 General	31
3.2 Marking on luminaires	31
3.3 Additional information	35
3.4 Test of marking	37

SECTION 4: CONSTRUCTION

4.1 General	38
4.2 Replaceable components	38
4.3 Wireways	38
4.4 Lampholders	38
4.5 Starter holders	40
4.6 Terminal blocks	40
4.7 Terminals and supply connections	40
4.8 Switches	43
4.9 Insulating linings and sleeves	43
4.10 Double and reinforced insulation	44
4.11 Electrical connections and current-carrying parts	45
4.12 Screws and connections (mechanical) and glands	46
4.13 Mechanical strength	49
4.14 Suspensions and means of adjustment	52
4.15 Flammable materials	55
4.16 Luminaires for mounting on normally flammable surfaces	56
4.17 Drain holes	58

4.18	Resistance to corrosion	58
4.19	Ignitors	59
4.20	Rough service luminaires – Vibration requirements	59
4.21	Protective shield	59
4.22	Attachments to lamps	60
4.23	Semi-luminaires	60
4.24	UV radiation	60
4.25	Mechanical hazard	60
4.26	Short-circuit protection	61
4.27	Terminal blocks with integrated screwless earthing contacts	61

SECTION 5: EXTERNAL AND INTERNAL WIRING

5.1	General	61
5.2	Supply connection and other external wiring	61
5.3	Internal wiring	66

SECTION 6: Not used

SECTION 7: PROVISION FOR EARTHING

7.1	General	68
7.2	Provision for earthing	68

SECTION 8: PROTECTION AGAINST ELECTRIC SHOCK

8.1	General	70
8.2	Protection against electric shock	70

SECTION 9: RESISTANCE TO DUST, SOLID OBJECTS AND MOISTURE

9.1	General	74
9.2	Tests for ingress of dust, solid objects and moisture	74
9.3	Humidity test	78

SECTION 10: INSULATION RESISTANCE AND ELECTRIC STRENGTH, TOUCH CURRENT AND PROTECTIVE CONDUCTOR CURRENT

10.1	General	78
10.2	Insulation resistance and electric strength	78
10.2.1	Test – Insulation resistance	79
10.2.2	Test – Electric strength	80
10.3	Touch current, protective conductor current and electric burn	82

SECTION 11: CREEPAGE DISTANCES AND CLEARANCES

11.1	General	83
11.2	Creepage distances and clearances	83

SECTION 12: ENDURANCE TEST AND THERMAL TEST

12.1	General	86
12.2	Selection of lamps and ballasts	86
12.3	Endurance test	86
12.3.1	Test	87

12.3.2 Compliance	88
12.4 Thermal test (normal operation).....	88
12.4.1 Test.....	88
12.4.2 Compliance	90
12.5 Thermal test (abnormal operation)	93
12.5.1 Test.....	93
12.5.2 Compliance	94
12.6 Thermal test (failed windings in lamp control gear).....	97
12.6.1 Test for luminaires without thermal cut-outs	97
12.7 Thermal test in regard to fault conditions in lamp control gear or electronic devices incorporated in thermoplastic luminaires.....	99
12.7.1 Test for luminaires without temperature sensing controls.....	99
12.7.2 Test for luminaires with temperature sensing controls internal/external to the ballast or transformer	101

SECTION 13: RESISTANCE TO HEAT, FIRE AND TRACKING

13.1 General	101
13.2 Resistance to heat.....	102
13.3 Resistance to flame and ignition	102
13.4 Resistance to tracking	103

SECTION 14: SCREW TERMINALS

14.1 General	103
14.2 Definitions	103
14.2.1 Pillar terminal	103
14.2.2 Screw terminal.....	104
14.2.3 Stud terminal	104
14.2.4 Saddle terminal.....	104
14.2.5 Lug terminal.....	104
14.2.6 Mantle terminal.....	104
14.3 General requirements and basic principles.....	104
14.4 Mechanical tests.....	106

SECTION 15: SCREWLESS TERMINALS AND ELECTRICAL CONNECTIONS

15.1 General	110
15.2 Definitions	110
15.2.1 Screwless terminals.....	110
15.2.2 Permanent connections.....	110
15.2.3 Non-permanent connections	110
15.2.4 Lead assemblies.....	110
15.2.5 Non-prepared conductors.....	110
15.2.6 Test current	110
15.3 General requirements	111
15.4 General instructions on tests.....	112
15.4.1 Preparation of samples	112
15.4.2 Test conductors	112
15.4.3 Multi-conductor terminals	112
15.4.4 Multi-way terminals	112
15.4.5 Test quantities	112

15.5 Terminal and connections for internal wiring.....	112
15.5.1 Mechanical tests.....	112
15.6 Electrical tests	113
15.6.1 Contact resistance test	114
15.6.2 Heating tests	114
15.7 Terminals and connections for external wiring.....	115
15.7.1 Conductors	115
15.8 Mechanical tests.....	115
15.9 Electrical tests	116
15.9.1 Contact resistance test	116
15.9.2 Heating tests	117
 Annex A (normative) Test to establish whether a conductive part may cause an electric shock.....	142
Annex B (normative) Test lamps.....	143
Annex C (normative) Abnormal circuit conditions	146
Annex D (normative) Draught-proof enclosure	149
Annex E (normative) Determination of winding temperature rises by the increase-in- resistance method.....	152
Annex F (normative) Test for resistance to stress corrosion of copper and copper alloys	153
Annex G (normative) Measurement of touch current and protective conductor current).....	155
Annex H (Void).....	159
Annex I (Void)	160
Annex J (informative) Explanation of IP numbers for degrees of protection	161
Annex K (informative) Temperature measurement	163
Annex L (informative) Guide to good practice in luminaire design.....	166
Annex M (normative) Determination of creepage distances and clearances.....	171
Annex N (informative) Explanation of marking for luminaires that are not suitable for mounting on normally flammable surfaces and covering with insulation materials.....	172
Annex O (Void)	176
Annex P (normative) Absorption requirements for the protective shield to be fitted to luminaires designed for metal halide lamps which emit a high level of UV radiation.....	177
Annex Q (informative) Conformity testing during manufacture	179
Annex R (normative) Schedule of amended subclauses containing more serious/critical requirements which require products to be retested	181
Annex S (normative) Requirements for the identification of a family or range of luminaires for type testing	182
Annex T (informative) Reference to Class 0.....	183
Annex U (informative) Creepage and clearances distances for luminaires where a higher degree of availability (impulse withstand category III) may be requested.....	184
Annex V (normative) Additional test requirements for terminal blocks with integrated screwless earthing contact for direct connection to the luminaire housing or to parts of the body.....	186
Annex W (normative) Alternative thermal test for thermoplastic luminaires.....	188
 Bibliography	190

Figure 1 – Symbols	118
Figure 2 – Terminal block arrangement for installation test for luminaires with connecting leads (tails)	120
Figure 3 – <i>This figure has been withdrawn from the present edition.</i>	120
Figure 4 – Illustration of the requirements of 4.15	121
Figure 5 – <i>This figure has been withdrawn from the present edition.</i>	121
Figure 6 – Apparatus for proving protection against dust.....	122
Figure 7 – Apparatus for testing protection against rain and splashing	123
Figure 8 – Nozzle for spray test.....	124
Figure 9 – Relation between winding temperature and mounting surface temperature	125
Figure 10 – Ball-pressure apparatus.....	126
Figure 11 – Arrangement and dimensions of the electrodes for the tracking test	126
Figure 12 – Pillar terminals.....	127
Figure 13 – Screw terminals and stud terminals.....	128
Figure 14 – Saddle terminals.....	130
Figure 15 – Lug terminals.....	131
Figure 16 – Mantle terminals	132
Figure 17 – Construction of electrical connections	133
Figure 18 – Examples of spring-type screwless terminals	133
Figure 19 – Further examples of screwless terminals.....	134
Figure 20 – Illustration of the terms “lopping-in” and “through wiring”	135
Figure 21 – Apparatus for ball impact tests.....	136
Figure 22 – Examples of self-tapping, thread-cutting and thread-forming screws (from ISO 1891)	136
Figure 23 – <i>This figure has been withdrawn from the present edition.</i>	136
Figure 24 – Illustration of creepage and clearance measurements at a supply terminal	137
Figure 25 – Tumbling barrel	137
Figure 26 – Test circuit for safety during insertion.....	138
Figure 27 – Ignition temperatures of wood as a function of time	138
Figure 28 – Example of permitted degree of soldering	139
Figure 29 – Test chain	139
Figure 30 – Example of a thread forming screw used in a groove of a metallic material.....	140
Figure 31 – Electro-mechanical contact system with plug/socket connection	141
Figure 32 – Test circuit for luminaires incorporating fluorescent lamp ≤ 70 W	141
Figure C.1 – Circuit for testing rectifying effect (some capacitive starterless ballasts only) ...	147
Figure C.2 – Circuit for testing rectifying effect (ballasts for single pin lamps)	147
Figure C.3 – Circuit for testing rectifying effect of some high pressure sodium and some metal halide lamps.....	148
Figure D.1 – Example of test recess where a luminaire comprises separate parts	150
Figure D.2 – Correct test box size (insulating ceilings) for an adjustable luminaire	151
Figure G.1 – Test configuration: single-phase equipment on star TN or TT system	157
Figure G.2 – Measuring network, touch current weighted for perception or reaction (for all class II and fixed class I luminaires).....	157
Figure G.3 – Measuring network, touch current weighted for let-go (for portable class I luminaires).....	157

Figure G.4 – Measuring network, weighted for high frequency protective conductor currents	158
Figure K.1 – Placing of thermocouples on a typical lampholder	165
Figure V.1 – Arrangement for voltage drop test.....	187
 Table 3.1 – Marking	32
Table 4.1 – Torque tests on screws	47
Table 4.2 – Torque tests on glands.....	49
Table 4.3 – Impact energy and spring compression	50
Table 4.4 – Test on semi-luminaires	53
Table 4.5 – Test on adjusting devices.....	54
Table 5.1 – Supply cords.....	62
Table 5.2 – Tests for cord anchorage	64
Table 9.1 – Solid-object-proof luminaire test.....	76
Table 10.1 – Minimum insulation resistance.....	79
Table 10.2 – Electric strength.....	81
Table 10.3 – Limits of touch current or protective conductor current and electric burn	82
Table 11.1 – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages (to be used in conjunction with Annex M).....	84
Table 11.2 – Minimum distances for sinusoidal or non-sinusoidal pulse voltages.....	86
Table 12.1 – Maximum temperatures under the test conditions 12.4.2, for principal parts	91
Table 12.2 – Maximum temperatures under the test conditions of 12.4.2, for common materials used in luminaires	92
Table 12.3 – Maximum temperatures under the test conditions of 12.5.1.....	95
Table 12.4 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp control gear	96
Table 12.5 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp control gear marked “D6”	96
Table 12.6 – Temperature overshoot time limitation.....	98
Table 14.1 – Nominal cross-sectional areas of conductors according to terminal sizes	105
Table 14.2 – Nominal cross-sectional areas of conductors according to maximum current	106
Table 14.3 – Composition of conductors	107
Table 14.4 – Torque to be applied to screws and nuts	108
Table 14.5 – Pull to be applied to conductor	109
Table 15.1 – Conductor rating	115
Table 15.2 – Conductor pull force	116
Table F.1 – pH value of the test solution.....	153
Table G.1 – Position of switch e, n and p for the measurements of the different classes of luminaires	156
Table J.1 – Degrees of protection indicated by the first characteristic numeral	161
Table J.2 – Degrees of protection indicated by the second characteristic numeral.....	162
Table L.1 – Damaging influences.....	166
Table M.1 – Determination of creepage distances and clearances (see Table 11.1)	171

Table N.1 – Guidance on when to use the symbol and its explanation on the luminaire or in the manufacturer's instructions provided with the luminaire	172
Table N.2 – Thermal protection operation	174
Table Q.1 – Minimum values for electrical tests	180
Table U.1 – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages Impulse withstand category III	185

LUMINAIRES –

Part 1: General requirements and tests

SECTION 0: GENERAL INTRODUCTION

0.1 Scope and object

This Part 1 of International Standard IEC 60598 specifies general requirements for luminaires, incorporating electric light sources for operation from supply voltages up to 1 000 V. The requirements and related tests of this standard cover: classification, marking, mechanical construction and electrical construction.

Each section of this Part 1 is read in conjunction with this Section 0 and with other relevant sections to which reference is made.

Each part of IEC 60598-2 details requirements for a particular type of luminaire or group of luminaires on supply voltages not exceeding 1 000 V. These parts are published separately for ease of revision and additional sections will be added as and when a need for them is recognized.

Attention is drawn to the fact that this Part 1 covers all aspects of safety (electrical, thermal and mechanical).

The presentation of photometric data for luminaires is under consideration by the International Commission on Illumination (CIE) and is not, therefore, included in this Part 1.

Requirements are included in this Part 1 for luminaires incorporating ignitors with nominal peak values of the voltage pulse not exceeding those of Table 11.2. The requirements apply to luminaires with ignitors built into ballasts and to luminaires with ignitors separate from ballasts. For luminaires with ignitors built into lamps, the requirements are under consideration.

Requirements for semi-luminaires are included in this Part 1.

In general, this Part 1 covers safety requirements for luminaires. The object of this Part 1 is to provide a set of requirements and tests which are considered to be generally applicable to most types of luminaires and which can be called up as required by the detail specifications of IEC 60598-2. This Part 1 is thus not regarded as a specification in itself for any type of luminaire, and its provisions apply only to particular types of luminaires to the extent determined by the appropriate part of IEC 60598-2.

The parts of IEC 60598-2, in making reference to any of the sections of Part 1, specify the extent to which that section is applicable and the order in which the tests are to be performed; they also include additional requirements as necessary.

The order in which the sections of Part 1 are numbered has no particular significance as the order in which their provisions apply is determined for each type of luminaire or group of luminaires by the appropriate part of IEC 60598-2. All parts of IEC 60598-2 are self-contained and therefore do not contain references to other parts of IEC 60598-2.

Where the requirements of any of the sections of Part 1 are referred to in the parts of IEC 60598-2 by the phrase "The requirements of section... of IEC 60598-1 apply", this phrase is to be interpreted as meaning that all the requirements of that section of Part 1 apply except those which are clearly inapplicable to the particular type of luminaire covered by that part of IEC 60598-2.

For explosion proof luminaires, as covered by IEC 60079, the requirements of IEC 60598 (selecting the appropriate parts 2) are applied in addition to the requirements of IEC 60079. In the event of any conflict between IEC 60598 and IEC 60079, the requirements of IEC 60079 take priority.

Attention is drawn to lamp performance standards which contain "information for luminaire design"; this should be followed for proper lamp operation; however, this standard does not require the testing of lamp performance as part of the type test approval for luminaires.

Improvements in safety to take into account the state of the art technology are incorporated in the standards with revisions and amendments on an ongoing basis. Regional standardisation bodies may include statements in their derived standards to cover products which have complied with the previous document as shown by the manufacturer or standardization body. The statements may require that for such products, the previous standard may continue to apply to production until a defined date after which the new standard shall apply.

0.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60061, *Lamp caps and holders together with gauges for the control of interchangeability and safety*

IEC 60061-2, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 2: Lampholders*

IEC 60061-3:2007, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges*

IEC 60065:2001, *Audio, video and similar electronic apparatus – Safety requirements*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60079 (all parts), *Electrical apparatus for explosive gas atmospheres*

IEC 60083, *Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC*

IEC 60085, *Electrical insulation – Thermal evaluation and designation*

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60155, *Glow-starters for fluorescent lamps*

IEC 60227(all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60238:2004, *Edison screw lampholders*