

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

## OPC Unified Architecture – Del 8: Dataåtkomst

*OPC Unified Architecture –  
Part 8: Data Access*

Som svensk standard gäller europastandarden EN IEC 62541-8:2020. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 62541-8:2020.

### Nationellt förord

Europastandarden EN IEC 62541-8:2020

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62541-8, Third edition, 2020 - OPC Unified Architecture - Part 8: Data Access**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62541-8, utgåva 2, 2015, gäller ej fr o m 2023-07-27.

---

ICS 25.040.40; 35.100.05

---

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: [sek@elstandard.se](mailto:sek@elstandard.se). Internet: [www.elstandard.se](http://www.elstandard.se)

---

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

EUROPEAN STANDARD

**EN IEC 62541-8**

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2020

ICS 35.100.05; 25.040.40

Supersedes EN 62541-8:2015 and all of its amendments  
and corrigenda (if any)

English Version

## OPC Unified Architecture - Part 8: Data Access (IEC 62541-8:2020)

Architecture unifiée OPC - Partie 8: Accès aux données  
(IEC 62541-8:2020)

OPC Unified Architecture - Teil 8: Zugriff auf  
Automatisierungsdaten  
(IEC 62541-8:2020)

This European Standard was approved by CENELEC on 2020-07-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

© 2020 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62541-8:2020 E

SEK Svensk Elstandard

SS-EN IEC 62541-8, utg 3:2020

## **European foreword**

The text of document 65E/708/FDIS, future edition 3 of IEC 62541-8, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62541-8:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-04-27
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-07-27

This document supersedes EN 62541-8:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

## **Endorsement notice**

The text of the International Standard IEC 62541-8:2020 was approved by CENELEC as a European Standard without any modification.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/TR 62541-1	-	OPC unified architecture - Part 1: Overview and concepts	CLC/TR 62541-1	-
IEC 62541-3	-	OPC Unified Architecture - Part 3: Address Space Model	-	-
IEC 62541-4	-	OPC Unified Architecture - Part 4: Services	-	-
IEC 62541-5	-	OPC Unified Architecture - Part 5: Information Model	-	-
UNECE 20	-	Codes for Units of Measure Used in International Trade	-	-

## CONTENTS

FOREWORD .....	5
1 Scope .....	7
2 Normative references .....	7
3 Terms, definitions and abbreviated terms .....	7
3.1 Terms and definitions .....	7
3.2 Abbreviated terms .....	8
4 Concepts .....	8
5 Model .....	9
5.1 General .....	9
5.2 SemanticsChanged .....	10
5.3 Variable Types .....	10
5.3.1 DataItem Type .....	10
5.3.2 AnalogItem VariableTypes .....	11
5.3.3 DiscreteItem Type .....	14
5.3.4 ArrayItem Type .....	17
5.4 Address Space model .....	23
5.5 Attributes of DataItems .....	24
5.6 DataTypes .....	25
5.6.1 Overview .....	25
5.6.2 Range .....	25
5.6.3 EUInformation .....	25
5.6.4 ComplexNumberType .....	27
5.6.5 DoubleComplexNumberType .....	27
5.6.6 AxisInformation .....	28
5.6.7 AxisScaleEnumeration .....	28
5.6.8 XVType .....	29
6 Data Access specific usage of Services .....	29
6.1 General .....	29
6.2 PercentDeadband .....	29
6.3 Data Access status codes .....	30
6.3.1 Overview .....	30
6.3.2 Operation level result codes .....	30
6.3.3 LimitBits .....	32
Annex A (informative) OPC COM DA to UA mapping .....	33
A.1 Overview .....	33
A.2 Security considerations .....	33
A.3 COM UA wrapper for OPC DA Server .....	33
A.3.1 Information Model mapping .....	33
A.3.2 Data and error mapping .....	37
A.3.3 Read data .....	40
A.3.4 Write Data .....	41
A.3.5 Subscriptions .....	42
A.4 COM UA proxy for DA Client .....	42
A.4.1 Guidelines .....	42
A.4.2 Information Model and Address Space mapping .....	42
A.4.3 Data and error mapping .....	46

A.4.4	Read data.....	48
A.4.5	Write data.....	49
A.4.6	Subscriptions.....	49
Figure 1	– OPC <i>DataItems</i> are linked to automation data.....	9
Figure 2	– <i>DataItem VariableType</i> hierarchy.....	10
Figure 3	– Graphical view of a <i>YArrayItem</i> .....	19
Figure 4	– Representation of <i>DataItems</i> in the <i>AddressSpace</i> .....	24
Figure A.1	– Sample OPC UA Information Model for OPC DA.....	34
Figure A.2	– OPC COM DA to OPC UA data and error mapping.....	38
Figure A.3	– Status Code mapping.....	39
Figure A.4	– Sample OPC DA mapping of OPC UA Information Model and <i>Address Space</i> .....	43
Figure A.5	– OPC UA to OPC DA data & error mapping.....	46
Figure A.6	– OPC UA Status Code to OPC DA quality mapping.....	48
Table 1	– <i>DataItem</i> Type definition.....	11
Table 2	– <i>BaseAnalogType</i> definition.....	12
Table 3	– <i>AnalogItem</i> Type definition.....	13
Table 4	– <i>AnalogUnit</i> Type definition.....	13
Table 5	– <i>AnalogUnitRange</i> Type definition.....	14
Table 6	– <i>DiscreteItem</i> Type definition.....	14
Table 7	– <i>TwoStateDiscrete</i> Type definition.....	15
Table 8	– <i>MultiStateDiscrete</i> Type definition.....	15
Table 9	– <i>MultiStateValueDiscrete</i> Type definition.....	16
Table 10	– <i>ArrayItem</i> Type definition.....	17
Table 11	– <i>YArrayItem</i> Type definition.....	18
Table 12	– <i>YArrayItem</i> item description.....	20
Table 13	– <i>XYArrayItem</i> Type definition.....	20
Table 14	– <i>ImageItem</i> Type definition.....	21
Table 15	– <i>CubeItem</i> Type definition.....	22
Table 16	– <i>NDimensionArrayItem</i> Type definition.....	23
Table 17	– <i>Range</i> <i>Data</i> Type structure.....	25
Table 18	– <i>Range</i> definition.....	25
Table 19	– <i>EUInformation</i> <i>Data</i> Type structure.....	25
Table 20	– <i>EUInformation</i> definition.....	26
Table 21	– Examples from UNECE Recommendation N° 20.....	26
Table 22	– <i>ComplexNumber</i> Type <i>Data</i> Type structure.....	27
Table 23	– <i>ComplexNumber</i> Type definition.....	27
Table 24	– <i>DoubleComplexNumber</i> Type <i>Data</i> Type structure.....	27
Table 25	– <i>DoubleComplexNumber</i> Type definition.....	28
Table 26	– <i>AxisInformation</i> <i>Data</i> Type structure.....	28
Table 27	– <i>AxisScaleEnumeration</i> values.....	28
Table 28	– <i>AxisScaleEnumeration</i> definition.....	29

Table 29 – XVType DataType structure.....	29
Table 30 – XVType definition .....	29
Table 31 – Operation level result codes for BAD data quality .....	31
Table 32 – Operation level result codes for UNCERTAIN data quality .....	31
Table 33 – Operation level result codes for GOOD data quality.....	31
Table A.1 – OPC COM DA to OPC UA Properties mapping.....	36
Table A.2 – DataTypes and mapping .....	39
Table A.3 – Quality mapping .....	40
Table A.4 – OPC DA Read error mapping .....	41
Table A.5 – OPC DA Write error code mapping.....	41
Table A.6 – DataTypes and Mapping .....	47
Table A.7 – Quality mapping .....	48
Table A.8 – OPC UA Read error mapping .....	49
Table A.9 – OPC UA Write error code mapping.....	49



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**OPC UNIFIED ARCHITECTURE –****Part 8: Data access****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62541-8 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added new VariableTypes for AnalogItems;
- b) added an Annex that specifies a recommended mapping of OPC UA DataAccess to OPC COM DataAccess;
- c) changed the ambiguous description of "Bad\_NotConnected";
- d) updated description for EUInformation to refer to latest revision of UNCEFACT units.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65E/708/FDIS	65E/726/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

*Italics* are used to denote a defined term or definition that appears in the "Terms and definition" clause in one of the parts of the IEC 62541 series.

*Italics* are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts of the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## OPC UNIFIED ARCHITECTURE –

### Part 8: Data access

#### 1 Scope

This part of IEC 62541 is part of the overall OPC Unified Architecture (OPC UA) standard series and defines the information model associated with Data Access (DA). It particularly includes additional *VariableTypes* and complementary descriptions of the *NodeClasses* and *Attributes* needed for Data Access, additional *Properties*, and other information and behaviour.

The complete address space model, including all *NodeClasses* and *Attributes* is specified in IEC 62541-3. The services to detect and access data are specified in IEC 62541-4.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TR 62541-1, *OPC Unified Architecture – Part 1: Overview and Concepts*

IEC 62541-3, *OPC Unified Architecture – Part 3: Address Space Model*

IEC 62541-4, *OPC Unified Architecture – Part 4: Services*

IEC 62541-5, *OPC Unified Architecture – Part 5: Information Model*

UN/CEFACT: UNECE Recommendation N° 20, *Codes for Units of Measure Used in International Trade*, available at  
[https://www.unece.org/cefact/codesfortrade/codes\\_index.html](https://www.unece.org/cefact/codesfortrade/codes_index.html)