

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

## Dataformat för utbyte av konfigurationsdata för industriella automationssystem (AutomationML) – Del 4: Logik

*Engineering data exchange format for use in industrial automation systems engineering – Automation markup language – Part 4: Logic*

Som svensk standard gäller europastandarden EN IEC 62714-4:2020. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 62714-4:2020.

### Nationellt förord

Europastandarden EN IEC 62714-4:2020

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62714-4, First edition, 2020 - Engineering data exchange format for use in industrial automation systems engineering - Automation markup language - Part 4: Logic**

utarbetad inom International Electrotechnical Commission, IEC.

---

ICS 25.040.40

---

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: sek@elstandard.se. Internet: www.elstandard.se

---

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

EUROPEAN STANDARD

**EN IEC 62714-4**

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2020

---

ICS 25.040.40

English Version

Engineering data exchange format for use in industrial  
automation systems engineering - Automation markup language  
- Part 4: Logic  
(IEC 62714-4:2020)

Format d'échange de données pour une utilisation dans  
l'ingénierie des systèmes d'automatisation industrielle -  
Automation markup language - Partie 4: Logique  
(IEC 62714-4:2020)

Datenaustauschformat für Planungsdaten industrieller  
Automatisierungssysteme - Automation Markup Language  
(AML) - Teil 4: Logik  
(IEC 62714-4:2020)

This European Standard was approved by CENELEC on 2020-07-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

---

© 2020 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62714-4:2020 E

SEK Svensk Elstandard

SS-EN IEC 62714-4, utg 1:2020

## **European foreword**

The text of document 65E/654/CDV, future edition 1 of IEC 62714-4, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62714-4:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-04-21
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-07-21

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## **Endorsement notice**

The text of the International Standard IEC 62714-4:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 62881:2018 NOTE Harmonized as EN IEC 62881:2018 (not modified)

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61131-3	-	Programmable controllers - Part 3: Programming languages	EN 61131-3	-
IEC 61131-10	-	Programmable controllers - Part 10: PLC open XML exchange format	EN IEC 61131-10	-
IEC 62714-1	2014	Engineering data exchange format for use in industrial automation systems engineering - Automation markup language - Part 1: Architecture and general requirements	EN 62714-1	-
W3C	2004	Extensible Markup Language (XML) 1.0 (Third Edition), W3C Recommendation 04 February 2004	-	-
W3C	2003	Mathematical Markup Language (MathML) Version 2.0 (Second Edition), W3C Recommendation 21 October 2003	-	-
IETF RFC 5646	-	Tags for Identifying Languages	-	-
IETF RFC 4122	-	A Universally Unique Identifier (UUID) URN Namespace	-	-
PLCopen	-	XML 2.01: XML formats for IEC 61131-3	-	-

## CONTENTS

FOREWORD.....	9
INTRODUCTION.....	11
1 Scope.....	13
2 Normative references .....	13
3 Terms, definitions and abbreviated terms .....	14
3.1 Terms and definitions.....	14
3.2 Abbreviated terms.....	15
4 Conformity.....	16
5 Overview .....	16
5.1 Logic information in production system engineering .....	16
5.2 Logic models in production system engineering .....	17
5.3 Storing logic models in AML logic XML .....	18
5.4 Referencing logic information.....	20
6 Logic models .....	21
6.1 General.....	21
6.2 Gantt charts .....	21
6.2.1 General .....	21
6.2.2 Graphical elements.....	21
6.2.3 Chart structure.....	21
6.2.4 Logic information .....	22
6.2.5 Logic information within Gantt chart.....	22
6.3 Activity-on-node networks .....	22
6.3.1 General .....	22
6.3.2 Graphical elements.....	22
6.3.3 Node structure.....	23
6.3.4 Network structure .....	23
6.3.5 Logic information .....	23
6.3.6 Logic information within activity-on-node networks.....	23
6.4 Timing diagrams .....	24
6.4.1 General .....	24
6.4.2 Graphical elements.....	24
6.4.3 Diagram structure .....	25
6.4.4 Logic information .....	25
6.4.5 Logic information within timing diagrams .....	26
6.5 Sequential function charts.....	26
6.6 Function block diagrams .....	27
6.7 Mathematical expression.....	27
7 AML logic XML schema description .....	27
7.1 Schema overview.....	27
7.1.1 Use of IEC 61131-10 schema .....	27
7.1.2 Schema versioning .....	28
7.2 Root element "AMLLogic" .....	29
7.2.1 General .....	29
7.2.2 Attributes.....	29
7.2.3 Sub-element "WriterHeader" .....	29
7.2.4 Sub-element "Types" .....	29

7.2.5	Sub-element "Documentation" .....	30
7.3	Complex type "FunctionBlock" .....	30
7.3.1	General .....	30
7.3.2	Attributes .....	30
7.3.3	Sub-element "Parameters" .....	30
7.3.4	Sub-element "Vars" .....	30
7.3.5	Sub-element "MainBody" .....	30
7.3.6	Complex type "ParameterSet" .....	31
7.3.7	Complex type "VariableDecl" .....	31
7.4	Complex Type "IML" .....	32
7.4.1	General .....	32
7.4.2	Attributes .....	33
7.4.3	Sub-element "Resource" .....	33
7.4.4	Sub-element "TimeInformation" .....	33
7.4.5	Choice of "IML****" element .....	33
7.4.6	Complex type "IMLStep" .....	33
7.4.7	Complex type "IMLTransition" .....	34
7.4.8	Complex type "IMLSimultaneousDivergence" .....	35
7.4.9	Complex type "IMLSimultaneousConvergence" .....	35
7.5	Complex Type "MathematicalExpression" .....	35
7.5.1	General .....	35
7.5.2	Attributes .....	36
7.5.3	Sub-element "VariableMapping" .....	36
7.5.4	Sub-element "MathML" .....	36
7.6	Simple type "LogicModelTypeEnum" .....	36
7.7	Simple type "TimeUnion" .....	36
7.8	Simple type "TimeFormatEnum" .....	36
7.9	Simple type "UuidString" .....	37
8	Storing logic models .....	37
8.1	General .....	37
8.2	Storing Gantt charts in AML logic XML .....	37
8.2.1	Common rules .....	37
8.2.2	Storing the start of a Gantt chart .....	37
8.2.3	Storing bars .....	38
8.2.4	Storing arrows .....	38
8.2.5	Storing successor bars .....	39
8.2.6	Storing predecessor bars .....	41
8.3	Storing activity-on-node networks in AML logic XML .....	42
8.3.1	Common rules .....	42
8.3.2	Storing the start of an activity-on-node network .....	42
8.3.3	Storing nodes .....	43
8.3.4	Storing arrows .....	43
8.3.5	Storing successor nodes .....	44
8.3.6	Storing predecessor nodes .....	45
8.4	Storing timing diagrams in AML logic XML .....	46
8.4.1	Common rules .....	46
8.4.2	Storing the timeline of a timing diagram .....	47
8.4.3	Storing resources and resource states .....	48
8.4.4	Storing lifelines .....	48

8.4.5	Storing the time signal and the resource signal.....	50
8.5	Storing sequential function charts in AML logic XML .....	52
8.5.1	Common rules .....	52
8.5.2	Storing variables.....	52
8.6	Storing function block diagrams in AML logic XML .....	53
8.6.1	Common rules .....	53
8.6.2	Storing variables.....	53
8.7	Storing mathematical expressions in AML logic XML.....	54
8.7.1	Common rules .....	54
8.7.2	Storing variables.....	55
8.7.3	Storing variable mappings .....	55
8.7.4	Storing mathematical expressions .....	56
9	Meta information about AML logic XML writer tools.....	56
10	Extensions of AML classes for logic.....	57
10.1	General.....	57
10.2	AutomationMLLogicRoleClassLib .....	57
10.2.1	General .....	57
10.2.2	RoleClass InterlockingTargetGroup .....	58
10.2.3	RoleClass InterlockingSourceGroup .....	58
10.2.4	RoleClass LogicModelObject .....	59
10.3	AutomationMLLogicInterfaceClassLib .....	60
10.3.1	General .....	60
10.3.2	InterfaceClass LogicModelInterface .....	60
10.3.3	InterfaceClass SequencingLogicModelInterface .....	60
10.3.4	InterfaceClass BehaviourLogicModelInterface .....	61
10.3.5	InterfaceClass InterlockingLogicModelInterface .....	61
10.3.6	InterfaceClass LogicModelElementInterface .....	61
10.3.7	InterfaceClass VariableInterface .....	62
10.3.8	InterfaceClass InterlockingVariableInterface .....	62
10.4	AutomationMLPLCopenXMLInterfaceClassLib.....	63
10.4.1	General .....	63
10.4.2	InterfaceClass VariableInterface .....	63
10.5	AutomationMLInterfaceClassLib.....	64
10.5.1	General .....	64
10.5.2	InterfaceClass InterlockingConnector .....	64
10.5.3	InterfaceClass PLCopenXMLInterface .....	64
11	Referencing AML logic XML documents.....	64
11.1	General.....	64
11.2	Referencing logic information.....	64
12	Linking AML objects with interlocking information .....	65
12.1	General.....	65
12.2	Referencing interlocking information .....	65
Annex A (informative)	Examples for storing logic models in AML logic XML .....	67
A.1	Example for storing Gantt charts .....	67
A.1.1	General .....	67
A.1.2	Storing of activities without predecessor and successor relation .....	67
A.1.3	Storing of an activity sequence .....	68
A.1.4	Storing of an activity sequence with divergences .....	70



A.1.5	Storing of an activity sequence with convergences .....	71
A.2	Example for storing activity-on-node networks .....	72
A.2.1	General .....	72
A.2.2	Storing of activities without predecessor and successor relation .....	72
A.2.3	Storing of an activity sequence .....	73
A.2.4	Storing of an activity sequence with divergences .....	74
A.2.5	Storing of an activity sequence with convergences .....	75
A.3	Example for storing timing diagrams .....	76
A.3.1	General .....	76
A.3.2	Example of storing internal signal .....	77
A.3.3	Example of storing external signal .....	78
A.3.4	Example of storing signal between two resource states flows .....	79
A.4	Example for storing sequential function charts .....	81
A.5	Example for storing function block diagrams .....	83
A.6	Example for storing mathematical expressions.....	85
Annex B (informative)	Examples for referencing logic information .....	89
B.1	General.....	89
B.2	Referencing logic information expressed as logic models.....	89
B.2.1	General .....	89
B.2.2	Referencing logic information stored in one FunctionBlock .....	89
B.2.3	Referencing logic information, which is composed of several FunctionBlocks .....	90
B.2.4	Referencing logic information, which is composed of several AML logic XML documents.....	90
B.3	Referencing logic information as a part of logic models.....	92
B.3.1	General .....	92
B.3.2	Referencing a variable.....	92
B.3.3	Referencing a logic element .....	93
B.4	Referencing logic information as a part of already referenced logic models.....	93
Annex C (informative)	Examples for referencing interlocking information .....	96
C.1	General.....	96
C.2	Interlocking information.....	97
C.3	Referencing interlocking information without interlocking condition .....	97
C.4	Referencing interlocking information with interlocking condition .....	99
Annex D (normative)	XML representation of AML standard libraries.....	103
D.1	General.....	103
D.2	AutomationMLLogicRoleClassLib .....	103
D.3	AutomationMLLogicInterfaceClassLib .....	104
D.4	AutomationMLPLCOpenXMLInterfaceClassLib.....	105
Annex E (normative)	XML representation of AML logic XML schema.....	106
Bibliography.....		110
Figure 1	– Overview of the engineering data exchange format AML .....	11
Figure 2	– Example of system representation with roles of information in AML.....	17
Figure 3	– Logic models in AML .....	18
Figure 4	– Storing logic models in AML logic XML.....	19
Figure 5	– Modelling elements of the AML logic XML .....	20
Figure 6	– Model elements of Gantt charts.....	21

Figure 7 – Information provided by Gantt charts.....	22
Figure 8 – Model elements of activity-on-node networks .....	23
Figure 9 – Information provided by activity-on-node networks .....	24
Figure 10 – Model elements of timing diagrams .....	25
Figure 11 – Information provided by timing diagrams .....	26
Figure 12 – AML logic schema overview .....	28
Figure 13 – Root element "AMLLogic" .....	29
Figure 14 – Complex type "FunctionBlock".....	30
Figure 15 – Complex type "ParameterSet" .....	31
Figure 16 – Complex type "VariableDecl" .....	31
Figure 17 – Complex type "IML" .....	32
Figure 18 – Complex type "IMLStep".....	34
Figure 19 – Complex type "IMLTransition" .....	34
Figure 20 – Complex type "IMLSimultaneousDivergence" .....	35
Figure 21 – Complex type "IMLSimultaneousConvergence" .....	35
Figure 22 – Complex type "MathematicalExpression" .....	35
Figure 23 – AutomationMLLogicRoleClassLib .....	58
Figure 24 – AutomationMLLogicInterfaceClassLib.....	60
Figure 25 – AutomationMLPLCopenXMLInterfaceClassLib.....	63
Figure A.1 – Flow rate of valves.....	86
Figure A.2 – Example for storing a mathematical expression .....	88
Figure B.1 – Referencing logic information (as SFC) stored in one FunctionBlock.....	89
Figure B.2 – XML text of the CAEX file for referencing logic information stored in one FunctionBlock .....	90
Figure B.3 – Referencing logic information, which is composed of several FunctionBlocks .....	90
Figure B.4 – Referencing logic information which is composed of several AML logic XML documents .....	91
Figure B.5 – XML text of the CAEX file for referencing logic information, which is composed of several AML logic XML documents.....	91
Figure B.6 – Referencing a variable .....	92
Figure B.7 – XML text of the CAEX file for referencing a variable.....	92
Figure B.8 – Referencing a logic element.....	93
Figure B.9 – XML text of the CAEX file for referencing a logic element .....	93
Figure B.10 – Referencing a variable of an already referenced logic model.....	94
Figure B.11 – XML text of the CAEX file for referencing a variable of an already referenced logic model.....	95
Figure C.1 – Example manufacturing system .....	96
Figure C.2 – Example interlocking source group and interlocking target group.....	97
Figure C.3 – Referencing interlocking information without interlocking condition .....	98
Figure C.4 – XML text of the CAEX file for referencing interlocking information without interlocking condition .....	99
Figure C.5 – Referencing interlocking information with interlocking condition .....	100
Figure C.6 – XML text of the CAEX file for referencing interlocking information with interlocking condition .....	101

Figure C.7 – Linking logical interface with physical interface (extension to Figure C.5) .....	102
Figure C.8 – XML text of the CAEX file for linking logical interface with physical interface (extension to Figure C.6) .....	102
Table 1 – Abbreviated terms .....	16
Table 2 – Mapping the start of a Gantt chart to IML element .....	38
Table 3 – Mapping of Gantt chart bars to IML elements .....	38
Table 4 – Mapping of Gantt chart arrow to IML elements .....	39
Table 5 – Mapping of Gantt chart bar with one or more successor bars to IML elements .....	40
Table 6 – Mapping of Gantt chart bar with one and more predecessor bars to IML elements .....	41
Table 7 – Mapping of the start of an activity-on-node network to IML elements .....	42
Table 8 – Mapping of activity-on-node network nodes to IML elements .....	43
Table 9 – Mapping of activity-on-node network arrows to IML elements .....	44
Table 10 – Mapping of activity-on-node network successor nodes to IML elements .....	44
Table 11 – Mapping of activity-on-node network predecessor nodes to IML elements .....	45
Table 12 – Mapping of the timeline of a timing diagram to IML elements .....	48
Table 13 – Mapping of timing diagram resources and resource states to IML elements .....	48
Table 14 – Mapping of timing diagram lifelines to IML elements .....	49
Table 15 – Mapping of the time signal and the resource signal to IML elements .....	51
Table 16 – Storing variable of a sequential function chart in AML logic XML .....	53
Table 17 – Storing variable of a function block diagram in AML logic XML .....	54
Table 18 – Storing variable of a mathematical expression in AML logic XML .....	55
Table 19 – Storing variable mappings of a mathematical expression in AML logic XML .....	56
Table 20 – Storing a mathematical expression in AML logic XML .....	56
Table 21 – Meta information about each AML logic XML writer tool .....	57
Table 22 – RoleClass InterlockingTargetGroup .....	58
Table 23 – RoleClass InterlockingSourceGroup .....	59
Table 24 – RoleClass LogicModelObject .....	59
Table 25 – InterfaceClass LogicModelInterface .....	60
Table 26 – InterfaceClass SequencingLogicModelInterface .....	61
Table 27 – InterfaceClass BehaviourLogicModelInterface .....	61
Table 28 – InterfaceClass InterlockingLogicModelInterface .....	61
Table 29 – InterfaceClass LogicModelElementInterface .....	62
Table 30 – InterfaceClass VariableInterface .....	62
Table 31 – InterfaceClass InterlockingVariableInterface .....	63
Table 32 – InterfaceClass VariableInterface .....	63
Table 33 – InterfaceClass InterlockingConnector .....	64
Table 34 – InterfaceClass PLCOpenXMLInterface .....	64
Table A.1 – Storing of the Gantt chart example "activities without predecessor and successor relations" .....	68
Table A.2 – Storing of the Gantt chart example "activity sequence" .....	69
Table A.3 – Storing of the Gantt chart example "activity sequence with divergence" .....	70
Table A.4 – Storing of the Gantt chart example "activity sequence with convergences" .....	71

Table A.5 – Storing of the activity-on-node network example "activities without predecessor and successor relations" ..... 72

Table A.6 – Storing of the activity-on-node network example "activity sequence" ..... 73

Table A.7 – Storing of the activity-on-node network example "activity sequence with divergence" ..... 74

Table A.8 – Storing of the activity-on-node network example "activity sequence with convergences" ..... 75

Table A.9 – Storing of the timing diagram example "transition from a state change to the subsequent state" ..... 77

Table A.10 – Mapping of the timing diagram example "two external signals fired with delay of three seconds" ..... 78

Table A.11 – Storing of the timing diagram example "signal fired by one resource state and consumed by another" ..... 80

Table A.12 – Example for storing sequential function chart ..... 81

Table A.13 – Example for storing a function block diagram ..... 83

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ENGINEERING DATA EXCHANGE FORMAT FOR USE  
IN INDUSTRIAL AUTOMATION SYSTEMS ENGINEERING –  
AUTOMATION MARKUP LANGUAGE –**

**Part 4: Logic**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62714-4 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this International Standard is based on the following documents:

CDV	Report on voting
65E/654/CDV	65E/692/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62714 series, published under the general title *Engineering data exchange format for use in industrial systems engineering – Automation Markup Language*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The data exchange format defined in IEC 62714 (Automation Markup Language (AML)) is an XML schema-based data format and has been developed in order to support the data exchange between engineering tools in a heterogeneous engineering tool landscape. IEC 62714-1 gives an overview about the format.


The goal of AML is to interconnect engineering tools from the existing heterogeneous tool landscape in their different disciplines, e.g. mechanical plant engineering, electrical design, process engineering, process control engineering, HMI development, PLC programming, robot programming, etc.

AML stores engineering information following the object-oriented paradigm and allows modelling of physical and logical plant components as data objects encapsulating different aspects. An object may consist of other sub-objects and may itself be part of a larger composition or aggregation. Typical objects in plant automation comprise information on topology, geometry, kinematics, and logic, whereas logic comprises sequencing, behaviour, and control.

AML combines existing industry data formats that are designed for the storage and exchange of different aspects of engineering information. These data formats are used on "as-is" basis within their own specifications and are not branched for AML needs.

The core of AML is the top-level data format CAEX that connects the different data formats. Therefore, AML has an inherent distributed document architecture.

Figure 1 illustrates the basic AML architecture and the distribution of topology, geometry, kinematic, and logic information.



IEC

**Figure 1 – Overview of the engineering data exchange format AML**

Owing to the different aspects of AML, IEC 62714 consists of different parts focussing on different aspects.

- IEC 62714-1: Architecture and general requirements

This part specifies the general AML architecture, the modelling of engineering data, classes, instances, relations, references, hierarchies, basic AML libraries and extended AML concepts.

- IEC 62714-2: Role class libraries

This part specifies additional AML libraries.

- IEC 62714-3: Geometry and kinematics

This part specifies the modelling of geometry and kinematics information.

- IEC 62714-4: Logic

This part specifies the modelling and referencing of logic information.

Further parts may be added in the future in order to interconnect further data standards to AML.

Clause 5 gives an informative overview of this part of the standard.

Clause 6 gives a normative description of the considered logic models.

Clause 7 gives a normative description of the AML logic XML schema, with which logic models can be stored.

Clause 8 specifies the normative provisions to store the logic models in AML logic XML.

Clause 9 defines how to store meta information about the source tool directly into the AML logic XML document.

Clause 10 defines a logic related role class library and interface class library.

Subclause 10.4.2 gives a normative description regarding referencing logic information in AML logic XML documents.

Clause 12 gives a normative description regarding referencing interlocking information in AML logic XML documents.

Annex A provides examples for the storage of logic models in AML logic XML.

Annex B describes the referencing methods for logic information.

Annex C describes the referencing methods for interlocking information.

Annex D gives a normative XML representation of the libraries defined in this document.

Annex E gives a normative XML representation of the AML logic XML schema defined in this document.



# ENGINEERING DATA EXCHANGE FORMAT FOR USE IN INDUSTRIAL AUTOMATION SYSTEMS ENGINEERING – Automation Markup Language –

## Part 4: Logic

### 1 Scope

This part of IEC 62714 specifies the integration of logic information as part of an AML model for the data exchange in a heterogenous engineering tool landscape of production systems.

This document specifies three types of logic information: sequencing, behaviour, and interlocking information.

This document deals with the six following sequencing and behaviour logic models (covering the different phases of the engineering process of production systems) and how they are integrated in AML: Gantt chart, activity-on-node network, timing diagram, Sequential Function Chart (SFC), Function Block Diagram (FBD), and mathematical expression.

This document specifies how to model Gantt chart, activity-on-node network, and timing diagram and how they are stored in Intermediate Modelling Layer (IML).

NOTE 1 With this, it is possible to transform one logic model into another one. A forward transformation supports the information enrichment process and reduces or avoids a re-entry of information between the exchanging engineering tools.

NOTE 2 Mapping of other logic models, e.g. event-driven logic models like state charts, onto IML is possible.

This document specifies how interlocking information is modelled (as interlocking source and target groups) in AML. The interlocking logic model is stored in Function Block Diagram (FBD).

This document specifies the AML logic XML schema that stores the logic models by using IEC 61131-10.

This document specifies how to reference PLC programs stored in PLCOpen XML documents.

This document does not define details of the data exchange procedure or implementation requirements for the import/export tools.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61131-3, *Programmable controllers – Part 3: Programming languages*

IEC 61131-10, *Programmable controllers – Part 10: PLC open XML exchange format*

IEC 62714-1:2014<sup>1</sup>, *Engineering data exchange format for use in industrial automation systems engineering – Automation markup language – Part 1: Architecture and general requirements*

W3C. *Extensible Markup Language (XML) 1.0 (Third Edition)*, W3C Recommendation 04 February 2004 [online]. Edited by T. Bray et al., February 2004 [viewed on 2020-05-14]. Available at <http://www.w3.org/TR/2004/REC-xml-20040204>

W3C. *Mathematical Markup Language (MathML) Version 2.0 (Second Edition)*, W3C Recommendation 21 October 2003 [online]. Edited by D. Carlisle et al., October 2003 [viewed 2020-05-14]. Available at <https://www.w3.org/TR/MathML2/>

INTERNET ENGINEERING TASK FORCE (IETF). RFC 5646: *Tags for Identifying Languages* [online]. Edited by A. Phillips and M. Davis, September 2009 [viewed 2020-05-14]. Available at <https://tools.ietf.org/html/rfc5646>

INTERNET ENGINEERING TASK FORCE (IETF). RFC 4122, *A Universally Unique Identifier (UUID) URN Namespace* [online]. Edited by P. Leach et al., July 2005 [viewed 2020-05-14]. Available at <https://tools.ietf.org/html/rfc4122>

PLCopen. *XML 2.01: XML formats for IEC 61131-3* [online]. Edited by K. Ketterle et al., May 2009 [viewed 2020-05-14]. Available at [https://www.plcopen.org/system/files/downloads/tc6\\_xml\\_v201\\_technical\\_doc.pdf](https://www.plcopen.org/system/files/downloads/tc6_xml_v201_technical_doc.pdf)

---

<sup>1</sup> First edition. This first edition has been replaced in 2018 by a second edition IEC 62714-1:2018, *Engineering data exchange format for use in industrial automation systems engineering – Automation markup language – Part 1: Architecture and general requirements*.