SVENSK STANDARD SS-EN IEC 61000-4-3



Fastställd 2020-12-16

Utgåva 4 Sida 1 (1+83) Ansvarig kommitté SEK TK EMC

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Elektromagnetisk kompatibilitet (EMC) – Del 4-3: Mät- och provningsmetoder – Provning av immunitet mot utstrålade radiofrekventa elektromagnetiska fält

Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test

Som svensk standard gäller europastandarden EN IEC 61000-4-3:2020. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 61000-4-3:2020.

Nationellt förord

Europastandarden EN IEC 61000-4-3:2020

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- IEC 61000-4-3, Fourth edition, 2020 Electromagnetic compatibility (EMC) Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61000-4-3, utgåva 3, 2006, SS-EN 61000-4-3/A1, utgåva 1, 2008, SS-EN 61000-4-3/A2, utgåva 1, 2010 och SS-EN 61000-4-3/IS1, utgåva 1, 2009, gäller ej fr o m 2023-10-13.

ICS 33.100.20

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 61000-4-3

October 2020

ICS 33.100.20

Supersedes EN 61000-4-3:2006, EN 61000-4-3:2006/IS1:2009 and all of its amendments and corrigenda (if any)

English Version

Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test (IEC 61000-4-3:2020)

Compatibilité électromagnétique (CEM) - Partie 4-3 : Techniques d'essai et de mesure - Essai d'immunité aux champs électromagnétiques rayonnés aux fréquences radioélectriques (IEC 61000-4-3:2020) Elektromagnetische Verträglichkeit (EMV) - Teil 4-3: Prüfund Messverfahren - Prüfung der Störfestigkeit gegen hochfrequente elektromagnetische Felder (IEC 61000-4-3:2020)

This European Standard was approved by CENELEC on 2020-10-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 61000-4-3:2020 E

European foreword

The text of document 77B/830/FDIS, future edition 4 of IEC 61000-4-3, prepared by SC 77B "High frequency phenomena" of IEC/TC 77 "Electromagnetic compatibility" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61000-4-3:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2021-07-13 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2023-10-13 document have to be withdrawn

This document supersedes EN 61000-4-3:2006 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 61000-4-3:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61000-4 series	NOTE	Harmonized as EN 61000-4 series
IEC 61000-4-6	NOTE	Harmonized as EN 61000-4-6
IEC 61000-4-20:2010	NOTE	Harmonized as EN 61000-4-20:2010 (not modified)
IEC 61000-4-21	NOTE	Harmonized as EN 61000-4-21
IEC 61000-4-22	NOTE	Harmonized as EN 61000-4-22
IEC 61000-4-39	NOTE	Harmonized as EN 61000-4-39
CISPR 16-1-4	NOTE	Harmonized as EN IEC 55016-1-4

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-161	-	International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility	-	-

CONTENTS

Ε(SREWC	RD	6
IN	ITRODU	JCTION	8
1	Scop	ıe	9
2	Norn	native references	9
3	Term	is, definitions and abbreviated terms	9
	3.1	Terms and definitions	
	3.2	Abbreviated terms	
4	Gene	eral	14
5	Test	levels and frequency ranges	14
	5.1	Selection of test level	14
	5.2	Test frequency ranges	16
6	Test	equipment	17
	6.1	Test instrumentation	17
	6.2	Description of the test facility	17
	6.3	Uniform field area (UFA)	18
	6.3.1	Characteristics of the UFA	18
	6.3.2	Constant field strength level setting method	23
	6.3.3	- 1	
7	Test	setup	25
	7.1	General	25
	7.2	Arrangement of table-top equipment	
	7.3	Arrangement of floor-standing equipment	
	7.4	Arrangement of wiring	
	7.5	Arrangement of human body-mounted equipment	
8		procedure	
	8.1	General	
	8.2	Laboratory reference conditions	
	8.2.1		
	8.2.2		
	8.2.3	G	
	8.3 8.4	Execution of the test	
9	_	Jation of test results	
10		report	
		•	32
		(informative) Rationale for the choice of modulation for tests related to the against RF emissions from digital radio services	34
	A.1	Summary of available modulation methods	34
	A.2	Experimental results	
	A.3	Secondary modulation effects	38
	A.4	Conclusion	38
Αı	nnex B	(informative) Field generating antennas	39
	B.1	Biconical antenna	39
	B.2	Log-periodic antenna	39
	B.3	Combination antennas	39
	B.4	Horn antenna and double ridge wave guide antenna	39

Annex C (i	informative) Use of anechoic chambers	40
C.1	General anechoic chamber information	40
C.2	Use of ferrite-lined chambers at frequencies above 1 GHz	40
C.2.1	, and the state of	40
0.00	immunity tests at frequencies above 1 GHz	
C.2.2		
,	informative) Amplifier compression and non-linearity	
	Objective of limiting amplifier distortion	
	Possible problems caused by harmonics and saturation	
	Limiting the harmonic content in the field	
D.4	Effect of linearity characteristic on the immunity test	43
D.4.1	General	43
D.4.2	Evaluation method of the linearity characteristic	43
Annex E (i	nformative) Guidance for product committees on the selection of test levels	47
E.1	General	47
E.2	Test levels related to general purposes	47
E.3	Test levels related to the protection against RF emissions from digital radio	
	telephones	
	Special measures for fixed transmitters	
`	nformative) Selection of test methods	
Annex G (informative) Cable layout details	52
G.1	Intentions of EUT setup for radiated immunity test	52
G.2	Cable in the field	52
G.3	Cables leaving the test area	52
G.4	Turning the EUT cabinets	52
Annex H (i	informative) Examples of test setups for large and heavy EUTs	54
H.1	EUTs with bottom fed cables	54
H.2	EUTs with overhead cables	55
H.3	EUTs with multiple cables and AEs	56
	Large EUTs with side fed cables and multiple UFA windows	
	nformative) Testing with multiple signals	
`	General	
	Intermodulation	
	Power requirements	
	•	
	Linearity and harmonics charles	
	Linearity and harmonics checks	
	EUT performance criteria with multiple signals	
-	nformative) Measurement uncertainty due to test instrumentation	
	General	
	Uncertainty budgets for level setting	
J.2.1	Definition of the measurand	
J.2.2	MU contributors of the measurand	
J.2.3	Calculation examples for expanded uncertainty	
J.2.4	Explanation of terms	
J.3	Application	64
J.4	Reference documents	64
Annex K (i	nformative) Calibration method for E-field probes	65
12.4	O	0.5

K.2 Probe	calibration requirements	65
K.2.1 G	eneral	65
K.2.2 C	alibration frequency range	65
K.2.3 F	requency steps	65
K.2.4 F	ield strength	66
•	rements for calibration instrumentation	
	eneral	
	armonics and spurious signals	
	inearity check for probe	
	etermination of the gain of the standard horn antennas	
	probe calibration in anechoic chambers	
	alibration environments	
	alidation of anechoic chambers for field probe calibrationrobe calibration procedure	
	probe calibration environments and methods	
	eneral	
	ield probe calibration using TEM cells	
	ield probe calibration using waveguide chambers	
	ield probe calibration using open-ended waveguides	
	alibration of field probes by gain transfer method	
	ence documents	
Bibliography		81
waveshapes occ	ition of the 80 % amplitude modulated (AM) test signal and the urring	
•	setting setup	
•	- '	
•	nsions of sixteen-point uniform field area	
-	num UFA size having a fifth grid point in the centre	
•	uring setup	23
that leaves the t	ple of EUT setup and cable layout for table top EUT having a cable est setup	
Figure 8 – Exam	ple of EUT setup (top view)	28
Figure C.1 – Mu	tiple reflections in an existing small anechoic chamber	41
Figure C.2 – Mo	st of the reflected waves are eliminated (applies for top and side view)	41
Figure D.1 – Am	plifier linearity measurement setup	44
Figure D.2 – Exa	ample of linearity curve	45
Figure D.3 – Exa	ample of gain deviation	45
	ample of a test setup for EUT with bottom fed underground cables wn)	54
Figure H.2 – Exa	ample of a test setup for EUTs with overhead cables	55
•	ample of a setup of EUTs with multiple cables and AEs	
•	ge EUTs with side fed cables and multiple UFAs	
•	frequencies f_1 and f_2 and intermodulation frequencies of the second	
		58
	mple of influences upon level setting	
•	Imple of linearity for probe	
	p. = =	

Figure K.2 – Setup for measuring net power to a transmitting device	70
Figure K.3 – Test setup for chamber validation test	72
Figure K.4 – Detail for measurement position ΔL	72
Figure K.5 – Example of data adjustment	73
Figure K.6 – Example of the test layout for antenna and probe	74
Figure K.7 – Test setup for chamber validation test	74
Figure K.8 – Example of alternative chamber validation data	75
Figure K.9 – Field probe calibration layout	76
Figure K.10 – Field probe calibration layout (top view)	76
Figure K.11 – Cross-sectional view of a waveguide chamber	78
Table 1 – Test levels	15
Table 2 – Amplitude modulation characteristics at output of signal generator	15
Table 3 – Requirements for uniform field area for application of full illumination and partial illumination	22
Table A.1 – Comparison of modulation methods	35
Table A.2 – Relative interference levels	36
Table A.3 – Relative immunity levels	37
Table E.1 – Examples of test levels, associated protection distances and performance criteria	48
Table J.1 – Level setting process	62
Table J.2 – Test process	63
Table K.1 – Calibration field strength level	66
Table K.2 – Example for the probe linearity check	67

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) -

Part 4-3: Testing and measurement techniques – Radiated, radio-frequency electromagnetic field immunity test

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-3 has been prepared by subcommittee 77B: High frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

It forms part 4-3 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

This fourth edition cancels and replaces the third edition published in 2006, Amendment 1:2007 and Amendment 2:2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) testing using multiple test signals has been described;
- b) additional information on EUT and cable layout has been added;
- c) the upper frequency limitation has been removed to take account of new services;
- d) the characterization of the field as well as the checking of power amplifier linearity of the immunity chain are specified.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
77B/830/FDIS	77B/825/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic* compatibility (EMC), can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

This part is an international standard which gives immunity requirements and test procedures related to radiated, radio-frequency, electromagnetic fields.

ELECTROMAGNETIC COMPATIBILITY (EMC) -

Part 4-3: Testing and measurement techniques – Radiated, radio-frequency electromagnetic field immunity test

1 Scope

This part of IEC 61000 is applicable to the immunity requirements of electrical and electronic equipment to radiated electromagnetic energy. It establishes test levels and the required test procedures.

The object of this document is to establish a common reference for evaluating the immunity of electrical and electronic equipment when subjected to radiated, radio-frequency electromagnetic fields. The test method documented in this part of IEC 61000 describes a consistent method to assess the immunity of an equipment or system against RF electromagnetic fields from RF sources not in close proximity to the EUT. The test environment is specified in Clause 6.

NOTE 1 As described in IEC Guide 107, this is a basic EMC publication for use by product committees of the IEC. As also stated in Guide 107, the IEC product committees are responsible for determining whether this immunity test standard should be applied or not, and if applied, they are responsible for determining the appropriate test levels and performance criteria. TC 77 and its sub-committees are prepared to co-operate with product committees in the evaluation of the value of particular immunity tests for their products.

NOTE 2 Immunity testing against RF sources in close proximity to the EUT is defined in IEC 61000-4-39.

Particular considerations are devoted to the protection against radio-frequency emissions from digital radiotelephones and other RF emitting devices.

NOTE 3 Test methods are defined in this part for evaluating the effect that electromagnetic radiation has on the equipment concerned. The simulation and measurement of electromagnetic radiation is not adequately exact for quantitative determination of effects. The test methods defined in this basic document have the primary objective of establishing an adequate reproducibility of testing configuration and repeatability of test results at various test facilities

This document is an independent test method. It is not possible to use other test methods as substitutes for claiming compliance with this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, International Electrotechnical Vocabulary (IEV) – Part 161: Electromagnetic compatibility (available at www.electropedia.org)