

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Anslutningsdon för el- och elektronikutrustning – Fordringar – Del 1: Detaljspecifikation för skärmade och oskärmade tvåvägs anslutningsdon med fast don och kabeldon – Dimensioner och kontaktdefinitioner och tilläggsfordringar för Typ 1 LC i kopparutförande

Connectors for electrical and electronic equipment –

Part 1: Detail specification for two-way, shielded or unshielded, free and fixed connectors –

Mechanical mating information, pin assignment and additional requirements for Type 1 copper LC style

Som svensk standard gäller europastandarden EN IEC 63171-1:2020. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 63171-1:2020.

Nationellt förord

Europastandarden EN IEC 63171-1:2020

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 63171-1, First edition, 2020 - Connectors for electrical and electronic equipment - Part 1: Detail specification for two-way, shielded or unshielded, free and fixed connectors - Mechanical mating information, pin assignment and additional requirements for Type 1 copper LC style**

utarbetad inom International Electrotechnical Commission, IEC.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

Connectors for electrical and electronic equipment - Part 1:
Detail specification for two-way, shielded or unshielded, free and
fixed connectors - Mechanical mating information, pin
assignment and additional requirements for Type 1 copper LC
style
(IEC 63171-1:2020)

Connecteurs pour équipements électriques et électroniques
- Partie 1: Spécification particulière pour les fiches et les
embases bidirectionnelles, écrantées ou non écrantées -
Informations sur l'accouplement mécanique, brochage et
exigences supplémentaires pour connecteur LC de type 1 à
doigts de guidage en cuivre
(IEC 63171-1:2020)

Steckverbinder für elektrische und elektronische
Einrichtungen - Teil 1: Bauartspezifikation für geschirmte
oder ungeschirmte freie und feste Steckverbinder, 2-polig:
mechanische Steckungsinformationen, Pinbelegung und
zusätzliche Anforderungen für Typ 1 / Kupfer LC Bauform
(IEC 63171-1:2020)

This European Standard was approved by CENELEC on 2020-05-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 48B/2783/FDIS, future edition 1 of IEC 63171-1, prepared by SC 48B "Electrical connectors" of IEC/TC 48 "Electrical connectors and mechanical structures for electrical and electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63171-1:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-02-19
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-05-19

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 63171-1:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-2-14	NOTE	Harmonized as EN 60068-2-14
IEC 60068-2-38	NOTE	Harmonized as EN 60068-2-38
IEC 60512-9-2	NOTE	Harmonized as EN 60512-9-2
IEC 60512-11-3	NOTE	Harmonized as EN 60512-11-3
IEC 60512-11-9	NOTE	Harmonized as EN 60512-11-9
IEC 60603-7	NOTE	Harmonized as EN 60603-7
IEC 61754-20	NOTE	Harmonized as EN 61754-20

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-581	-	International Electrotechnical Vocabulary - Part 581: Electromechanical components for electronic equipment	-	-
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60512-1	-	Connectors for electrical and electronic equipment - Tests and measurements - Part 1: Generic specification	EN IEC 60512-1	-
IEC 60512-1-1	-	Connectors for electronic equipment - Tests and measurements - Part 1-1: General examination - Test 1a: Visual examination	EN 60512-1-1	-
IEC 60512-1-2	-	Connectors for electronic equipment - Tests and measurements - Part 1-2: General examination - Test 1b: Examination of dimension and mass	EN 60512-1-2	-
IEC 60512-2-1	-	Connectors for electronic equipment - Tests and measurements - Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance - Millivolt level method	EN 60512-2-1	-
IEC 60512-2-5	-	Connectors for electronic equipment - Tests and measurements - Part 2-5: Electrical continuity and contact resistance tests - Test 2e: Contact disturbance	EN 60512-2-5	-
IEC 60512-3-1	-	Connectors for electronic equipment - Tests and measurements - Part 3-1: Insulation tests - Test 3a: Insulation resistance	EN 60512-3-1	-

EN IEC 63171-1:2020 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60512-4-1	-	Connectors for electronic equipment - Tests and measurements - Part 4-1: Voltage stress tests - Test 4a: Voltage proof	EN 60512-4-1	-
IEC 60512-5-2	-	Connectors for electronic equipment - Tests and measurements - Part 5-2: Current-carrying capacity tests - Test 5b: Current-temperature derating	EN 60512-5-2	-
IEC 60512-6-4	-	Connectors for electronic equipment - Tests and measurements - Part 6-4: Dynamic stress tests - Test 6d: Vibration (sinusoidal)	EN 60512-6-4	-
IEC 60512-9-1	-	Connectors for electronic equipment - Tests and measurements - Part 9-1: Endurance tests - Test 9a: Mechanical operation	EN 60512-9-1	-
IEC 60512-11-7	-	Connectors for electronic equipment - Tests and measurements - Part 11-7: Climatic tests - Test 11g: Flowing mixed gas corrosion test	EN 60512-11-7	-
IEC 60512-11-12	-	Connectors for electronic equipment - Tests and measurements - Part 11-12: Climatic tests - Test 11m: Damp heat, cyclic	EN 60512-11-12	-
IEC 60512-13-2	-	Connectors for electronic equipment - Tests and measurements - Part 13-2: Mechanical operation tests - Test 13b: Insertion and withdrawal forces	EN 60512-13-2	-
IEC 60512-15-6	-	Connectors for electronic equipment - Tests and measurements - Part 15-6: Connector tests (mechanical) - Test 15f: Effectiveness of connector coupling devices	EN 60512-15-6	-
IEC 60512-25-9	-	Connectors for electronic equipment - Tests and measurements - Part 25-9: Signal integrity tests - Test 25i: Alien crosstalk	EN 60512-25-9	-
IEC 60512-26-100	-	Connectors for electronic equipment - Tests and measurements - Part 26-100: Measurement setup, test and reference arrangements and measurements for connectors according to IEC 60603-7 - Tests 26a to 26g	EN 60512-26-100	-
IEC 60512-28-100	-	Connectors for electrical and electronic equipment - Tests and measurements - Part 28-100: Signal integrity tests up to 2 000 MHz - Tests 28a to 28g	EN IEC 60512-28-100	-
IEC 60664-1	-	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62153-4-12	-	Metallic communication cable test methods - Part 4-12: Electromagnetic compatibility (EMC) - Coupling attenuation or screening attenuation of connecting hardware - Absorbing clamp method	-	-
IEC 62153-4-15	-	Metallic cables and other passive components test methods - Part 4-15: Electromagnetic compatibility (EMC) - Test method for measuring transfer impedance and screening attenuation - or coupling attenuation with triaxial cell	-	-
ISO/IEC 11801-1	-	Information technology - Generic cabling for customer premises - Part 1: General requirements	-	-

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 Technical information	10
4.1 Compatibility level – Interoperability.....	10
4.2 Unshielded connectors.....	10
4.3 Use of UTP cable.....	10
5 Common features and typical connector pair	10
5.1 Mating information	10
5.1.1 General	10
5.1.2 Contacts – Mating conditions.....	11
5.1.3 Fixed connector	12
5.1.4 Free connector	15
6 Characteristics	16
6.1 General.....	16
6.2 Classification into climatic category	16
6.3 Electrical characteristics	17
6.3.1 General	17
6.3.2 Creepage and clearance distances	17
6.3.3 Contact resistance – Interface only (separable fixed and free contact).....	17
6.3.4 Input to output DC resistance	18
6.3.5 Input to output DC resistance unbalanced.....	18
6.3.6 Voltage proof.....	18
6.3.7 Current-temperature derating.....	18
6.3.8 Initial insulation resistance	18
6.4 Transmission characteristics	18
6.4.1 General	18
6.4.2 Insertion loss (IL).....	19
6.4.3 Return loss (RL)	19
6.4.4 Transverse conversion loss (TCL)	19
6.4.5 Transfer conversion transfer loss (TCTL).....	19
6.4.6 Power sum alien near-end crosstalk loss (PS ANEXT).....	19
6.4.7 Power sum alien far-end crosstalk loss (PS AFEXT)	20
6.4.8 Transfer impedance (shielded only)	20
6.4.9 Coupling attenuation.....	20
6.5 Mechanical characteristics	20
6.5.1 Mechanical operation.....	20
6.5.2 Effectiveness of connector coupling devices	20
6.5.3 Insertion and withdrawal forces	20
7 Tests and test schedule	21
7.1 General.....	21
7.2 Arrangement for contact resistance measurement.....	21
7.3 Arrangement for vibration test (test phase CP1).....	22
7.4 Test procedures and measuring methods.....	22

7.5	Preconditioning	22
8	Test schedules	23
8.1	Basic (minimum) test schedule	23
8.2	Full test schedule	23
8.2.1	General	23
8.2.2	Test group P – Preliminary	23
8.2.3	Test group AP – Climatic	24
8.2.4	Test group BP – Mechanical	25
8.2.5	Test group CP – Vibration	26
8.2.6	Test group DP – Electrical load	27
8.2.7	Test group EP – Electrical transmission	27
8.2.8	Test group GP – Transfer Impedance and Coupling Attenuation	28
Annex A	(normative) Locking-device mechanical operation	29
A.1	Object	29
A.2	Preparation of the specimen	29
A.3	Test method	29
A.4	Final measurements	29
Bibliography		30
Figure 1	– Relationships between the IEC 63171 series and its related references	7
Figure 2	– Connector overview	7
Figure 3	– Mated fixed and free connectors	11
Figure 4	– Fixed connector	13
Figure 5	– Fixed connector pin detail (detail A from Figure 4c) section D-D)	14
Figure 6	– Free connector	15
Figure 7	– Arrangement for contact resistance measurement	21
Figure 8	– Arrangement for vibration test	22
Table 1	– Dimensions for Figure 4a), Figure 4b) and Figure 4c)	13
Table 2	– Dimensions for Figure 5	14
Table 3	– Dimensions for Figure 6a) and Figure 6b)	16
Table 4	– Creepage and clearance distances	17
Table 5	– Test group P	23
Table 6	– Test group AP	24
Table 7	– Test group BP	25
Table 8	– Test group CP	26
Table 9	– Test group DP	27
Table 10	– Test Group EP	27
Table 11	– Test Group GP	28

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT –**Part 1: Detail specification for two-way, shielded or unshielded, free and fixed connectors – Mechanical mating information, pin assignment and additional requirements for Type 1 copper LC style**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63171-1 has been prepared by subcommittee 48B: Electrical connectors of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2783/FDIS	48B/2799/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 63171 series, published under the general title *Connectors for electrical and electronic components*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning contact mating surface dimensions given in 5.1.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of the patent right on contact mating surface dimensions in 5.1 has assured the IEC that they are willing to give free licences to applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC

Information may be obtained from:

CommScope Technologies, LLC
501 Shenandoah Drive
Shakopee, Minnesota
USA 55379

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

IEC 63171 is the base specification of the whole series. Subsequent specifications do not duplicate information given in the base document, but list only additional requirements. For complete specification regarding a component of a higher number document the base numbered documents should be considered as well. The following diagram (see Figure 1) shows the interrelation of the documents:





Figure 1 – Relationships between the IEC 63171 series and its related references

International Electrotechnical Commission

IEC 63171-1 Ed1

Subcommittee 48B: Electrical connectors



Two-way, free and fixed connectors for data transmission up to 600 MHz (and with current carrying capacity up to 2,0 A at 60° C.)

Fixed connectors are mounted on printed circuit board or bulk head, the free connector is terminated on shielded or unshielded wire.

View showing typical fixed and free connectors

Figure 2 – Connector overview

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT –

Part 1: Detail specification for two-way, shielded or unshielded, free and fixed connectors – Mechanical mating information, pin assignment and additional requirements for Type 1 copper LC style

1 Scope

This part of IEC 63171 covers two-way, shielded or unshielded, free and fixed connectors for data transmission with frequencies up to 600 MHz and with current carrying capacity up to 2,0 A at 60 °C. It is intended to specify the common dimensions, mechanical, electrical, signal integrity, environmental characteristics, reliability specifications and corresponding tests for these connectors.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the reference document (including any amendments) applies.

IEC 60050-581, *International Electrotechnical Vocabulary (IEV) – Chapter 581: Electromechanical components for electronic equipment*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60512-1, *Connectors for electrical and electronic equipment – Tests and measurements – Part 1: Generic specification*

IEC 60512-1-1, *Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination*

IEC 60512-1-2, *Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass*

IEC 60512-2-1, *Connectors for electronic equipment – Tests and measurements – Part 2-1: Electrical continuity and contact resistance tests – Test 2a: Contact resistance – Millivolt level method*

IEC 60512-2-5, *Connectors for electronic equipment – Tests and measurements – Part 2-5: Electrical continuity and contact resistance tests – Test 2e: Contact disturbance*

IEC 60512-3-1, *Connectors for electronic equipment – Tests and measurements – Part 3-1: Insulation tests – Test 3a: Insulation resistance*

IEC 60512-4-1, *Connectors for electronic equipment – Tests and measurements – Part 4-1: Voltage stress tests – Test 4a: Voltage proof*

IEC 60512-5-2, *Connectors for electronic equipment – Tests and measurements – Part 5-2: Current-carrying capacity tests – Test 5b: Current-temperature derating*

IEC 60512-6-4, *Connectors for electronic equipment – Tests and measurements – Part 6: Dynamic stress tests – Section 5: Test 6d: Vibration (sinusoidal)*

IEC 60512-9-1, *Connectors for electronic equipment – Tests and measurements – Part 9-1: Endurance tests – Test 9a: Mechanical operation*

IEC 60512-11-7, *Connectors for electronic equipment – Tests and measurements – Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test*

IEC 60512-11-12, *Connectors for electronic equipment – Tests and measurements – Part 11-12: Climatic tests – Test 11m: Damp heat, cyclic*

IEC 60512-13-2, *Connectors for electronic equipment – Tests and measurements – Part 13-2: Mechanical operation tests – Test 13b: Insertion and withdrawal forces*

IEC 60512-15-6, *Connectors for electronic equipment – Tests and measurements – Part 15-6: Connector tests (mechanical) – Test 15f: Effectiveness of connector coupling devices*

IEC 60512-25-9, *Connectors for electronic equipment – Tests and measurements – Part 25-9: Signal integrity tests – Test 25i: Alien crosstalk*

IEC 60512-26-100, *Connectors for electronic equipment – Tests and measurements – Part 26-100: Measurement setup, test and reference arrangements and measurements for connectors according to IEC 60603-7 – Tests 26a to 26g*

IEC 60512-28-100, *Connectors for electrical and electronic equipment – Tests and measurements – Part 28-100: Signal integrity tests up to 2 000 MHz – Tests 28a to 28g*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 62153-4-12, *Metallic communication cable test methods – Part 4-12: Electromagnetic compatibility (EMC) – Coupling attenuation or screening attenuation of connecting hardware – Absorbing clamp method*

IEC 62153-4-15, *Metallic communication cable test methods – Part 4-15: Electromagnetic compatibility (EMC) – Test method for measuring transfer impedance and screening attenuation – or coupling attenuation with triaxial cell*

ISO/IEC 11801-1, *Information technology – Generic cabling for customer premises – Part 1: General requirements*