



IEC 61375-2-8

Edition 1.0 2021-10

# INTERNATIONAL STANDARD



---

**Electronic railway equipment – Train communication network (TCN) –  
Part 2-8: TCN conformance test**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 45.060.01

ISBN 978-2-8322-1035-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	14
INTRODUCTION.....	16
1 Scope.....	17
2 Normative references .....	17
3 Terms, definitions, symbols and abbreviated terms.....	19
3.1 Terms and definitions.....	19
3.2 Symbols and abbreviated terms .....	19
4 Conformance test: approach, requirements and boundaries.....	20
4.1 Approach .....	20
4.1.1 General .....	20
4.1.2 Requirements .....	20
4.1.3 Requirements declaration statements for an Item Under Test (IUT) .....	22
4.2 Boundaries .....	23
4.2.1 General .....	23
4.2.2 Basic interconnection tests .....	24
4.2.3 Capability tests .....	24
4.2.4 Behaviour tests.....	25
4.2.5 Conformance resolution tests .....	25
4.2.6 Interpretation of clauses/subclauses and statements .....	26
4.2.7 Relation to interoperability .....	27
4.2.8 Relation to performance test.....	28
4.2.9 Definition of test cases .....	28
4.3 Conformance assessment process outline .....	29
4.3.1 General .....	29
4.3.2 Analysis of results, outcomes and verdicts.....	29
4.4 Mapping of IUT types to conformance test suites .....	30
5 Basic interface test.....	31
5.1 Scope .....	31
5.2 PICS pro-forma.....	31
5.2.1 General .....	31
5.2.2 PICS Tables .....	31
5.3 Testing framework .....	33
5.4 Physical layer test.....	33
5.4.1 Test purpose .....	33
5.4.2 Inspection of the Hardware Ethernet interface .....	33
5.4.3 Inspection of the mechanical Ethernet interface construction .....	33
5.4.4 Check of electrical Ethernet interface design .....	34
5.4.5 Check of Ethernet interface characteristics .....	34
5.4.6 Ethernet signal wave form test (IEEE standard).....	34
5.4.7 Ethernet signal wave form test (amplified signals, optional) .....	34
5.4.8 Auto-Crossover- and Auto-Sensing-Test (only for switches).....	34
5.5 Basic communication protocol test.....	35
5.5.1 Test purpose .....	35
5.5.2 Simple communication test.....	35
5.5.3 UDP rising payload test (only for End Devices).....	35
5.5.4 TCP rising payload test (only for End Devices) .....	35

5.5.5	UDP long term test (only for End Devices).....	35
5.6	Communication reliability tests.....	35
5.6.1	Test purpose .....	35
5.6.2	Burst immunity test.....	35
5.6.3	Ethernet interface isolation test .....	36
6	Conformance test of End Device.....	36
6.1	General.....	36
6.2	Related requirements.....	37
6.3	IUT and Test scope.....	37
6.4	PICS Pro-forma .....	38
6.4.1	General .....	38
6.4.2	PICS Tables .....	38
6.5	Testing framework .....	44
6.6	Test Suite IEC 61375-2-3.....	46
6.6.1	Test case TCCT23ED_001 .....	46
6.6.2	Test case TCCT23ED_002 .....	47
6.6.3	Test case TCCT23ED_003 .....	49
6.6.4	Test case TCCT23ED_004 .....	50
6.6.5	Test case TCCT23ED_005 .....	51
6.6.6	Test case TCCT23ED_006 .....	52
6.6.7	Test case TCCT23ED_007 .....	53
6.6.8	Test case TCCT23ED_008 .....	54
6.6.9	Test case TCCT23ED_009 .....	55
6.7	Test Suite IEC 61375-2-5.....	55
6.7.1	Test case TCCT25ED_001 .....	55
6.7.2	Test case TCCT25ED_002 .....	56
6.7.3	Test case TCCT25ED_003 .....	57
6.7.4	Test case TCCT25ED_004 .....	58
6.7.5	Test case TCCT25ED_005 .....	59
6.7.6	Test case TCCT25ED_006 .....	60
6.7.7	Test case TCCT25ED_007 .....	61
6.7.8	Test case TCCT25ED_008 .....	62
6.7.9	Test case TCCT25ED_009 .....	63
6.7.10	Test case TCCT25ED_010 .....	64
6.8	Test Suite IEC61375-3-4.....	65
6.8.1	Test case TCCT34ED_001 .....	65
6.8.2	Test case TCCT34ED_002 .....	66
6.8.3	Test case TCCT34ED_003 .....	67
6.8.4	Test case TCCT34ED_004 .....	68
6.8.5	Test case TCCT34ED_005 .....	69
6.8.6	Test case TCCT34ED_006 .....	70
6.8.7	Test case TCCT34ED_007 .....	71
6.8.8	Test case TCCT34ED_008 .....	72
6.8.9	Test case TCCT34ED_009 .....	73
6.8.10	Test case TCCT34ED_010 .....	74
6.8.11	Test case TCCT34ED_011 .....	75
6.8.12	Test case TCCT34ED_012 .....	76
6.8.13	Test case TCCT34ED_013 .....	77
6.8.14	Test case TCCT34ED_014 .....	78

6.8.15	Test case TCCT34ED_015 .....	79
6.8.16	Test case TCCT34ED_016 .....	80
6.8.17	Test case TCCT34ED_017 .....	81
6.8.18	Test case TCCT34ED_018 .....	82
6.8.19	Test case TCCT34ED_019 .....	83
6.8.20	Test case TCCT34ED_020 .....	84
6.8.21	Test case TCCT34ED_021 .....	85
6.8.22	Test case TCCT34ED_022 .....	86
7	Conformance test of ECN-equipped consist .....	86
7.1	Scope .....	86
7.2	Related requirements .....	86
7.3	PICS Pro-forma .....	86
7.3.1	General .....	86
7.3.2	PICS tables .....	87
7.4	Test cases .....	93
7.4.1	General .....	93
7.4.2	Recovery in case of network failure .....	94
7.4.3	IP address assignment via DHCP .....	96
7.4.4	Name (TCN-URI address) resolution via DNS .....	97
7.4.5	Switch basic functions .....	98
7.4.6	Priority levels .....	99
7.4.7	Ingress rate limiting .....	99
7.4.8	Egress rate shaping .....	100
7.4.9	Untagged/tagged frames .....	100
7.4.10	Switching and routing performance (optional) .....	101
7.4.11	NTP support .....	102
7.4.12	Switch management .....	102
7.4.13	Network management via SNMP .....	103
7.4.14	ECSP Interface (optional) .....	104
7.4.15	TTDB manager interface (optional) .....	105
7.4.16	DNS TCN interface (optional) .....	105
7.4.17	ETBN control interface (optional) .....	106
8	Conformance test of ETBN .....	106
8.1	Test scope .....	106
8.1.1	General .....	106
8.1.2	References .....	106
8.2	PICS Pro-forma .....	107
8.2.1	General .....	107
8.2.2	PICS tables .....	107
8.3	Test cases .....	115
8.3.1	Testing framework .....	115
8.3.2	Common Consist Topologies .....	118
8.3.3	Test Suite: ETB port settings .....	121
8.3.4	Test Suite: ETB Line Status and Link Aggregation management .....	123
8.3.5	Test Suite: TTDP HELLO format and content .....	130
8.3.6	Test Suite: Unicast address assignment and unicast routing .....	134
8.3.7	Test Suite: IP Multicast forwarding .....	137
8.3.8	Test Suite: TOPOLOGY frame format and basic functionality .....	148
8.3.9	Test Suite: Physical topology management and calculation .....	152

8.3.10	Test Suite: Logical connectivity management and calculation .....	156
8.3.11	Test Suite: Failing/loss of node(s).....	162
8.3.12	Test Suite: Late/recovered node(s) .....	166
9	Conformance test of TRDP .....	172
9.1	General.....	172
9.2	Related requirements.....	173
9.3	SUT and Test scope .....	173
9.4	PICS Pro-forma .....	173
9.4.1	General .....	173
9.4.2	PICS Tables .....	173
9.5	Message Data test.....	187
9.5.1	Testing framework .....	187
9.5.2	Communication Model Test.....	188
9.5.3	Communication Pattern and Addressing Test.....	192
9.5.4	MD-PDU Test .....	204
9.5.5	TRDP Layer Service Primitives Test .....	206
9.5.6	TRDP Layer Filtering Rules Test.....	209
9.5.7	Caller TRDP Layer Test.....	214
9.5.8	Replier TRDP Layer Test.....	234
9.5.9	TCP Connection Handling Test.....	249
9.5.10	Message Data Echo Server Test.....	257
9.6	Process Data test .....	258
9.6.1	General .....	258
9.6.2	Test setup .....	258
9.6.3	PD push pattern test cases.....	259
9.6.4	PD pull pattern test cases.....	280
10	SDTv2 Conformance Test.....	298
10.1	Scope .....	298
10.1.1	General .....	298
10.1.2	Related requirements .....	298
10.1.3	Terms and abbreviations .....	298
10.1.4	Test scope.....	298
10.2	PICS Pro-forma .....	299
10.2.1	General .....	299
10.2.2	PICS Tables .....	299
10.3	SDSRC- SAFE DATA SOURCE .....	302
10.3.1	Purpose.....	302
10.3.2	Inspection of the SID Structure .....	302
10.3.3	Inspection of the Vital Data Packet .....	303
10.3.4	Exclusivity .....	304
10.3.5	SDSRC performance .....	305
10.4	SDSINK – SAFE DATA SINK .....	305
10.4.1	General .....	305
10.4.2	VDP sampling.....	305
10.4.3	VDP Integrity Check .....	305
10.4.4	Sink Time Supervision .....	306
10.4.5	Guard Time Supervision .....	306
10.4.6	Latency Monitoring .....	306
10.4.7	Channel Monitoring.....	307

10.4.8	SDTv2 Application Interface .....	307
10.4.9	Diagnostics and statistics .....	308
11	Conformance test of ETB-equipped consist .....	308
11.1	Scope .....	308
11.2	Abstract consist tester architecture .....	309
11.3	Consist test stages .....	311
11.4	PICS Pro-forma .....	311
11.4.1	General .....	311
11.4.2	PICS Tables .....	311
11.5	Related requirements.....	314
11.6	Testing configurations.....	314
11.6.1	General .....	314
11.6.2	Testing configuration TC1.....	315
11.6.3	Testing configuration TC2.....	316
11.6.4	Testing configuration TC3.....	316
11.7	Consist tester operation .....	317
11.7.1	General .....	317
11.7.2	ECS addressing.....	317
11.7.3	Test Stimuli .....	317
11.7.4	Expected result verification.....	320
11.7.5	Test execution timing considerations .....	321
11.8	Basic test.....	321
11.8.1	General .....	321
11.8.2	Test sequence for TTDB computation (middle consist, same orientation).....	321
11.8.3	Test sequence for TTDB computation (middle consist, inverse orientation) .....	321
11.8.4	Test sequence for TTDB computation (end consist, no traction, same orientation) .....	322
11.8.5	Test sequence for TTDB computation (end consist, no traction, inverse orientation) .....	322
11.8.6	Test sequence for TTDB computation (end consist, traction, same orientation) .....	323
11.8.7	Test sequence for TTDB computation (end consist, traction, inverse orientation) .....	323
11.8.8	Test sequence for TTDB computation (train lengthening and shortening).....	324
11.9	Leading test.....	325
11.9.1	General .....	325
11.9.2	Test sequence for Leading (TE1.1 leading, CuT middle).....	326
11.9.3	Test sequence for Leading (TE2 leading, CuT middle).....	326
11.9.4	Test sequence for Leading (TE1.1 leading, CuT end) .....	326
11.9.5	Test sequence for Leading (CuT leading direction 1) .....	327
11.9.6	Test sequence for Leading (CuT leading direction 2) .....	327
11.9.7	Test sequence for Leading (Leading double request).....	328
11.9.8	Test sequence for Leading (Leading conflict).....	329
11.10	Inhibit test.....	329
11.10.1	General .....	329
11.10.2	Test sequence for Inhibit (single).....	329
11.10.3	Test sequence for Inhibit (multiple).....	330
11.11	Confirmation/correction test .....	331
11.11.1	General .....	331

11.11.2	Test sequence for confirmation .....	332
11.11.3	Test sequence for correction single middle vehicle .....	333
11.11.4	Test sequence for correction two middle vehicles .....	333
11.11.5	Test sequence for correcting three middle vehicles .....	334
11.11.6	Test sequence for correcting end vehicle .....	335
11.12	Sleep mode function (optional) .....	336
11.12.1	General .....	336
11.12.2	Test sequence for sleep mode .....	336
11.13	Performance test .....	337
11.13.1	General .....	337
11.13.2	Inauguration performance .....	337
11.13.3	ECSP performance .....	338
11.14	End-to-End Communication .....	339
11.15	Multiple ETB test (option) .....	339
11.15.1	General .....	339
11.15.2	Conformance test .....	340
Annex A (normative)	Test laboratory role and client role .....	341
A.1	Test laboratory and client role .....	341
A.1.1	General .....	341
A.1.2	Overview .....	341
A.2	Preparation for testing .....	342
A.2.1	General .....	342
A.2.2	General administrative steps .....	342
A.2.3	Agreement on test methods and selection of test suites .....	342
A.2.4	Exchange of documentation for conformance assessment .....	343
A.3	Test operation .....	344
A.3.1	General .....	344
A.3.2	Static conformance review .....	344
A.3.3	Selection of test cases and test parameterisation .....	345
A.3.4	Test campaign .....	345
A.4	Production of test reports .....	346
A.4.1	General .....	346
A.4.2	IUT conformance test report .....	347
A.4.3	Protocol conformance test report .....	347
Annex B (informative)	Instructions for filling the PICS pro-forma .....	349
B.1	General .....	349
B.2	Abbreviations .....	349
B.3	Reference column .....	349
B.4	Supported subclause column .....	350
B.5	Supported capability column .....	350
B.6	Requirement column .....	350
B.7	Implementation column .....	350
B.8	Parameter values columns .....	351
B.8.1	Allowed min. .....	351
B.8.2	Default value .....	351
B.8.3	Allowed max. .....	351
B.8.4	Implemented value .....	351
Annex C (informative)	Test instrumentation and dedicated test bed .....	352
C.1	Test instrumentation .....	352

C.1.1	Standard instrumentation – Test suites standard instrumentation.....	352
C.1.2	Test bed architecture.....	352
C.1.3	Consist tester specification.....	353
	Bibliography.....	356
Figure 1	– Setup for burst immunity test.....	36
Figure 2	– End Device conformance testing process.....	37
Figure 3	– Consist topology and logical view of ECN.....	38
Figure 4	– Testing framework architecture.....	44
Figure 5	– General configuration for ECN-equipped consist test.....	94
Figure 6	– Example of configuration for the test of network redundancy.....	94
Figure 7	– Example of configuration of network redundancy with dual homing End Device interfaces.....	95
Figure 8	– Example of the configuration for the test of IP address assignment via DHCP.....	97
Figure 9	– Example of the configuration for the test of Name resolution via DNS.....	98
Figure 10	– Example of the configuration for the test of NTP support.....	102
Figure 11	– Example of the configuration for the test of Network management via SNMP.....	104
Figure 12	– TTS1 One ETBN connects with test system (monitoring).....	116
Figure 13	– TTS2 single ETBN connects with test system (one side simulation).....	116
Figure 14	– TTS3 Single ETBN connects with test system (both sides simulation).....	117
Figure 15	– TTS4 Multiple ETBNs connect with test system (monitoring).....	117
Figure 16	– TTS5 multiple ETBNs connect with test system (one side simulation).....	118
Figure 17	– TTS6 Multiple ETBN connects with test system (both sides simulation).....	118
Figure 18	– Consist topology with single ETBN and single CN.....	119
Figure 19	– Consist topology with multiple ETBNs, each connected to a separate CN.....	119
Figure 20	– Consist topology with a single ETBN connected to multiple CNs.....	119
Figure 21	– Consist topology with single CN with redundant ETBNs.....	120
Figure 22	– Consist topology with multiple CNs with redundant ETBNs.....	120
Figure 23	– Consist topology with multiple ETNs and CNs connected asymmetrically.....	120
Figure 24	– Setup to verify full duplex mode on ETB ports.....	122
Figure 25	– Example where IUT sends TOPOLOGY on line B (here X is B, Y is A).....	124
Figure 26	– Simulating Logical line down for single line setup, by letting simulator stop sending HELLO on line X (line A).....	125
Figure 27	– Simulating Logical line down for multiple line setup, by letting simulator stop sending HELLO on line X (here line B).....	125
Figure 28	– Simulating one-way transmission error, by letting simulator send HELLO with recvXStatus FALSE (here recvBStatus FALSE).....	126
Figure 29	– Testing correct handling of loss of HELLO transmitted by IUT, and loss of HELLO sent to IUT.....	127
Figure 30	– ETB line failover setup, the line where IUT initially forwards the data stream is referred to as 'X' (here line B).....	128
Figure 31	– Topology for general multicast routing tests.....	138
Figure 32	– Topology for testing multicast with ETBN with multiple CNs.....	140
Figure 33	– Multicast test setup for consist with ECNs connected to different ETBNs.....	141

Figure 34 – Testing multicast with redundant ETBNs and single CN .....	142
Figure 35 – Multicast routing in consist with redundant ETBN and multiple CNs.....	144
Figure 36 – Testing multicast handling after reinauguation.....	145
Figure 37 – Test of multicast between local CNs on same ETBN when inaugurating .....	146
Figure 38 – Test of multicast between local CNs on different ETBNs when inaugurating .....	147
Figure 39 – Test ability to translate multicast destination address .....	147
Figure 40 – Testing transmission of connectivity vector .....	154
Figure 41 – Testing transmission of ETBN Vectors, number of ETBNs and ConnTableCrc32.....	155
Figure 42 – Testing loss of intermediate ETBNs/consists when inauguration is inhibited .....	162
Figure 43 – Test of losing intermediate ETBN in existence of "unknown intermediate" .....	163
Figure 44 – Test ability to handle loss of end node .....	164
Figure 45 – Test ability to handle loss of end node during lengthening.....	165
Figure 46 – Test ability to handle loss of end node when “late intermediate” is present.....	166
Figure 47 – Test environment .....	172
Figure 48 – System under Test.....	173
Figure 49 – TTS, IUT connected to the test system.....	259
Figure 50 – The switch in test topology .....	259
Figure 51 – TRDP telegram format.....	260
Figure 52 – Dataset of CONFTEST_PUSH_FORMAT .....	261
Figure 53 – Dataset of CONFTEST_UDP_PORT.....	262
Figure 54 – Dataset of CONFTEST_FCS .....	264
Figure 55 – Dataset of CONFTEST_FCS_REPLY .....	264
Figure 56 – Dataset of CONFTEST_PROTO_VERSION.....	266
Figure 57 – Dataset of CONFTEST_PROTO_VERSION_REPLY.....	266
Figure 58 – Dataset of CONFTEST_SIMU_TOPO .....	269
Figure 59 – Dataset of CONFTEST_IDU_TOPO.....	269
Figure 60 – Dataset of CONFTEST_DATA_LEN_1432 .....	271
Figure 61 – Dataset of CONFTEST_DATA_LEN_0.....	271
Figure 62 – Dataset of CONFTEST_DATA_LEN_512.....	271
Figure 63 – Byte alignment test of 441 bytes length telegram data.....	273
Figure 64 – Byte alignment test of 442 bytes length telegram data.....	273
Figure 65 – Byte alignment test of 443 bytes length telegram data.....	273
Figure 66 – Dataset of CONFTEST_PUSH_FORMAT .....	275
Figure 67 – Dataset of CONFTEST_TIMEOUT_BEHAVIOR_ZERO .....	275
Figure 68 – Dataset of CONFTEST_TIMEOUT_BEHAVIOR_KEEP .....	276
Figure 69 – Dataset of CONFTEST_IP_FILTER .....	277
Figure 70 – Dataset of CONFTEST_IP_FILTER_REPLY .....	277
Figure 71 – DSCP(QOS) and TTL test telegram data .....	278
Figure 72 – Dataset of CONFTEST_REDUNDANT.....	279
Figure 73 – Dataset of CONFTEST_UNICAST .....	280
Figure 74 – Dataset of CONFTEST_PULL_FORMAT_REQUEST .....	282
Figure 75 – Dataset of CONFTEST_PULL_FORMAT_REPLY .....	283

Figure 76 – Dataset of CONFTEST_FCS_REQUEST .....	284
Figure 77 – Dataset of CONFTEST_FCS_REPLY .....	284
Figure 78 – Dataset of CONFTEST_PROTO_VERSION_REQUEST .....	286
Figure 79 – Dataset of CONFTEST_PROTO_VERSION_REPLY .....	286
Figure 80 – Dataset of CONFTEST_SIMU_TOPO .....	288
Figure 81 – Dataset of CONFTEST_IUT_TOPO .....	289
Figure 82 – Dataset of CONFTEST_IP_FILTER .....	290
Figure 83 – Dataset of CONFTEST_IP_FILTER_REPLY .....	290
Figure 84 – Dataset of CONFTEST_TIMEOUT_REQUEST_ZERO .....	292
Figure 85 – Dataset of CONFTEST_TIMEOUT_REPLY_ZERO .....	293
Figure 86 – Dataset of CONFTEST_TIMEOUT_REQUEST_KEEP .....	293
Figure 87 – Dataset of CONFTEST_TIMEOUT_REPLY_KEEP .....	294
Figure 88 – Dataset of CONFTEST_PULL_UNICAST .....	295
Figure 89 – Dataset of CONFTEST_REPLY_COMID_REQUEST .....	296
Figure 90 – Dataset of CONFTEST_REPLY_COMID_REPLY .....	296
Figure 91 – Dataset of CONFTEST_REPLY_IPADDRESS_REQUEST .....	297
Figure 92 – Dataset of CONFTEST_REPLY_IPADDRESS_REPLY .....	297
Figure 93 – SDTv2 conformance testing process .....	298
Figure 94 – SID Generation .....	302
Figure 95 – Structure of a VDP .....	303
Figure 96 – VDP with detailed trailer structure .....	304
Figure 97 – Consist tester architecture .....	309
Figure 98 – ECSP proxy .....	310
Figure 99 – Testing configuration variants .....	315
Figure 100 – Testing configuration TC1 .....	316
Figure 101 – Testing configuration TC2 .....	316
Figure 102 – Testing configuration TC3 .....	316
Figure 103 – TRDP ECSP control telegram .....	318
Figure C.1 – Coach tester architecture .....	353
Figure C.2 – Complete consist tester architecture .....	354
Figure C.3 – Multiple ETB tester architecture .....	355
Table 1 – Relation to interoperability .....	28
Table 2 – Relation to performance test .....	28
Table 3 – Test case categories .....	29
Table 4 – Mapping conformance testing suites to IUT types .....	31
Table 5 – Testing framework DEVICE description .....	45
Table 6 – Test case TCCT23ED_001 .....	46
Table 7 – Test case TCCT23ED_002 .....	47
Table 8 – Test case TCCT23ED_003 .....	49
Table 9 – Test case TCCT23ED_004 .....	50
Table 10 – Test case TCCT23ED_005 .....	51
Table 11 – Test case TCCT23ED_006 .....	52

Table 12 – Test case TCCT23ED_007 .....	53
Table 13 – Test case TCCT23ED_008 .....	54
Table 14 – Test case TCCT23ED_009 .....	55
Table 15 – Test case TCCT25ED_001 .....	55
Table 16 – Test case TCCT25ED_002 .....	56
Table 17 – Test case TCCT25ED_003 .....	57
Table 18 – Test case TCCT25ED_004 .....	58
Table 19 – Test case TCCT25ED_005 .....	59
Table 20 – Test case TCCT25ED_006 .....	60
Table 21 – Test case TCCT25ED_007 .....	61
Table 22 – Test case TCCT25ED_008 .....	62
Table 23 – Test case TCCT25ED_009 .....	63
Table 24 – Test case TCCT25ED_010 .....	64
Table 25 – Test case TCCT34ED_001 .....	65
Table 26 – Test case TCCT34ED_002 .....	66
Table 27 – Test case TCCT34ED_003 .....	67
Table 28 – Test case TCCT34ED_004 .....	68
Table 29 – Test case TCCT34ED_005 .....	69
Table 30 – Test case TCCT34ED_006 .....	70
Table 31 – Test case TCCT34ED_007 .....	71
Table 32 – Test case TCCT34ED_008 .....	72
Table 33 – Test case TCCT34ED_009 .....	73
Table 34 – Test case TCCT34ED_010 .....	74
Table 35 – Test case TCCT34ED_011 .....	75
Table 36 – Test case TCCT34ED_012 .....	76
Table 37 – Test case TCCT34ED_013 .....	77
Table 38 – Test case TCCT34ED_014 .....	78
Table 39 – Test case TCCT34ED_015 .....	79
Table 40 – Test case TCCT34ED_016 .....	80
Table 41 – Test case TCCT34ED_017 .....	81
Table 42 – Test case TCCT34ED_018 .....	82
Table 43 – Test case TCCT34ED_019 .....	83
Table 44 – Test case TCCT34ED_020 .....	84
Table 45 – Test case TCCT34ED_021 .....	85
Table 46 – Test case TCCT34ED_022 .....	86
Table 47 – Push pattern telegram test .....	259
Table 48 – Push pattern telegram format content .....	260
Table 49 – Telegram parameter of push pattern test .....	261
Table 50 – Destination UDP port test .....	262
Table 51 – Destination UDP port test telegram parameter .....	262
Table 52 – FCS check test .....	263
Table 53 – FCS check test telegram parameter .....	263
Table 54 – FCS check test reply telegram parameter .....	263

Table 55 – Protocol version test.....	265
Table 56 – Protocol version test telegram parameter .....	265
Table 57 – Protocol version test reply telegram parameter.....	265
Table 58 – Topology counter test.....	267
Table 59 – Simulator sending telegram parameter .....	268
Table 60 – IUT sending telegram parameter .....	269
Table 61 – Data length test.....	270
Table 62 – Data length test of 1 432 bytes length telegram parameters .....	270
Table 63 – Data length test of 0 byte length telegram parameters .....	270
Table 64 – Data length test of 512 bytes length telegram parameters .....	270
Table 65 – Byte alignment test.....	272
Table 66 – Byte alignment test of 441 bytes length telegram parameters .....	272
Table 67 – Byte alignment test of 442 bytes length telegram parameters .....	272
Table 68 – Byte alignment test of 443 bytes length telegram parameters .....	272
Table 69 – Timeout and validity test.....	274
Table 70 – Timeout and validity test telegram parameters.....	274
Table 71 – Timeout and validity test reply telegram parameters(ZERO mode).....	274
Table 72 – Timeout and validity test reply telegram parameters(KEEP mode).....	275
Table 73 – Receiving port IP filtering test.....	276
Table 74 – Receiving port IP filtering test telegram parameters.....	276
Table 75 – Receiving port IP filtering test reply telegram parameters .....	277
Table 76 – DSCP(QOS) and TTL test.....	278
Table 77 – DSCP(QOS) and TTL test telegram parameters.....	278
Table 78 – Redundancy test .....	279
Table 79 – Redundancy test telegram parameter .....	279
Table 80 – point to point test of push pattern .....	280
Table 81 – point to point test telegram parameter .....	280
Table 82 – Pull pattern telegram test .....	281
Table 83 – Pull pattern request telegram format content .....	281
Table 84 – Pull pattern reply telegram format content .....	281
Table 85 – Request telegram parameter of pull pattern test .....	282
Table 86 – Reply telegram parameter of pull pattern test .....	282
Table 87 – FCS check test.....	283
Table 88 – FCS check test request parameter .....	283
Table 89 – FCS check test reply parameter .....	284
Table 90 – Protocol version test.....	285
Table 91 – Protocol version test request telegram parameter .....	285
Table 92 – Protocol version test reply telegram parameter.....	285
Table 93 – Topology counter test.....	287
Table 94 – Requester topology counter test telegram parameter.....	288
Table 95 – Receiving port IP filtering test.....	289
Table 96 – Receiving port IP filtering test telegram parameters.....	289
Table 97 – Receiving port IP filtering test reply telegram parameters .....	290
Table 98 – Timeout and validity test.....	291
Table 99 – Timeout and validity test request telegram parameters (ZERO mode).....	291
Table 100 – Timeout and validity test reply telegram parameters (ZERO mode).....	291

Table 101 – Timeout and validity test request telegram parameters (KEEP mode) .....	292
Table 102 – Timeout and validity test reply telegram parameters (KEEP mode) .....	292
Table 103 – Point to point test of pull pattern .....	294
Table 104 – Point to point test telegram parameter .....	294
Table 105 – Reply ComId test of pull pattern .....	295
Table 106 – Reply ComId test telegram parameter.....	295
Table 107 – Reply IP Address test of pull pattern.....	296
Table 108 – Reply IP Address test telegram parameter.....	297
Table 109 – Configuration TC1: single coach coupled to an open train .....	316
Table 110 – Configuration TC2: single coach coupled to an open train .....	316
Table 111 – Configuration TC3: single coach coupled to an open train .....	317
Table 112 – ECSP control telegram for Leading request .....	319
Table 113 – ECSP control telegram for inauguration inhibit request.....	319
Table 114 – ECSP control telegram for sleep request .....	320
Table 115 – Test sequence for TTDB computation (middle consist, same oriTentation) .....	321
Table 116 – Test sequence for TTDB computation (middle consist, inverse orientation).....	322
Table 117 – Test sequence for TTDB computation (end consist, no traction, same orientation) .....	322
Table 118 – Test sequence for TTDB computation (end consist, no traction, inverse orientation) .....	323
Table 119 – Test sequence for TTDB computation (end consist, traction, same orientation) .....	323
Table 120 – Test sequence for TTDB computation (end consist, traction, inverse orientation) .....	324
Table 121 – Test sequence for TTDB computation (train lengthening and shortening) .....	325
Table 122 – Test sequence for Leading (TE1.1 leading, CuT middle).....	326
Table 123 – Test sequence for Leading (TE2 leading, CuT middle).....	326
Table 124 – Test sequence for Leading (TE1.1 leading, CuT end) .....	327
Table 125 – Test sequence for Leading (CuT leading direction 1) .....	327
Table 126 – Test sequence for Leading (CuT leading direction 2) .....	328
Table 127 – Test sequence for Leading (Leading double request).....	328
Table 128 – Test sequence for Leading (Leading conflict).....	329
Table 129 – Test sequence for Inhibit (single).....	330
Table 130 – Test sequence for Inhibit (multiple).....	331
Table 131 – Test sequence for confirmation.....	332
Table 132 – Test sequence for correction single middle vehicle .....	333
Table 133 – Test sequence for correction two middle vehicles .....	334
Table 134 – Test sequence for correcting three middle vehicles .....	335
Table 135 – Test sequence for correcting end vehicle.....	336
Table 136 – Test sequence for sleep mode.....	337
Table 137 – Performance of basic ETB events.....	338
Table 138 – Performance of user request .....	339

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**ELECTRONIC RAILWAY EQUIPMENT –  
TRAIN COMMUNICATION NETWORK (TCN) –**
**Part 2-8: TCN conformance test****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61375-2-8 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
9/2746/FDIS	9/2758/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

A list of all parts in the IEC 61375 series, published under the general title *Electronic railway equipment – Train communication network (TCN)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

TCN is an International Standard with the aim of defining interfaces so as to achieve plug-in compatibility:

- a) between equipment located in different vehicles or consist, and
- b) between equipment and devices located within the same vehicle or consist.

One of the key success factors for the deployment of any technology is standardisation and ensuring interoperability among various implementations. To facilitate interoperability, a conformance test should be implemented.

In this part of IEC 61375, the conformance testing of the ECN and ETB defined in IEC 61375-2-3:2015, IEC 61375-2-5:2014 and IEC 61375-3-4:2014 is specified.

# **ELECTRONIC RAILWAY EQUIPMENT – TRAIN COMMUNICATION NETWORK (TCN) –**

## **Part 2-8: TCN conformance test**

### **1 Scope**

This part of IEC 61375 applies to all equipment and devices implemented according to IEC 61375-2-3:2015, IEC 61375-2-5:2014 and IEC 61375-3-4:2014, i.e. it covers the procedures to be applied to such equipment and devices when the conformance should be proven.

The applicability of this document to a TCN implementation allows for individual conformance checking of the implementation itself, and is a pre-requisite for further interoperability checking between different TCN implementations.

### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60571:2012, *Railway applications – Electronic equipment used on rolling stock*

IEC 61000-4-4:2012, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61076-2-101:2012, *Connectors for electronic equipment – Product requirements – Part 2-101: Circular connectors – Detail specification for M12 connectors with screw-locking*

IEC 61076-3-104, *Connectors for electrical and electronic equipment – Product requirements – Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 2 000 MHz*

IEC 61156-6, *Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Sectional specification*

IEC 61375-1:2012, *Electronic railway equipment – Train communication network (TCN) – Part 1: General architecture*

IEC 61375-2-1:2012, *Electronic railway equipment – Train communication network (TCN) – Part 2-1: Wire Train Bus (WTB)*

IEC 61375-2-3:2015, *Electronic railway equipment – Train communication network (TCN) – Part 2-3: TCN communication profile*

IEC 61375-2-5:2014, *Electronic railway equipment – Train communication network (TCN) – Part 2-5: Ethernet train backbone*

IEC 61375-3-4:2014, *Electronic railway equipment – Train Communication Network (TCN) – Part 3-4: Ethernet Consist Network (ECN)*

ISO/IEC 9646-1:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 1: General concepts (Also available as ITU-T Recommendation X.290 (1995))*

ISO/IEC 9646-7:1995, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 7: Implementation Conformance Statements (Also available as ITU-T Recommendation X.296 (1995))*

ISO/IEC 11801 (all parts), *Information technology – Generic cabling for customer premises*

IEEE 802.1AB: 2009, *Station and Media Access Control Connectivity Discovery*

IEEE 802.1AX:2008, *IEEE Standard for Local and metropolitan area networks – Link Aggregation*

IEEE 802.1Qaz:2011, *IEEE Standard for Local and metropolitan area networks – Enhanced Transmission Selection*

IEEE 802.1D:1990, *IEEE Standard for Local and metropolitan area networks – Media Access Control (MAC) Bridges*

IEEE 802.1Q, *IEEE Standard for Local and metropolitan area networks – Virtual Bridged Local Area Networks*

IEEE 802.2, *Logical Link Control*

IEEE 802.3:2012, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access*

IEEE 802.3az, *Energy Efficient Ethernet*

IETF RFC 768, *User Datagram Protocol*

IETF RFC 791, *INTERNET PROTOCOL*

IETF RFC 792, *INTERNET CONTROL MESSAGE PROTOCOL*

IETF RFC 793, *TRANSMISSION CONTROL PROTOCOL*

IETF RFC 826, *An Ethernet Address Resolution Protocol*

IETF RFC 1034, *DOMAIN NAMES – CONCEPTS AND FACILITIES*

IETF RFC 1035, *DOMAIN NAMES – IMPLEMENTATION AND SPECIFICATION*

IETF RFC 1213, *Management Information Base for Network Management of TCP/IP-based internets: MIB-II*

IETF RFC 1305, *Network Time Protocol (Version 3) Specification, Implementation and Analysis*

IETF RFC 1361, *Simple Network Time Protocol (SNTP)*

IETF RFC 1901, *Introduction to Community-based SNMPv2*

IETF RFC 1905, *Protocol Operations for Version 2 of the Simple Network Management Protocol (SNMPv2)*

IETF RFC 1906, *Transport Mappings for Version 2 of the Simple Network Management Protocol (SNMPv2)*

IETF RFC 1918, *Address Allocation for Private Internets*

IETF RFC 2131, *Dynamic Host Configuration Protocol*

IETF RFC 2236, *Internet Group Management Protocol, Version 2*

IETF RFC 2365, *Administratively Scoped IP Multicast*

IETF RFC 2474, *Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers*

IETF RFC 2544, *Benchmarking Methodology for Network Interconnect Devices*

IETF RFC 3203, *DHCP reconfigure extension*

IETF RFC 3986, *Uniform Resource Identifier (URI): Generic Syntax*

IETF RFC 4122, *A Universally Unique Identifier (UUID) URN Namespace*

TIA/EIA-568-B, *Commercial Building Telecommunications Cabling Standard*

ANSI X3.263:1995, *Information Technology – Fibre Distributed Data Interface (FDDI) – Token Ring Twisted Pair Physical Layer Medium Dependent (TP-PMD)*