

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

## **Larmsystem – Trygghetslarm – Del 5: Kommunikation och förbindningar**

*Alarm systems –  
Social alarm systems –  
Part 5: Interconnections and communications*

Som svensk standard gäller europastandarden EN 50134-5:2021. Den svenska standarden innehåller den officiella engelska språkversionen av EN 50134-5:2021.

### **Nationellt förord**

Tidigare fastställd svensk standard SS-EN 50134-5, utgåva 1, 2005, gäller ej fr o m 2024-06-07.

---

ICS 13.320.00

Denna standard är fastställd av SEK Svensk Elstandard,  
som också kan lämna upplysningar om **sakinhålllet** i standarden.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: sek@elstandard.se. Internet: [www.elstandard.se](http://www.elstandard.se)

---

## *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

## *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

## *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

## **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

**EUROPEAN STANDARD**  
**NORME EUROPÉENNE**  
**EUROPÄISCHE NORM**

**EN 50134-5**

July 2021

ICS 13.320

Supersedes EN 50134-5:2004 and all of its amendments  
and corrigenda (if any)

English Version

**Alarm systems - Social alarm systems - Part 5: Interconnections  
and communications**

Systèmes d'alarme - Systèmes d'alarme sociale - Partie 5:  
Communication et interconnexion

Alarmanlagen - Personen-Hilferufanlagen - Teil 5:  
Verbindungen und Kommunikation

This European Standard was approved by CENELEC on 2021-06-07. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

© 2021 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN 50134-5:2021 E

Contents	Page
European foreword .....	4
Introduction.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions and abbreviations .....	8
3.1 Terms and definitions .....	8
3.2 Abbreviations .....	10
4 Interconnections .....	10
4.1 General requirements.....	10
4.2 Wireless .....	11
4.3 Availability.....	11
4.4 Monitoring .....	11
4.5 Security.....	11
4.6 Transmission time .....	12
4.7 Video and other applications .....	12
4.8 Two-way speech communication .....	12
5 Communications.....	12
5.1 Commentary.....	12
5.2 General requirements.....	12
5.3 Alarm transmission equipment.....	13
5.3.1 General .....	13
5.3.2 Transmission links shared with other applications.....	14
5.3.3 Monitoring of the interconnection with the AE .....	15
5.4 Technical performance requirements of the alarm transmission system .....	15
5.4.1 General .....	15
5.4.2 Sessional-connected or switched paths .....	15
5.4.3 Packet switched networks.....	16
5.5 The controller .....	17
5.5.1 Environmental requirements .....	17
5.5.2 Access levels.....	17
5.5.3 Sessional-connected or switched paths .....	17
5.5.4 Permanent virtual packet switched paths .....	17
5.5.5 Voice communicators.....	17
6 Digital to Analogue conversion within the alarm transmission path.....	18
6.1 Commentary.....	18
6.2 General .....	18
6.2.1 General .....	18
6.2.2 Transmission network equipment.....	18
6.2.3 Digital to analogue conversion units .....	19

7	Logical alarm triggering .....	19
7.1	Commentary.....	19
7.2	General .....	19
7.3	Logical alarm triggering from a standalone local device connected to the Local Unit or Controller .....	19
7.3.1	General .....	19
7.3.2	Logical alarm triggering generated within the Local Unit or Controller.....	20
7.3.3	Logical alarm triggering from a Device Provisioning and Management Platform.....	20
7.3.4	Logical alarm triggering from within the Alarm Management System .....	21
8	General security requirements.....	21
8.1	General .....	21
8.2	Design considerations .....	22
8.3	ATS.....	22
8.4	Use of standard cryptographic algorithms and security protocols.....	22
8.5	Authentication requirements .....	22
8.6	Tests .....	23
8.6.1	General .....	23
8.6.2	ATSN Performance.....	23
8.6.3	Transmission Time .....	23
8.6.4	Verification Interval.....	23
8.6.5	Availability.....	23
8.6.6	Calculation of availability .....	23
8.7	Documentation .....	23
8.8	Verification of performance of the interconnections .....	23
	Bibliography.....	24

## European foreword

This document (EN 50134-5:2021) has been prepared by CLC/TC 79, "Alarm systems".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-06-07
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2024-06-07

This document supersedes EN 50134-5:2004 and all of its amendments and corrigenda (if any).

EN 50134-5:2021 includes the following significant technical changes with respect to EN 50134-5:2004:

- The minimum performance parameters for the interconnection including availability, monitoring, security, transmission time are now determined by updated reference to EN 50136-1:2012<sup>1</sup>.
- Requirements for microphone and speaker performance to deliver two-way speech have been removed and are now determined with EN 50134-3:2012.
- Requirements for the alarm transmission system have been updated to take account of the general migration of voice traffic to packet-based IP infrastructures by telecommunications providers.
- The minimum technical performance requirements of the alarm transmission system are now prescribed by updated reference to EN 50136-1:2012<sup>1</sup>.
- The requirements for an ATS used within social alarm systems are set out as custom categories utilizing performance metrics drawn from more than one standardized ATS configuration class described with EN 50136-1:2012<sup>1</sup>.
- Performance parameters are now prescribed for both sessional connected, switched paths or packed switched networks.
- Different technical performance requirements for the alarm transmission system now included for a controller designed for use with one local unit or multiple local units.
- Requirements have been added where digital to analogue or analogue to digital signal conversion is utilized.
- Requirements have been added where a digital to analogue conversion unit undertakes translation between an analogue signalling protocol and a digital signalling protocol.
- Account has been taken of the increasing use of logical alarm triggering where data from several sources are combined to determine whether a specified alarm triggering condition has been met. Minimum requirements are now included logical alarm triggering from any of the following: trigger device, local unit and controller, device provisioning and management platform and the alarm management system.
- Security requirements including design considerations, use of cryptographic algorithms and security protocols now included to protect components of a social alarm system from malicious attacks, inadvertent influences and to ensure privacy and integrity of the transmitted information.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

## **Introduction**

A social alarm system provides 24 h facilities for alarm triggering, identification, signal transmission, alarm reception, logging and 2-way speech communication, to provide reassurance and assistance for people considered to be at risk.

The social alarm system provides streaming media between the local unit, the controller and the alarm receiving centre. As a minimum it is in the form of voice communication but in addition it may include, status data, video and voice or other continuous streaming data. Alarm, fault, and status messages may be received and processed at a single, multiple or different ARC's.

The social alarm system can include one or many trigger devices connected to the local unit and/or controller via interconnections, the security and integrity of which are essential to proper operation of the alarm system.

As communications providers continue to migrate towards Next Generation Networks they are increasingly converging voice traffic onto their packet based IP infrastructures, which might no longer have a regulatory requirement to support in-call DTMF tones. This could have an adverse impact on the reliability of in-call tone-based protocols used in social alarm systems, which could drive future systems development to the use of communication protocols engineered for packet based transmission environments.

Social alarm systems are part of a family of alarm systems sharing common standards for aspects such as the performance characteristics of the alarm transmission system. These common performance metrics are defined within the EN 50136 series and this document selects the appropriate performance parameters for social alarm systems by reference to the EN 50136 series.

## 1 Scope

This document specifies the minimum requirements for the performance, reliability and security characteristics of interconnections, alarm transmission systems and communications within a social alarm system.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50134 series, *Alarm systems - Social alarm systems*

EN 50134-2:2017, *Alarm systems - Social alarm systems - Part 2: Trigger devices*

EN 50134-3:2012, *Alarm systems - Social alarm systems - Part 3: Local unit and controller*

CLC/TS 50134-9, *Alarm systems - Social alarm systems - Part 9: IP Communications Protocol*

EN 50136-1:2012<sup>1</sup>, *Alarm systems - Alarm transmission systems and equipment - Part 1: General requirements for alarm transmission systems*

EN 50136-2:2013, *Alarm systems - Alarm transmission systems and equipment - Part 2: Requirements for Supervised Premises Transceiver (SPT)*

EN 50136-2-4:1998, *Alarm systems. Alarm transmission systems and equipment. Requirements for equipment used in systems with voice communicators using the public switched telephone network*

EN 50136-3, *Alarm systems - Alarm transmission systems and equipment - Part 3: Requirements for Receiving Centre Transceiver (RCT)*

EN 50518:2019, *Monitoring and Alarm Receiving Centre*

EN 50600 series, *Information technology - Data centre facilities and infrastructures*

ETSI EN 300 220-2, *Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 2: Harmonised Standard for access to radio spectrum for non specific radio equipment*

ETSI EN 300 328, *Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum*

ETSI EN 300 440, *Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU*

ETSI EN 301 406, *Digital Enhanced Cordless Telecommunications (DECT); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU*

ETSI EN 302 065-1, *Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Requirements for Generic UWB applications*

---

<sup>1</sup> As impacted by EN 50136-1:2012/A1:2018.

ETSI EN 303 406, *Short Range Devices (SRD); Social Alarms Equipment operating in the frequency range 25 MHz to 1 000 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU*

ETSI EN 303 645, *CYBER; Cyber Security for Consumer Internet of Things: Baseline Requirements*