

INTERNATIONAL STANDARD

IEC
61051-1

QC 420000

Second edition
2007-04

Varistors for use in electronic equipment –

Part 1: Generic specification



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

V

For price, see current catalogue

CONTENTS

FOREWORD.....	5
1 General	7
1.1 Scope.....	7
1.2 Object	7
1.3 Normative references	7
2 Technical data	8
2.1 Units, symbols and terminology	8
2.2 Terms and definitions	9
2.3 Preferred values and characteristics.....	13
2.4 Marking	13
2.4.1 General	13
2.4.2 Coding.....	14
3 Quality assessment procedures	14
3.1 Qualification approval/quality assessment systems	14
3.2 Primary stage of manufacture.....	14
3.3 Structurally similar components.....	14
3.4 Qualification approval procedures	15
3.5 Quality conformance inspection.....	15
3.5.1 Certified records of released lots	15
3.5.2 Delayed delivery	15
3.5.3 Release for delivery before the completion of Group B tests	16
3.6 Alternative test methods	16
3.7 Unchecked parameters.....	16
4 Test and measurement procedures.....	16
4.1 General	16
4.2 Standard atmospheric conditions.....	16
4.2.1 Standard atmospheric conditions for testing	16
4.2.2 Recovery conditions	17
4.2.3 Referee conditions	17
4.2.4 Reference conditions	17
4.3 Drying and recovery	17
4.4 Visual examination and check of dimensions	18
4.4.1 Visual examination	18
4.4.2 Marking	18
4.4.3 Dimensions (gauging).....	18
4.4.4 Dimensions (detail).....	18
4.5 Nominal varistor voltage or leakage current (not applicable to pulse measurements)	18
4.5.1 Test procedure	18
4.5.2 Measurement and requirements.....	18
4.6 Pulse current.....	18
4.6.1 Standard pulse currents.....	19
4.6.2 Tolerances	19
4.6.3 Measurement of the pulse current	19
4.7 Voltage under pulse condition	19
4.8 Capacitance	20

4.9	Voltage proof (for insulated varistors only)	20
4.9.1	V-block method	20
4.9.2	Metal ball method	20
4.9.3	Foil method	21
4.10	Insulation resistance (for insulated varistors only)	21
4.10.1	Test procedure	21
4.10.2	Measurement and requirements	21
4.11	Robustness of terminations	22
4.11.1	General	22
4.11.2	Test Ua ₁ – Tensile	22
4.11.3	Test Ub – Bending (half of the number of terminations)	22
4.11.4	Test Uc – Torsion (other half of the number of terminations)	22
4.11.5	Test Ud – Torque (for terminations with threaded studs or screws and for integral mounting devices)	22
4.11.6	Visual examination	22
4.11.7	Final measurement	22
4.12	Resistance to soldering heat	23
4.12.1	Preconditioning	23
4.12.2	Test procedure	23
4.12.3	Recovery	23
4.12.4	Final inspection, measurement and requirements	23
4.13	Solderability	23
4.13.1	Test procedure	23
4.13.2	Final inspection, measurements and requirements	24
4.14	Rapid change of temperature	24
4.14.1	Initial measurement	24
4.14.2	Test procedure	24
4.14.3	Final inspection, measurement and requirements	24
4.15	Bump	25
4.15.1	Initial measurement	25
4.15.2	Test procedure	25
4.15.3	Final inspection, measurement and requirements	25
4.16	Shock	25
4.16.1	Initial measurement	25
4.16.2	Test procedure	25
4.16.3	Final inspection, measurement and requirements	25
4.17	Vibration	25
4.17.1	Initial measurement	25
4.17.2	Test procedure	26
4.17.3	Final inspection, measurement and requirements	26
4.18	Climatic sequence	26
4.18.1	Initial measurement	26
4.18.2	Dry heat	26
4.18.3	Damp heat, cyclic, Test Db, first cycle	26
4.18.4	Cold	26
4.18.5	Low air pressure	26
4.18.6	Damp heat, cyclic, Test Db, remaining cycles	26
4.18.7	Final inspection, measurement and requirements	27
4.19	Damp heat, steady state	27

4.19.1	Initial measurement	27
4.19.2	Test procedure	27
4.19.3	Final inspection, measurement and requirements	27
4.20	Fire hazard	28
4.21	Endurance at upper category temperature	28
4.22	Solvent resistance of marking	29
4.22.1	Test procedure	29
4.22.2	Requirements	29
4.23	Component solvent resistance	29
4.23.1	Initial measurements	29
4.23.2	Test procedure	29
4.23.3	Measurement and requirements	30
4.24	Mounting (for surface mount varistors only)	30
Annex A (normative) Mounting for measurements of varistors		32
Annex B (normative) Interpretation of sampling plans and procedures as described in IEC 60410 for use within the IEC quality assessment system for electronic components		34
Annex C (normative) Rules for the preparation of detail specifications for capacitors and resistors for electronic equipment		35
Figure 1 – Shape of pulse current type 1		11
Figure 2 – Shape of pulse current type 2		12
Figure A.1 – Mounting methods for measurements		32
Figure A.2 – Mounting method for measurements of surface mount varistors		33
Table 1 – Standard atmospheric conditions		17
Table 2 – Accepted differences between specified and recorded pulse current values		19
Table 3 – Force for wire terminations		22
Table 4 – Torque		22
Table 5 – Number of cycles		27

INTERNATIONAL ELECTROTECHNICAL COMMISSION

VARISTORS FOR USE IN ELECTRONIC EQUIPMENT –**Part 1: Generic specification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61051-1 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This second edition cancels and replaces the first edition published in 1991 and constitutes a minor revision related to tables, figures and references.

The text of this standard is based on the following documents:

CDV	Report on voting
40/1775/CDV	40/1841/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The QC number that appears on the front cover of this publication is the specification number in the IEC Quality Assessment System for Electronic Components (IECQ).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 61051 series, under the general title *Varistors for use in electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

VARISTORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 1: Generic specification

1 General

1.1 Scope

This part of IEC 61051 is applicable to varistors with symmetrical voltage-current characteristics for use in electronic equipment.

1.2 Object

The object of this standard is to establish standard terms, inspection procedures and methods of test for use in sectional and detail specifications for Qualification Approval and for Quality Assessment Systems for electronic components.

1.3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)*

IEC 60060-2:1994, *High-voltage test techniques – Part 2: Measuring systems*

IEC 60062:2004, *Marking codes for resistors and capacitors.*

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*
Amendment 1 (1992)

IEC 60068-2-1:2007, *Environmental testing – Part 2: Tests – Test A: Cold*

IEC 60068-2-2:1974, *Environmental testing – Part 2: Tests – Tests B: Dry heat*
Amendment 1 (1993)
Amendment 2 (1994)

IEC 60068-2-6:1995, *Environmental testing – Part 2: Tests – Test Fc and guidance: Vibration (Sinusoidal)*

IEC 60068-2-13:1983, *Environmental testing – Part 2: Tests – Test M: Low air pressure*

IEC 60068-2-14:1984, *Environmental testing – Part 2: Tests – Test N: Change of temperature*
Amendment 1 (1986)

IEC 60068-2-20:1979, *Environmental testing – Part 2: Tests – Test T: Soldering*
Amendment 2 (1987)

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27:1987, *Environmental testing – Part 2: Tests – Test Ea and guidance: Shock*

IEC 60068-2-29:1987, *Environmental testing – Part 2: Tests – Test Eb and guidance: Bump*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db and guidance: Damp heat, cyclic (12 h + 12-hour cycle)*

IEC 60068-2-45:1980, *Environmental testing – Part 2: Tests – Test XA and guidance – Immersion in cleaning solvents*

IEC 60068-2-54:2005, *Environmental testing – Part 2-54: Tests – Test Ta: Solderability testing of electronic components by the wetting balance method*

IEC 60068-2-58:2004, *Environmental testing – Part 2-58: Tests – Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)*

IEC 60068-2-69:1995, *Environmental testing – Part 2: Tests – Test Te: Solderability testing of electronic components for surface mount technology by the wetting balance method*

IEC 60068-2-78:2001, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60294:1969, *Measurement of the dimensions of a cylindrical component having two axial terminations*

IEC 60410:1973, *Sampling plans and procedures for inspection by attributes*

IEC 60617:2007, *Graphical symbols for diagrams*

IEC 60695-11-5:2004, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60717:1981, *Method for the determination of the space required by capacitors and resistors with unidirectional terminations*

IEC 61249-2-7:2002, *Materials for printed boards and other interconnecting structures – Part 2-7: Reinforced base materials clad and unclad – Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test) copper-clad*

IEC QC 001002-3, see <http://www.iecq.org>

ISO 1000:1992, *SI units and recommendations for the use of their multiples and of certain other units*

Amendment 1 (1998)