



TECHNICAL SPECIFICATION



**Recommendations for renewable energy and hybrid systems for rural
electrification –
Part 7-2: Generator set – Off-grid wind turbines**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.180

ISBN 978-2-8322-1087-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references	10
3 Terms and definitions	10
4 Symbols and abbreviated terms.....	15
4.1 Abbreviated terms.....	15
4.2 Symbols.....	16
5 Wind turbine (WT)	16
5.1 Types of wind turbines	16
5.1.1 Horizontal axis wind turbine (HAWT).....	16
5.1.2 Vertical axis wind turbine (VAWT).....	17
5.1.3 SWT classes.....	18
5.2 General characteristics of SWT.....	18
5.2.1 Basic technical characteristics	18
5.2.2 Most important technical characteristics	19
5.3 Working conditions of SWT	20
6 Off-grid Small Wind Power Systems (SWPS).....	20
6.1 General.....	20
6.2 Major components in SWPS.....	20
6.2.1 SWT	20
6.2.2 Tower	21
6.2.3 Controller	22
6.2.4 Brake.....	22
6.2.5 Inverter.....	23
6.2.6 Storage system.....	23
6.2.7 Dump load	23
6.3 Design Procedure of SWPS	23
6.3.1 General	23
6.3.2 Wind resource assessment.....	23
6.3.3 Site assessment	24
6.3.4 Determine the capacity of the SWPS	24
6.3.5 Select SWT	24
6.4 Configuration of SWPS	24
6.4.1 General	24
6.4.2 Layout SWT(s) on site	28
7 Selection of SWPS	28
7.1 General.....	28
7.2 Selection criteria.....	29
7.2.1 General factors in selection of SWT.....	29
7.2.2 Rule of thumb	29
7.2.3 Wind turbine height.....	29
7.2.4 Turbulence	30
7.3 Design of a microgrid or Isolated Microgrid with SWT	30
7.3.1 Meet national rural grid standards.....	30
7.3.2 Design microgrid and wiring into households	30

- 8 Safety issues 30
 - 8.1 General..... 30
 - 8.2 General..... 30
 - 8.3 Personal safety 31
 - 8.3.1 Safety training and regulation following 31
 - 8.3.2 Basic safety guidelines 31
 - 8.4 Equipment safety 32
 - 8.4.1 SWT 32
 - 8.4.2 System current and voltage 32
 - 8.4.3 Wiring and disconnection requirements 32
 - 8.4.4 Grounding..... 32
 - 8.4.5 Other safety issues and anti-theft 33
 - 8.5 SWPS safety for isolated microgrid 33
 - 8.5.1 System safety 33
 - 8.5.2 Extreme climate proof..... 34
 - 8.5.3 High elevation for electronics..... 34
 - 8.6 Protection against electric shock and fire 34
- 9 SWT and SWPS installation..... 34
 - 9.1 General..... 34
 - 9.1.1 Overview 34
 - 9.1.2 General installation methods 35
 - 9.1.3 Rooftop installation 35
 - 9.1.4 Verticality 35
 - 9.2 Installation of SWPS of isolated microgrid..... 36
 - 9.2.1 Transportation 36
 - 9.2.2 Preparations 36
 - 9.2.3 Infrastructure 36
 - 9.2.4 Civil works 37
 - 9.2.5 Installation of equipment..... 38
- 10 Tests and acceptance..... 40
 - 10.1 General..... 40
 - 10.2 Individual equipment test 40
 - 10.3 System self-test 40
 - 10.4 Acceptance test 40
 - 10.4.1 General 40
 - 10.4.2 Preparation..... 41
 - 10.4.3 Documentation 41
 - 10.4.4 Commissioning 41
 - 10.4.5 Agreement..... 42
- 11 Operation and maintenance..... 42
 - 11.1 General..... 42
 - 11.2 Safety 42
 - 11.3 Operation and maintenance procedures 42
 - 11.4 General inspection, routine and troubleshooting..... 43
 - 11.4.1 Inspection..... 43
 - 11.4.2 Check list 43
 - 11.5 Troubleshooting 43
- 12 Marking and documentation 44

12.1	Markings and signs	44
12.1.1	General	44
12.1.2	Equipment marking	44
12.1.3	Requirements for signs	44
12.2	Labelling	44
12.2.1	Labelling of SWT	44
12.2.2	Labelling of disconnection devices	44
12.3	Documentation	44
Annex A	(informative) Main characteristics of an off-grid wind turbine	45
A.1	Example of battery charging horizontal axis SWT's characteristics, see Table A.1	45
A.2	Example of battery charging vertical axis SWT's characteristics, see Table A.2	46
Annex B	(informative) Wind shear exponent, α	47
Annex C	(informative) Example of labelling	48
Annex D	(informative) Example of inspection and maintenance schedule	49
D.1	General	49
D.2	Example of inspection and maintenance schedule for a SWPS with HAWT	49
D.3	Checklist for inspections	49
Annex E	(informative) Example of troubleshooting for a SWPS with HAWT SWT	51
Annex F	(informative) Example of commissioning records sheet for SWT	53
Annex G	(informative) Case study of SWPS design	55
G.1	Basic information	55
G.2	Local renewable energy resource – Wind resource	55
G.3	Required wind power capacity in the HPS	55
G.4	Select wind turbine (s)	55
G.5	Calculate the power output of unit SWT based upon local wind resource and power curve of selected SWT	56
Annex H	(informative) Example of oscillation method to determine natural frequency and tension	57
H.1	General	57
H.2	Oscillation method for tensioning guy cables	57
Bibliography	58
Figure 1	– General functional configuration of SWT(s) in an off-grid hybrid power system	9
Figure 2	– Example of wind turbine with active yaw system	17
Figure 3	– Rotors with different number of blades of a HAWT	17
Figure 4	– Four typical VAWTs	17
Figure 5	– Variety of tower options	22
Figure 6	– AC bus system	25
Figure 7	– DC bus system	25
Figure 8	– Obstruction of the wind by a building or a tree	30
Figure 9	– Pads for tilt-up tower	38
Figure 10	– Acceptance test procedure of SWPS	41
Figure C.1	– Sample label in English	48
Figure C.2	– Sample label, bilingual (English and French)	48

Figure G.1 – Annual monthly average wind speed pattern..... 55

Figure G.2 – Power curve of selected SWT 56

Figure G.3 – Power output from one 10 kW SWT 56

Table 1 – Basic parameters for SWT classes 18

Table 2 – Equipment having a nominal voltage below 750 V DC 26

Table 3 – Equipment having a nominal voltage below 750 V DC 27

Table 4 – AC systems having a nominal voltage between 100 V and 1 000 V inclusive
and related equipment 28

Table 5 – Installation methods of different SWPSs 35

Table A.1 – Example of battery charging horizontal axis SWT’s characteristics..... 45

Table A.2 – Example of battery charging vertical axis SWT’s characteristics..... 46

Table B.1 – Surface roughness and lengths and the wind hear exponents α 47

Table E.1 – Example of troubleshooting guide for SWT..... 51

Table F.1 – Acceptance of wind generators 53

Table F.2 – Example of commissioning records sheet for SWT operation..... 54

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RECOMMENDATIONS FOR RENEWABLE ENERGY AND
HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –****Part 7-2: Generator set – Off-grid wind turbines**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62257-7-2 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
82/1956/DTS	82/1995/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62257 series, published under the general title, *Recommendations for renewable energy and hybrid systems for rural electrification* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62257 series of publications intends to provide to different players involved in rural electrification projects (such as project implementers, project contractors, project supervisors, installers, etc.) documents for the setting-up of renewable energy and hybrid systems with AC voltage below 500 V, DC voltage below 750 V and power below 100 kW.

These publications provide recommendations for:

- choosing the right system for the right place;
- designing the system;
- operating and maintaining the system.

These publications are focused only on rural electrification concentrated in, but not specific to, developing countries. They are not considered as all-inclusive of rural electrification. The publications try to promote the use of renewable energies in rural electrification. They do not deal with clean mechanism developments at this time (CO₂ emission, carbon credit, etc.). Further developments in this field could be introduced in future steps.

This consistent set of publications is best considered as a whole, with different parts corresponding to items for the safety and sustainability of systems at the lowest possible life-cycle cost. One of the main objectives of the series is to provide the minimum sufficient requirements relevant to the field of application, i.e. for small renewable energy and hybrid off-grid systems.

The purpose of this document is to provide guidance for the deployment of small wind turbines (a wind turbine with a rotor swept area smaller than or equal to 200 m², see IEC 61400-2: 2013) used in off-grid hybrid power system in rural electrification.

This document is a general introduction followed by more specific documents dedicated to the generation technologies which are the most currently used in rural electrification projects.

RECOMMENDATIONS FOR RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –


Part 7-2: Generator set – Off-grid wind turbines

1 Scope

This document applies to all small wind turbines (SWTs) with a swept area smaller than or equal to 200 m², and designed for supplying electrical power to isolated sites used in systems as described in IEC TS 62257-2.

This document is not an exhaustive resource for the design, installation, operation or maintenance of small wind turbines and wind power systems, but is more focused on recommendations to provide strategies on selection and criteria which may affect the use of a small wind power system (SWPS) in a rural electrification project.

Only the hybrid collective electrification system (microgrid, isolated microgrid) including SWT(s) is considered in this document. SWT in an isolated microgrid can be a single wind turbine or multiple wind turbines. Isolated microgrid using only wind power generation is not discussed in this document. General functional configuration of SWT(s) in an off-grid hybrid power system is shown in Figure 1.



**Figure 1 – General functional configuration of SWT(s)
in an off-grid hybrid power system**

The aim of this document is to provide users with the appropriate levels of reliability and safety of the equipment during its estimated service lifespan.

It describes the minimum safety requirements and does not claim to be an exhaustive instruction manual or design specification.

Compliance with this document does not exempt any person, organization, or corporation from the responsibility to comply with all other relevant regulations.

This document gives recommendations for the single SWT with a swept area smaller than or equal to 200 m², or multiple SWTs with other power sources of total capacity up to 100 kW in an off-grid hybrid power system.

The design life of a good quality modern wind turbine is 20 years. The real lifetime of a SWT is subjected to quite extreme loads throughout its life. This mostly depends on its designed

structure and reliability of moving parts, because the power in the wind increases with the cube of the speed.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038:2009, *IEC standard voltages*
IEC 60038:2009/AMD1:2021

IEC 60287 (all parts), *Electric cables – Calculation of the current rating*

IEC 60721-2-1:2013, *Classification of environmental conditions – Part 2-1: Environmental conditions appearing in nature – Temperature and humidity*

IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*

IEC 61400-2:2013, *Wind turbines – Part 2: Small wind turbines*

IEC 61400-12-1, *Wind energy generation systems – Part 12-1: Power performance measurements of electricity producing wind turbines*

IEC TS 62257-2, *Recommendations for renewable energy and hybrid systems for rural electrification – Part 2: From requirements to a range of electrification systems*

IEC TS 62257-4, *Recommendations for renewable energy and hybrid systems for rural electrification – Part 4: System selection and design*

IEC TS 62257-5, *Recommendations for renewable energy and hybrid systems for rural electrification – Part 5: Protection against electrical hazards*

IEC TS 62257-6, *Recommendations for renewable energy and hybrid systems for rural electrification – Part 6: Acceptance, operation, maintenance and replacement*

IEC TS 62257-9-1, *Recommendations for renewable energy and hybrid systems for rural electrification – Part 9-1: Integrated systems – Micropower systems*

IEC TS 62257-9-2, *Recommendations for renewable energy and hybrid systems for rural electrification – Part 9-2: Integrated systems – Microgrids*

ISO 3864-1:2011, *Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings*