

# SVENSK STANDARD SS-EN IEC 62196-2, utg 3:2023

Fastställd

Sida

Ansvarig kommitté

2023-01-25

1 (1+68)

SEK TK 23

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

# Anslutningsdon för konduktiv laddning av elfordon – Del 2: Mått för anslutningsdon med stift och kontakthylsor för växelström

Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles –

Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories

Som svensk standard gäller europastandarden EN IEC 62196-2:2022. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 62196-2:2022.

#### Nationellt förord

Europastandarden EN IEC 62196-2:2022

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN IEC 62196-1, utg 4:2023.

Tidigare fastställd svensk standard SS-EN 62196-2, utg 2:2017, gäller ej fr o m 2025-11-23.

ICS 29.120.30; 43.120.00

#### Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

#### Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

#### Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

**EN IEC 62196-2** 

November 2022

ICS 29.120.30; 43.120

Supersedes EN 62196-2:2017

#### **English Version**

Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories

(IEC 62196-2:2022)

Fiches, socles de prise de courant, prises mobiles de véhicule et socles de connecteurs de véhicule - Charge conductive des véhicules électriques - Partie 2: Exigences dimensionnelles de compatibilité pour les appareils à broches et alvéoles pour courant alternatif (IEC 62196-2:2022)

Stecker, Steckdosen, Fahrzeugkupplungen und Fahrzeugstecker - Konduktives Laden von Elektrofahrzeugen - Teil 2: Maßliche Kompatibilitätsanforderungen an Wechselspannungssteckvorrichtungen mit Stiften und Buchsen (IEC 62196-2:2022)

This European Standard was approved by CENELEC on 2022-11-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2022 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62196-2:2022 E

### **European foreword**

The text of document 23H/502/FDIS, future edition 3 of IEC 62196-2, prepared by SC 23H "Plugs, Socket-outlets and Couplers for industrial and similar applications, and for Electric Vehicles" of IEC/TC 23 "Electrical accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62196-2:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2023-08-23 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-11-23

This document supersedes EN 62196-2:2017 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CENELEC by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

### **Endorsement notice**

The text of the International Standard IEC 62196-2:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 61851 (series) NOTE Harmonized as EN IEC 61851 (series)

IEC 62196-3:2022 NOTE Harmonized as EN IEC 62196-3:2022 (not modified)

### Annex ZA (normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Annex ZA of EN IEC 62196-1:2022 applies, except as follows. Add the following reference:

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 62196-1	2022	Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 1: General requirements	-	-



Edition 3.0 2022-10

## INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles –

Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories

Fiches, socles de prise de courant, prises mobiles de véhicule et socles de connecteurs de véhicule – Charge conductive des véhicules électriques – Partie 2: Exigences dimensionnelles de compatibilité pour les appareils à broches et alvéoles pour courant alternatif

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.120.30; 43.120 ISBN 978-2-8322-5931-3

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FOF	REWORD	4
INT	RODUCTION	6
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	General	8
5	Ratings	8
6	Connection between the power supply and the electric vehicle	8
7	Classification of accessories	11
8	Marking	11
9	Dimensions	11
10	Protection against electric shock	12
11	Size and colour of protective earthing and neutral conductors	12
12	Provisions for earthing	12
13	Terminals	13
14	Interlocks	13
15	Resistance to ageing of rubber and thermoplastic material	13
16	General construction	13
17	Construction of EV socket-outlets – General	13
18	Construction of EV plugs and vehicle connectors	13
19	Construction of vehicle inlets	13
20	Degrees of protection	13
21	Insulation resistance and dielectric strength	13
22	Breaking capacity	13
23	Normal operation	14
24	Temperature rise	14
25	Flexible cables and their connection	14
26	Mechanical strength	14
27	Screws, current-carrying parts and connections	14
28	Creepage distances, clearances and distances through sealing compound	14
29	Resistance to heat and to fire	14
30	Corrosion and resistance to rusting	14
31	Conditional short-circuit current	14
32	Electromagnetic compatibility (EMC)	14
33	Vehicle drive over	15
34	Thermal cycling	15
35	Humidity exposure	15
36	Misalignment	15
37	Contact endurance test	15
201	Resistor coding	15
STA	NDARD SHEETS	16
CON	NFIGURATION TYPE 1	16

CONFIGURATION TYPE 2	27
CONFIGURATION TYPE 3	42
Annex A (informative) Legacy drawings from IEC 62196-2:2016	61
Bibliography	66
Table 201 – Overview of the basic vehicle interface, configuration type 1, single phase	10
Table 202 – Overview of the basic vehicle interface, configuration types 2 and 3, three phase or single phase	
Table 203 – Configuration types and standard sheets	
Table 204 – Interoperation of configuration type 2 accessories	27

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

### Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62196-2 has been prepared by IEC subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This third edition cancels and replaces the second edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) interchangeability requirements have been removed from the title of Part 2;
- b) alignment with IEC 62196-1:2022 and IEC 62196-3:2022;
- c) alignment with IEC 61851-1:2017.

The text of this International Standard is based on the following documents:

Draft	Report on voting	
23H/502/FDIS	23H/506/RVD	

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/standardsdev/publications">www.iec.ch/standardsdev/publications</a>.

A list of all the parts in the IEC 62196 series, published under the general title *Plugs, socket-outlets, vehicle connectors and vehicle inlets* – *Conductive charging of electric vehicles*, can be found on the IEC website.

This document is to be read in conjunction with IEC 62196-1:2022. The clauses of the particular requirements in this document supplement or modify the corresponding clauses in IEC 62196-1:2022. Where the text indicates "addition" to or "replacement" of the relevant requirement, test specification or explanation of IEC 62196-1:2022, these changes are made to the relevant text of IEC 62196-1:2022, which then becomes part of this document. Where no change is necessary, the words "Clause X of IEC 62196-1:2022 is applicable" are used.

Subclauses, figures, tables, or notes which are additional to those in IEC 62196-1:2022 are numbered starting from 201.

In this document, the following print types are used:

- requirements proper: in roman type;
- test specifications: in italic type;
- notes: in smaller roman type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

### INTRODUCTION

IEC 61851 (all parts) specifies requirements for electric vehicle (EV) conductive supply equipment.

IEC 62196 (all parts) specifies the requirements for plugs, socket-outlets, vehicle connectors, vehicle inlets and cable assemblies as described in IEC 61851 (all parts).

Some charging using on-board vehicle chargers can be achieved by direct connection from an electric vehicle to an AC supply network using common socket-outlets or by the use of equipment incorporating control and communication circuits.

To support the connection of AC power for such vehicles, this document provides the standard interface configurations of AC vehicle couplers and accessories to be used in conductive charging of electric vehicles, taking the most frequent charging situations into consideration.

IEC 62196 consists of the following parts:

- Part 1: General requirements, comprising clauses of a general character.
- Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories.
- Part 3: Dimensional compatibility requirements for DC and AC/DC pin and contact-tube vehicle couplers.
- Part 3-1: Vehicle connector, vehicle inlet and cable assembly intended to be used with a thermal management system for DC charging.
- Part 4: Dimensional compatibility requirements for DC pin and contact-tube accessories for Class II or Class III applications.
- Part 6: Dimensional compatibility requirements for DC pin and contact-tube couplers for applications using a system of protective electrical separation.

### PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

### Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories

### 1 Scope

This part of IEC 62196 applies to EV plugs, EV socket-outlets, vehicle connectors and vehicle inlets with pins and contact-tubes of standardized configurations, herein referred to as accessories. These accessories have a nominal rated operating voltage not exceeding 480 V AC, 50 Hz to 60 Hz, and a rated current not exceeding 63 A three phase or 70 A single phase, for use in conductive charging of electric vehicles.

This document covers the basic interface accessories for vehicle supply as specified in IEC 62196-1:2022.

NOTE 1 The term "Electric road vehicles (EV)" comprises all road vehicles, including plug-in hybrid road vehicles (PHEV) that derive all or part of their energy from the rechargeable energy storage systems (RESS).

These accessories are intended to be used for circuits specified in IEC 61851-1:2017, which operate at different voltages and frequencies, and which can include extra-low voltage (ELV) and communication signals.

The use of these accessories for bidirectional power transfer is under consideration.

This document applies to accessories to be used in an ambient temperature between  $-30\,^{\circ}\text{C}$  and  $+40\,^{\circ}\text{C}$ .

NOTE 2 In the following country, other requirements regarding the lower temperature may apply: NO.

NOTE 3 In the following country, -35 °C applies: SE.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

Vehicle inlets and vehicle connectors described in this document are intended to be used for charging in modes 1, 2 and 3, cases B and C. The EV socket-outlets and EV plugs covered by this document are intended to be used for charging mode 3 only, case A and B.

The modes and permissible connections are specified in IEC 61851-1:2017.

#### 2 Normative references

Clause 2 of IEC 62196-1:2022 applies, except as follows:

Addition:

IEC 62196-1:2022, Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 1: General requirements