

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Anslutningsdon för konduktiv laddning av elfordon – Del 1: Allmänna fordringar

*Plugs, socket-outlets, vehicle connectors and vehicle inlets –
Conductive charging of electric vehicles –
Part 1: General requirements*

Som svensk standard gäller europastandarden EN IEC 62196-1:2022. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 62196-1:2022.

Nationellt förord

Europastandarden EN IEC 62196-1:2022

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62196-1, Fourth edition, 2022 – Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 1: General requirements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62196-1, utg 3:2015, gäller ej fr o m 2025-11-09.

ICS 29.120.30; 43.120.00

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

EUROPEAN STANDARD

EN IEC 62196-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2022

ICS 29.120.30; 43.120

Supersedes EN 62196-1:2014

English Version

**Plugs, socket-outlets, vehicle connectors and vehicle inlets -
Conductive charging of electric vehicles - Part 1: General
requirements
(IEC 62196-1:2022)**

Fiches, socles de prise de courant, prises mobiles de
véhicule et socles de connecteurs de véhicule - Charge
conductive des véhicules électriques - Partie 1: Exigences
générales
(IEC 62196-1:2022)

Stecker, Steckdosen, Fahrzeugkupplungen und
Fahrzeugstecker - Konduktives Laden von
Elektrofahrzeugen - Teil 1: Allgemeine Anforderungen
(IEC 62196-1:2022)

This European Standard was approved by CENELEC on 2022-11-09. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2022 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62196-1:2022 E

SEK Svensk Elstandard

SS-EN IEC 62196-1, utg 4:2023

European foreword

The text of document 23H/499/FDIS, future edition 4 of IEC 62196-1, prepared by SC 23H "Plugs, Socket-outlets and Couplers for industrial and similar applications, and for Electric Vehicles" of IEC/TC 23 "Electrical accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62196-1:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-08-09
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-11-09

This document supersedes EN 62196-1:2014 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CENELEC by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 62196-1:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60068-2-75:2014	NOTE	Harmonized as EN 60068-2-75:2014 (not modified)
IEC 60309-1	NOTE	Harmonized as EN IEC 60309-1
IEC 60309-2	NOTE	Harmonized as EN IEC 60309-2
IEC 60947-1:2020	NOTE	Harmonized as EN IEC 60947-1:2021 (not modified)
IEC 60999-1:1999	NOTE	Harmonized as EN 60999-1:2000 (not modified)
IEC 60999-2:2003	NOTE	Harmonized as EN 60999-2:2003 (not modified)
IEC 61008-1	NOTE	Harmonized as EN 61008-1
IEC 61009-1	NOTE	Harmonized as EN 61009-1
IEC 61140	NOTE	Harmonized as EN 61140
IEC 61300-2-4	NOTE	Harmonized as EN IEC 61300-2-4
IEC 61300-2-6	NOTE	Harmonized as EN 61300-2-6

IEC 61300-2-7	NOTE	Harmonized as EN 61300-2-7
IEC 61439-1:2020	NOTE	Harmonized as EN IEC 61439-1:2021 (not modified)
IEC 61540	NOTE	Harmonized as HD 639 S1
IEC 61851 (series)	NOTE	Harmonized as EN IEC 61851 (series)
IEC 62752	NOTE	Harmonized as EN 62752

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-30	-	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	-
IEC 60112	-	Method for the determination of the proof and the comparative tracking indices of solid insulating materials	EN IEC 60112	-
IEC 60227	series	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V	-	-
IEC 60228	2004	Conductors of insulated cables	EN 60228	2005
-	-		+ corrigendum May	2005
IEC 60245-4	-	Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 4: Cords and flexible cables	-	-
IEC 60269-1	-	Low-voltage fuses - Part 1: General requirements	EN 60269-1	-
IEC 60269-2	-	Low-voltage fuses - Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) - Examples of standardized systems of fuses A to K	HD 60269-2	-
IEC 60309-4	2021	Plugs, fixed or portable socket-outlets and appliance inlets for industrial purposes - Part 4: Switched socket-outlets with or without interlock	EN IEC 60309-4	2022
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May	1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60664-1	2020	Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests	EN IEC 60664-1	2020
IEC 60664-3	-	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	-
IEC 60695-2-11	-	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end products (GWEPT)	EN IEC 60695-2-11	-
IEC 60695-10-2	-	Fire hazard testing - Part 10-2: Abnormal heat - Ball pressure test method	-	-
IEC 60947-3	2020	Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units	EN IEC 60947-3	2021
IEC 60947-5-1	-	Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices	EN 60947-5-1	-
IEC 61032	1997	Protection of persons and equipment by enclosures - Probes for verification	EN 61032	1998
IEC 61058-1	2016	Switches for appliances - Part 1: General requirements	EN IEC 61058-1	2018
IEC 61851-1	2017	Electric vehicle conductive charging system - Part 1: General requirements	EN IEC 61851-1	2019
IEC 61851-23	— ¹	Electric vehicle conductive charging system - Part 23: DC electric vehicle supply equipment	EN IEC 61851-23	— ²
IEC 62196-2	2022	Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories	-	-
IEC 62196-3	2022	Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 3: Dimensional compatibility requirements for DC and AC/DC pin and contact-tube vehicle couplers	-	-
ISO 1456	-	Metallic and other inorganic coatings - Electrodeposited coatings of nickel, nickel plus chromium, copper plus nickel and of copper plus nickel plus chromium	EN ISO 1456	-
ISO 2081	-	Metallic and other inorganic coatings - Electroplated coatings of zinc with supplementary treatments on iron or steel	EN ISO 2081	-

¹ Second edition under preparation. Stage at the time of publication: IEC PRVC 61851-23:2022.

² Under preparation. Stage at the time of publication: prEN IEC 61851-23:2020.

EN IEC 62196-1:2022 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 2093	-	Electroplated coatings of tin; Specification and test methods	-	-
ISO 4521	-	Metallic and other inorganic coatings - Electrodeposited silver and silver alloy coatings for engineering purposes - Specification and test methods	EN ISO 4521	2008

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles –
Part 1: General requirements**

**Fiches, socles de prise de courant, prises mobiles de véhicule et socles de connecteurs de véhicule – Charge conductive des véhicules électriques –
Partie 1: Exigences générales**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.30; 43.120

ISBN 978-2-8322-1101-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	6
INTRODUCTION	8
1 Scope	9
2 Normative references	9
3 Terms and definitions	11
4 General	21
4.1 General requirements	21
4.2 Components	21
4.2.1 Ratings	21
4.2.2 Mechanical assembly	21
4.2.3 Current-carrying parts of incorporated components	21
4.2.4 Electrical connections	21
4.3 General notes on tests	22
5 Ratings	23
5.1 Preferred rated operating voltage ranges	23
5.2 Preferred rated currents	23
5.2.1 General	23
5.2.2 Rated current for signal or control purposes	24
5.2.3 Accessories not suitable for making and breaking an electrical circuit under load	24
5.2.4 Accessories suitable for, or not suitable for, making and breaking an electrical circuit under load	24
6 Connection between the power supply and the electric vehicle	24
6.1 Interfaces	24
6.2 Basic interface	24
6.3 DC interface	24
6.4 Combined interface	24
7 Classification of accessories	25
7.1 According to purpose	25
7.2 According to the method of connecting the conductors	25
7.3 According to serviceability	25
7.4 According to electrical operation	25
7.5 According to interface	25
7.6 According to locking facilities	25
7.7 According to interlock facilities	25
7.8 According to the presence of shutter(s)	25
8 Marking	25
9 Dimensions	28
10 Protection against electric shock	29
10.1 General	29
10.2 Accessories with shutters	29
10.3 Contact sequencing and order of contact insertion and withdrawal	32
10.4 Misassembly	33
11 Size and colour of protective earthing and neutral conductors	33
12 Provisions for earthing	34

13	Terminals	36
13.1	Common requirements	36
13.2	Screw type terminals	38
13.3	Mechanical tests on terminals	40
14	Interlocks	43
14.1	Accessories with interlock	43
14.2	Accessories with integral switching device	48
14.3	Control circuit devices and switching elements	48
14.4	Pilot contacts and auxiliary circuits	48
15	Resistance to ageing of rubber and thermoplastic material	48
16	General construction	49
17	Construction of EV socket-outlets – General	53
18	Construction of EV plugs and vehicle connectors	53
19	Construction of vehicle inlets	54
20	Degrees of protection	54
21	Insulation resistance and dielectric strength	56
22	Breaking capacity	57
23	Normal operation	60
23.1	Mechanical, electrical, and thermal stresses and contaminants	60
23.2	Load endurance test	60
23.3	No-load endurance test	61
23.4	Lid springs	62
24	Temperature rise	62
25	Flexible cables and their connection	64
25.1	Strain relief	64
25.2	Requirements for EV plugs and vehicle connectors	64
25.2.1	Non-rewirable EV plugs and vehicle connectors	64
25.2.2	Rewirable EV plugs and vehicle connectors	64
25.3	EV plugs and vehicle connectors provided with a flexible cable	65
26	Mechanical strength	67
26.1	General	67
26.2	Ball impact	68
26.3	Drop test	69
26.4	Flexing test	70
26.5	Cable gland test	72
26.6	Shutters	73
26.7	Insulated end caps	73
26.7.1	General	73
26.7.2	Insulated end caps – Change of temperature test	74
26.7.3	Insulated end caps – Pull test	74
27	Screws, current-carrying parts and connections	74
28	Creepage distances, clearances and distances through sealing compound	77
29	Resistance to heat and to fire	78
30	Corrosion and resistance to rusting	79
31	Conditional short-circuit current	80
31.1	General	80

31.2	Ratings and test conditions	80
31.3	Test circuit	81
31.4	Calibration	84
31.5	Test procedure.....	84
31.6	Behaviour of the equipment under test.....	85
31.7	Acceptance conditions	85
32	Electromagnetic compatibility	85
32.1	Immunity	85
32.2	Emission	85
33	Vehicle drive over	85
34	Thermal cycling	86
34.1	General.....	86
34.2	Initial temperature rise test	86
34.3	Thermal cycling test.....	86
34.4	Final temperature rise test	86
35	Humidity exposure	87
35.1	General.....	87
35.2	Initial temperature rise test	87
35.3	Humidity test.....	87
35.4	Final temperature rise test	87
36	Misalignment	87
36.1	General.....	87
36.2	Samples.....	88
36.3	Misalignment test.....	88
37	Contact endurance test.....	90
37.1	Equipment	90
37.2	Test sequence	91
37.3	Compliance.....	92
	Bibliography.....	94
	Figure 1 – Diagram showing the use of the accessories.....	12
	Figure 2 – Lug terminals	16
	Figure 3 – Mantle terminals.....	16
	Figure 4 – Pillar terminals	17
	Figure 5 – Saddle terminals	18
	Figure 6 – Screw-type terminals.....	19
	Figure 7 – Stud terminals	20
	Figure 8 – Test piston	28
	Figure 9 – Gauge "A" for checking shutters.....	31
	Figure 10 – Gauge "B" for checking shutters.....	32
	Figure 11 – Gauges for testing insertability of round unprepared conductors having the maximum specified cross-section.....	39
	Figure 12 – Equipment test arrangement	41
	Figure 13 – Apparatus for checking the withdrawal force.....	46
	Figure 14 – Verification of the latching device.....	47
	Figure 15 – Circuit diagrams for breaking capacity and normal operation tests	59

Figure 16 – Points of measurement.....	64
Figure 17 – Apparatus for testing the cable anchorage	66
Figure 18 – Ball impact test	68
Figure 19 – Arrangement for mechanical strength test for EV plugs and vehicle connectors.....	70
Figure 20 – Apparatus for flexing test	72
Figure 21 – Diagram of the test circuit for the verification of short-circuit current withstand of two-pole equipment on a single-phase AC or DC.....	82
Figure 22 – Diagram of the test circuit for the verification of short-circuit current withstand of three-pole equipment	83
Figure 23 – Diagram of the test circuit for the verification of short-circuit current withstand of four-pole equipment	84
Figure 24 – Overview of the mechanical load test	89
Figure 25 – Application of external mechanical load (mounted according to Figure 24)	89
Figure 26 – Temperature rise criteria under external mechanical load.....	90
Figure 27 – Forced-air circulating oven	90
Figure 28 – Thermal cycling.....	92
Figure 29 – Pass/fail based on temperature rise criteria.....	93
Table 1 – Size for conductors	34
Table 2 – Short-time test currents	35
Table 3 – Values for flexing under mechanical load test.....	42
Table 4 – Value for terminal pull test.....	43
Table 5 – Withdrawal force with respect to ratings	47
Table 6 – Cable length used to determine pull force on retaining means	50
Table 7 – Test voltage for dielectric strength test.....	57
Table 8 – Breaking capacity	60
Table 9 – Normal operation.....	61
Table 10 – Test current and nominal cross-sectional areas of copper conductors for temperature rise test.....	63
Table 11 – Pull force and torque test values for cable anchorage.....	67
Table 12 – Summary of mechanical tests.....	67
Table 13 – Impact energy for ball impact test.....	69
Table 14 – Mechanical load flexing test	71
Table 15 – Torque test values for glands	73
Table 16 – Pulling force on insulated end caps	74
Table 17 – Tightening torque for verification of mechanical strength of screw-type terminals.....	75

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62196-1 has been prepared by subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) deletion of references to universal AC and DC interfaces;
- b) additional requirements for contact materials and plating;
- c) changes to the temperature rise test to include additional points of measurement;
- d) additional tests for accessories to address thermal stresses and stability, mechanical wear and abuse, and exposure to contaminants;

e) relocation of information and requirements for DC charging to IEC 62196-3.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23H/499/FDIS	23H/503/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62196 series, published under the general title *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles*, can be found on the IEC website.

Subsequent parts of IEC 62196 deal with the requirements of particular types of accessories. The clauses of those particular requirements supplement or modify the corresponding clauses in this document.

In this document, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type;*
- notes: in smaller roman type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61851 (all parts) specifies requirements for electric vehicle (EV) conductive charging systems.

IEC 62196 (all parts) specifies the requirements for plugs, socket-outlets, vehicle connectors, vehicle inlets and cable assemblies as described in the IEC 61851 series.

Some charging can be achieved by direct connection from an electric vehicle to standard socket-outlets connected to a supply network (mains or electrical grid).

Some modes of charging require a dedicated supply and charging equipment incorporating control and communication circuits.

IEC 62196 (all parts) covers the mechanical, electrical and performance requirements for plugs, socket-outlets, vehicle connectors and vehicle inlets for the connection between the EV supply equipment and the electric vehicle.

The IEC 62196 series consists of the following parts:

- Part 1: General requirements, comprising clauses of a general character.
- Part 2: Dimensional compatibility and interchangeability requirements for AC pin and contact-tube accessories.
- Part 3: Dimensional compatibility and interchangeability requirements for DC and AC/DC pin and contact-tube vehicle couplers.
- Part 3-1: Vehicle connector, vehicle inlet and cable assembly intended to be used with a thermal management system for DC charging.
- Part 4¹: Dimensional compatibility and interchangeability requirements for DC pin and contact-tube accessories for Class II or Class III applications.
- Part 6: Dimensional compatibility and interchangeability requirements for DC pin and contact-tube couplers for applications using a system of protective electrical separation.

¹ Pending publication.

PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

Part 1: General requirements

1 Scope

This part of IEC 62196 is applicable to EV plugs, EV socket-outlets, vehicle connectors, vehicle inlets, herein referred to as "accessories", and to cable assemblies for electric vehicles (EV) intended for use in conductive charging systems which incorporate control means, with a rated operating voltage not exceeding:

- 690 V AC 50 Hz to 60 Hz, at a rated current not exceeding 250 A;
- 1 500 V DC at a rated current not exceeding 800 A.

These accessories and cable assemblies are intended to be installed by instructed persons (IEV 195-04-02) or skilled persons (IEV 195-04-01) only.

These accessories and cable assemblies are intended to be used for circuits specified in IEC 61851 (all parts), which operate at different voltages and frequencies, and which can include extra-low voltage and communication signals.

These accessories and cable assemblies are intended to be used at an ambient temperature between -30 °C and $+40\text{ °C}$.

NOTE 1 In some countries, other requirements can apply.

NOTE 2 In the following country, -35 °C applies: SE.

NOTE 3 The manufacturer can enlarge the temperature range on the condition that the specified range information is provided.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

The accessories covered by this document are intended for use in electric vehicle supply equipment in accordance with IEC 61851 (all parts).

This document does not apply to standard plug and socket-outlets used for mode 1 and mode 2 according to IEC 61851-1:2017, 6.2.

NOTE 4 In the following countries, mode 1 is not allowed: UK, US, CA, SG.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60228:2004, *Conductors of insulated cables*

IEC 60245-4, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 4: Cords and flexible cables*

IEC 60269-1, *Low-voltage fuses – Part 1: General requirements*

IEC 60269-2, *Low-voltage fuses – Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to K*

IEC 60309-4:2021, *Plugs, fixed or portable socket-outlets and appliance inlets for industrial purposes – Part 4: Switched socket-outlets with or without interlock*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 60664-3, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60695-2-11, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-10-2, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test method*

IEC 60947-3:2020, *Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units*

IEC 60947-5-1, *Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices*

IEC 61032:1997, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 61058-1:2016, *Switches for appliances – Part 1: General requirements*

IEC 61851-1:2017, *Electric vehicle conductive charging system – Part 1: General requirements*

IEC 61851-23:—², *Electric vehicle conductive charging system – Part 23: DC electric vehicle supply equipment*

² Second edition under preparation. Stage at the time of publication: IEC PRVC 61851-23:2022.

IEC 62196-2:2022, *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories*

IEC 62196-3:2022, *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 3: Dimensional compatibility requirements for DC and AC/DC pin and contact-tube vehicle couplers*

ISO 1456, *Metallic and other inorganic coatings – Electrodeposited coatings of nickel, nickel plus chromium, copper plus nickel and of copper plus nickel plus chromium*

ISO 2081, *Metallic and other inorganic coatings – Electroplated coatings of zinc with supplementary treatments on iron or steel*

ISO 2093, *Electroplated coatings of tin – Specification and test methods*

ISO 4521:2008, *Metallic and other inorganic coatings – Electrodeposited silver and silver alloy coatings for engineering purposes – Specification and test methods*