

SVENSK STANDARD SS-EN IEC 62386-101, utg 3:2023

Fastställd

Sida

Ansvarig kommitté

2023-03-22

1 (67)

SEK TK 34

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Digitalt adresserbart gränssnitt för ljusarmaturer (DALI) – Del 101: Allmänna fordringar på systemkomponenter

Digital addressable lighting interface – Part 101: General requirements – System components

Som svensk standard gäller europastandarden EN IEC 62386-101:2022. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 62386-101:2022.

Nationellt förord

Europastandarden EN IEC 62386-101:2022

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62386-101, utg 2:2015 med tillägget SS-EN 62386-101, utg 2:2015/A1:2018, gäller ej fr o m 2025-12-21.

ICS 29.140.50: 29.140.99

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 62386-101

December 2022

ICS 29.140.50; 29.140.99

Supersedes EN 62386-101:2014; EN 62386-101:2014/A1:2018

English Version

Digital addressable lighting interface - Part 101: General requirements - System components (IEC 62386-101:2022)

Interface d'éclairage adressable numérique - Partie 101: Exigences générales - Composants de système (IEC 62386-101:2022) Digital adressierbare Schnittstelle für die Beleuchtung - Teil 101: Allgemeine Anforderungen - Systemkomponenten (IEC 62386-101:2022)

This European Standard was approved by CENELEC on 2022-12-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2022 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62386-101:2022 E

European foreword

The text of document 34/947/FDIS, future edition 3 of IEC 62386-101, prepared by IEC/TC 34 "Lighting" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62386-101:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2023-09-21 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2025-12-21 document have to be withdrawn

This document supersedes EN 62386-101:2014 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 62386-101:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

CISPR 15 NOTE Harmonized as EN IEC 55015

IEC 60598-1:2020 NOTE Harmonized as EN IEC 60598-1:2021 (not modified) +A11:2022

IEC 61347 (series) NOTE Harmonized as EN 61347 (series)

IEC 61547 NOTE Harmonized as EN 61547

IEC 63044 (series) NOTE Harmonized as EN IEC 63044 (series)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61347-1	2015	Lamp controlgear - Part 1: General and safety requirements	EN 61347-1	2015
+ A1	2017		+ A1	2021
IEC 62386-102	2022	Digital addressable lighting interface - Part 102: General requirements - Control gear	; -	-
IEC 62386-103	2022	Digital addressable lighting interface - Part 103: General requirements - Control devices	: -	-
IEC 62386-104	-	Digital addressable lighting interface - Part 104: General requirements - Wireless and alternative wired system components	EN IEC 62386-104	-
IEC 62386-105	-	Digital addressable lighting interface - Part 105: Particular requirements for control gear and control devices - Firmware Transfer	EN IEC 62386-105	-
IEC 62386-2XX	series	Digital addressable lighting interface - Part 2XX: Particular requirements for control gear	EN 62386-2XX	series
IEC 62386-3XX	series	Digital addressable lighting interface - Part 3XX: Particular requirements for control devices	EN 62386-3XX	series
IEC 61000-4-11	-	Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase	EN IEC 61000-4-11	-
IEC 60664-1	-	Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests	EN IEC 60664-1	-
IEC 60990	2016	Methods of measurement of touch current and protective conductor current	EN 60990	2016

EN IEC 62386-101:2022 (E)

IEC 61643-11

Low-voltage surge protective devices - PartEN 61643-11 11: Surge protective devices connected to low-voltage power systems - Requirements

and test methods



Edition 3.0 2022-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Digital addressable lighting interface – Part 101: General requirements – System components

Interface d'éclairage adressable numérique – Partie 101: Exigences générales – Composants de système

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.140.50; 29.140.99 ISBN 978-2-8322-5964-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

F	DREWO	RD	7
IN	TRODU	JCTION	9
1	Scop	ıe	10
2	Norm	native references	10
3	Term	is and definitions	11
4		eral	
_	4.1	Purpose	
	4.1	Version number	
	4.2	System structure and architecture	
	4.4	System information flow	
	4.5	Command types	
	4.6	Bus units	
	4.6.1		
	4.6.2		
	4.6.3	-	
	4.6.4	·	
	4.6.5		
	4.6.6	• •	
	4.6.7	<u> </u>	
	4.7	Bus power supply and load calculations	
	4.7.1		
	4.7.2		
	4.7.3	Simplified system calculation	21
	4.8	Wiring	21
	4.8.1	Wiring structure	21
	4.8.2	Wiring specification	21
	4.9	Electrical safety requirements	22
	4.9.1	General	22
	4.9.2	Insulation	22
	4.9.3	Electric strength	22
	4.9.4	Limitation of the touch current from the device to the bus	22
	4.10	Earthing of the bus	23
	4.11	Power interruptions at bus units	23
	4.11.	1 Different levels of power interruptions	23
	4.11.	2 Short power interruptions of external power supply	23
	4.11.	, ,	24
	4.11.	1 113	
	4.11.	•	
	4.11.		
5	Elect	rical specification	26
	5.1	General	
	5.2	Marking of the interface	
	5.3	Capacitors between the interface and earth	
	5.4	Signal voltage rating	
	5.5	Signal current rating	
	5.6	Marking of bus powered bus unit	27

	5.7	Signal rise time and fall time	28
6	Bus	power supply	29
	6.1	General	29
	6.2	Marking of the bus power supply terminals	29
	6.3	Capacitors between the interface and earth	29
	6.4	Voltage rating	29
	6.5	Current rating	30
	6.5.1	General current rating	30
	6.5.2	Single bus power supply current rating	30
	6.5.3	Integrated bus power supply current rating	30
	6.5.4	Dynamic behaviour of the bus power supply	30
	6.6	Bus power supply timing requirements	32
	6.6.1	Short power supply interruptions	32
	6.6.2	Short circuit behaviour	32
7	Trans	smission protocol structure	33
	7.1	General	33
	7.2	Bit encoding	33
	7.2.1	Start bit and data bit encoding	33
	7.2.2	Stop condition encoding	33
	7.3	Frame description	33
	7.4	Frame types	34
	7.4.1	16-bit forward frame	34
	7.4.2	24-bit forward frame	34
	7.4.3	32-bit forward frame	34
	7.4.4	Reserved forward frame	34
	7.4.5	Backward frame	34
	7.4.6	•	
8	Timir	ng	35
	8.1	Single-master transmitter timing	35
	8.1.1	Single-master transmitter bit timing	35
	8.1.2	Single-master transmitter frame sequence timing	35
	8.2	Receiver timing	36
	8.2.1	Receiver bit timing	36
	8.2.2	9	
	8.2.3		
	8.2.4	1 9	
	8.2.5	•	
	8.3	Multi-master transmitter timing	
	8.3.1	ĕ	
	8.3.2	1 0	
9	Meth	od of operation	
	9.1	Dealing with frames and commands	40
	9.1.1		
	9.1.2	Frame received or rejected	41
	9.1.3		
	9.1.4	, 3	
	9.1.5		
	92	Collision avoidance, collision detection and collision recovery	42

	9.2.1	General	42
	9.2.2	Collision avoidance	42
	9.2.3	Collision detection	42
	9.2.4	Collision recovery	44
	9.3	Transactions	45
	9.4	Send-twice forward frames and send-twice commands	45
	9.5	Command iteration	46
	9.6	Usage of a shared interface	46
	9.6.1	General	46
	9.6.2	Backward frames	47
	9.6.3	Forward frames	
	9.7	Use of multiple bus power supplies	47
10	Decla	ration of variables	47
11	Defin	ition of commands	47
Αn	nex A (informative) Background information for systems	48
	A.1	Wiring information	
	A.2	System architectures	
	A.2.1	General	
	A.2.2		
	A.2.3		
	A.2.4	• • • • • • • • • • • • • • • • • • • •	
	A.2.5		
	A.2.6		
	A.3	Collision detection	
	A.4	Timing definition explanations	
	A.4.1	General	
	A.4.2	Receiver timing	55
	A.4.3	-	
	A.4.4	Grey areas	56
	A.5	Maximum current consumption calculation explanation	56
	A.5.1	Single bus power supply	56
	A.5.2	Multiple bus power supplies	57
	A.5.3	Redundant bus power supplies	58
	A.6	Communication layer overview	59
	A.6.1	General	59
	A.6.2	Physical layer	60
	A.6.3	Data link layer	60
	A.6.4	Network layer	60
	A.6.5	Transport layer	60
	A.6.6	Session layer	60
	A.6.7	Presentation layer	60
	A.6.8	Application layer	60
	A.7	Effects of combining version number 1 and version number 2.y devices	
Αn	inex B (informative) Touch current	62
Bil	oliograp	hy	63
	·		
Fir	gure 1 –	IEC 62386 graphical overview	O
		System structure example	
. 11		O VOLOTIL OLI UULUI O UAGIIIDIO	1 /

Figure 3 – Communication between bus units (example)	17
Figure 4 – Example of a shared interface	20
Figure 5 – Start-up timing example	25
Figure 6 – Maximum signal rise and fall time measurements	28
Figure 7 – Minimum signal rise and fall time measurements	29
Figure 8 – Bus power supply current behaviour	31
Figure 9 – Bus power supply voltage behaviour	32
Figure 10 – Frame example	33
Figure 11 – Bi-phase encoded bits	33
Figure 12 – Bit timing example	35
Figure 13 – Settling time illustration	35
Figure 14 – Receiver timing decision example	37
Figure 15 – Dealing with frames and commands	41
Figure 16 – Collision detection timing decision example	44
Figure 17 – Collision recovery example	45
Figure A.1 – Single-master architecture example	50
Figure A.2 – Multi-master architecture example with one application controller	51
Figure A.3 – Multi-master architecture example with two application controllers	52
Figure A.4 – Multi-master architecture example with integrated input device	53
Figure A.5 – Multi-master architecture example with integrated input device and bus power supply	54
Figure A.6 – Collision detection timing diagram	55
Figure A.7 – Transmitter and receiver timing illustration	56
Figure A.8 – Bus power supply current values	57
Figure A.9 – Current demand coverage	57
Figure A.10 – Combination of four bus power supplies	58
Figure A.11 – Redundant bus power supplies	58
Figure B.1 – Touch current from a bus unit	62
Figure B.2 – Summation of touch currents from several bus units	62
Table 1 – System components	16
Table 2 – Transmitters and receivers in bus units	18
Table 3 – Power-interruption timing of external power	23
Table 4 – Power-interruption timing of bus power	23
Table 5 – Short power interruptions	24
Table 6 – Start-up timing	25
Table 7 – System voltage levels	26
Table 8 – Receiver voltage levels	27
Table 9 – Transmitter voltage levels	27
Table 10 – Current rating	
Table 11 – Signal rise and fall times	28
Table 12 – Bus power supply output voltage	30
Table 13 - Bus power supply current rating	30

Table 14 – Bus power supply dynamic behaviour	31
Table 15 – Short circuit timing behaviour	32
Table 16 – Transmitter bit timing	35
Table 17 – Transmitter settling time values	36
Table 18 – Receiver timing starting at the beginning of a logical bit	37
Table 19 – Receiver timing starting at an edge inside of a logical bit	37
Table 20 – Receiver settling time values	38
Table 21 – Multi-master transmitter bit timing	39
Table 22 – Multi-master transmitter settling time values	40
Table 23 – Checking a logical bit, starting at an edge at the beginning of the bit	43
Table 24 – Checking a logical bit, starting at an edge inside the bit	43
Table 25 – Collision recovery timing	44
Table 26 – Transmitter command iteration timing	46
Table 27 – Receiver command iteration timing	46
Table A.1 – Maximum cable length	49
Table A.2 – OSI layer model of the IEC 62386 series	59
Table A.3 – Effects of combining version number 1 and version number 2.y devices	61

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DIGITAL ADDRESSABLE LIGHTING INTERFACE -

Part 101: General requirements – System components

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62386-101 has been prepared by IEC technical committee 34: Lighting. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014 and Amendment 1:2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the scope has been updated;
- b) safety and earthing have been updated and extended;
- c) references have been updated;
- d) the use of bus-power and external-power has been clarified;
- e) polarity sensitivity for bus units including a bus power supply has been updated;

f) frame sizes of 32 bits are no longer reserved.

The text of this International Standard is based on the following documents:

Draft	Report on voting	
34/947/FDIS	34/988/RVD	

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This Part 101 of IEC 62386 is intended to be used in conjunction with:

- Part 102, which contains general requirements for the relevant product type (control gear), and with the appropriate Part 2xx (particular requirements for control gear);
- Part 103, which contains general requirements for the relevant product type (control devices), and the appropriate Part 3xx (particular requirements for control devices);
- Part 104, which contains general requirements for wireless and alternative wired system components;
- Part 105, which contains particular requirements for firmware transfer for control gear and control devices.

A list of all parts in the IEC 62386 series, published under the general title *Digital addressable lighting interface*, can be found on the IEC website

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62386 contains several parts, referred to as series. The IEC 62386 series specifies a bus system for control by digital signals of electronic lighting equipment. The IEC 62386-1xx series includes the basic specifications. Part 101 contains general requirements for system components, Part 102 extends this information with general requirements for control gear and Part 103 extends it further with general requirements for control devices. Parts 104 and 105 can be applied to control gear or control devices. Part 104 gives requirements for wireless and alternative wired system components. Part 105 describes firmware transfer. Part 150 gives requirements for an auxiliary power supply which can be stand-alone, or built into control gear or control devices.

The IEC 62386-2xx series extends the general requirements for control gear with lamp specific extensions (mainly for backward compatibility with Edition 1 of IEC 62386) and with control gear specific features.

The IEC 62386-3xx series extends the general requirements for control devices with input device specific extensions describing the instance types as well as some common features that can be combined with multiple instance types.

This third edition of IEC 62386-101 is intended to be used in conjunction with IEC 62386-102 and with the various parts that make up the IEC 62386-2xx series for control gear, together with IEC 62386-103 and the various parts that make up the IEC 62386-3xx series of particular requirements for control devices. The division into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognized.

The setup of the standards is graphically represented in Figure 1 below.




Figure 1 - IEC 62386 graphical overview

When this part of IEC 62386 refers to any of the clauses of the other parts of the IEC 62386-1xx series, the extent to which such a clause is applicable is specified. The other parts also include additional requirements, as necessary.

All numbers used in this document are decimal numbers unless otherwise noted. Hexadecimal numbers are given in the format 0xVV, where VV is the value. Binary numbers are given in the format XXXXXXXXb or in the format XXXXX XXXX, where X is 0 or 1, "x" in binary numbers means "don't care".

DIGITAL ADDRESSABLE LIGHTING INTERFACE -

Part 101: General requirements – System components

1 Scope

This part of IEC 62386 is applicable to system components in a bus system for control by digital signals of electronic lighting equipment.

The control methods, algorithms and data exchange methods of application controllers used for lighting control are not within the scope of the IEC 62386 series. EMC requirements are not within the scope of the IEC 62386 series.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61347-1:2015, Lamp controlgear – Part 1: General and safety requirements IEC 61347-1:2015/AMD1:2017

IEC 62386-102:2022, Digital addressable lighting interface – Part 102: General requirements – Control gear

IEC 62386-103:2022, Digital addressable lighting interface – Part 103: General requirements – Control devices

IEC 62386-104, Digital addressable lighting interface – Part 104: General requirements – Wireless and alternative wired system components

IEC 62386-105, Digital addressable lighting interface – Part 105: Particular requirements for control gear and control devices – Firmware Transfer

IEC 62386-2xx (all parts), Digital addressable lighting interface – Part 2xx: Particular requirements for control gear

IEC 62386-3xx (all parts), Digital addressable lighting interface – Part 3xx: Particular requirements for control devices

IEC 61000-4-11, Electromagnetic compatibility (EMC) – Part 4-11:Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase

IEC 60664-1, Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests

IEC 60990:2016, Methods of measurement of touch current and protective conductor current

IEC 61643-11, Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods