

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

## **Elektronikkomponenter – Fasta dubbelskikt-kondensatorer – Del 1: Artsspecifikation**

*Fixed electric double-layer capacitors for use in electric and electronic equipment –  
Part 1: Generic specification*

Som svensk standard gäller europastandarden EN IEC 62391-1:2022. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 62391-1:2022.

### **Nationellt förord**

Europastandarden EN IEC 62391-1:2022

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62391-1, Third edition, 2022 - Fixed electric double-layer capacitors for use in electric and electronic equipment – Part 1: Generic specification**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62391-1, utg 2:2016 med eventuella tillägg, ändringar och rättelser, gäller ej fr o m 2025-11-24.

---

ICS 31.060.10

## *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

## *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

## *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

## **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

EN IEC 62391-1

November 2022

ICS 31.060.10

Supersedes EN 62391-1:2016;  
EN 62391-1:2016/AC:2016-12;  
EN 62391-1:2016/AC:2019-08

English Version

Fixed electric double-layer capacitors for use in electric and  
electronic equipment - Part 1: Generic specification  
(IEC 62391-1:2022)

Condensateurs électriques fixes à double couche utilisés  
dans les équipements électriques et électroniques - Partie  
1: Spécification générique  
(IEC 62391-1:2022)

Elektrische Doppelschichtkondensatoren zur Verwendung  
in elektrischen und elektronischen Geräten - Teil 1:  
Fachgrundspezifikation  
(IEC 62391-1:2022)

This European Standard was approved by CENELEC on 2022-11-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2022 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62391-1:2022 E

## **European foreword**

The text of document 40/2966/FDIS, future edition 3 of IEC 62391-1, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62391-1:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-08-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-11-24

This document supersedes EN 62391-1:2016 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

## **Endorsement notice**

The text of the International Standard IEC 62391-1:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

- IEC 60027 (series) NOTE Harmonized as EN 60027 (series)  
IEC 60068-2-47:2005 NOTE Harmonized as EN 60068-2-47:2005 (not modified)  
IEC 60301:2012 NOTE Harmonized as EN 60301:2012 (not modified)  
IEC 60384-1:2021 NOTE Harmonized as EN IEC 60384-1:2021 (not modified)  
IEC 60695-2-11 NOTE Harmonized as EN IEC 60695-2-11  
IEC 61881-3:2012 NOTE Harmonized as EN 61881-3:2012 (not modified)  
IEC 62391-1:2015 NOTE Harmonized as EN 62391-1:2016 (not modified)  
IEC 62391-2:2006 NOTE Harmonized as EN 62391-2:2006 (not modified)  
IEC 62391-2-1:2006 NOTE Harmonized as EN 62391-2-1:2006 (not modified)  
IEC 62576:2018 NOTE Harmonized as EN IEC 62576:2018 (not modified)  
ISO 80000-1:2009 NOTE Harmonized as EN ISO 80000-1:2013 (not modified)

## Annex ZA

(normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60062	-	Marking codes for resistors and capacitors	EN 60062	-
IEC 60063	-	Preferred number series for resistors and capacitors	EN 60063	-
IEC 60068-1	2013	Environmental testing - Part 1: General and guidance	EN 60068-1	2014
IEC 60068-2-1	2007	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	2007
IEC 60068-2-2	2007	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	2007
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-20	-	Environmental testing - Part 2-20: Tests - Test Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads	EN IEC 60068-2-20 -	
IEC 60068-2-21	-	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN IEC 60068-2-21 -	
IEC 60068-2-45	1980	Basic environmental testing procedures - Part 2-45: Tests - Test XA and guidance: Immersion in cleaning solvents	EN 60068-2-45	1992
+ A1	1993		+ A1	1993
IEC 60068-2-58	-	Environmental testing - Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)	EN 60068-2-58	-

## **EN IEC 62391-1:2022 (E)**

IEC 60068-2-69	-	Environmental testing - Part 2-69: Tests - EN 60068-2-69 Test Te/ Tc: Solderability testing of electronic components and printed boards by the wetting balance (force measurement) method	-
IEC 60068-2-78	-	Environmental testing - Part 2-78: Tests - EN 60068-2-78 Test Cab: Damp heat, steady state	-
IEC 60294	-	Measurement of the dimensions of a cylindrical component with axial terminations	EN 60294
IEC 60695-11-5	-	Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance	EN 60695-11-5
IEC 60717	-	Method for the determination of the space required by capacitors and resistors with unidirectional terminations	EN 60717
IEC 61193-2	-	Quality assessment systems - Part 2: Selection and use of sampling plans for inspection of electronic components and packages	EN 61193-2

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Fixed electric double-layer capacitors for use in electric and electronic equipment –**

**Part 1: Generic specification**

**Condensateurs électriques fixes à double couche utilisés dans les équipements électriques et électroniques –**

**Partie 1: Spécification générique**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 31.060.10

ISBN 978-2-8322-5729-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	7
1 Scope .....	9
2 Normative references .....	9
3 Terms and definitions .....	10
4 General requirements .....	15
4.1 Unit and symbols .....	15
4.2 Preferred values and class .....	15
4.2.1 General .....	15
4.2.2 Preferred values of nominal capacitance .....	15
4.2.3 Class .....	15
4.3 Marking .....	15
4.3.1 General .....	15
4.3.2 Coding .....	15
5 General provisions for tests and measurement procedures .....	16
5.1 General .....	16
5.2 Test and measurement requirements .....	16
5.2.1 Test conditions .....	16
5.2.2 Measurement conditions .....	16
5.2.3 Voltage treatment .....	16
5.2.4 Thermal treatment .....	16
5.3 Drying .....	16
5.4 Storage .....	17
5.4.1 Storage at high temperature .....	17
5.4.2 Storage at low temperature .....	17
6 Electrical tests and measurements .....	17
6.1 Measurement method 1 for capacitance and internal resistance (constant current discharge) .....	17
6.1.1 Basic circuit for measuring .....	17
6.1.2 Measuring equipment .....	18
6.1.3 Measurement procedure .....	19
6.1.4 Calculation methods for capacitance .....	21
6.1.5 Calculation methods for internal resistance .....	22
6.1.6 Conditions to be prescribed in the detail specification .....	23
6.2 Measurement method 2 for capacitance and internal resistance .....	23
6.2.1 Constant resistance charging method for capacitance measurement .....	23
6.2.2 AC internal resistance measurement method .....	24
6.3 Leakage current .....	24
6.3.1 Measurement method .....	24
6.3.2 Items to be specified in the detail specification .....	26
6.4 Maintain voltage .....	26
6.4.1 Measurement method .....	26
6.4.2 Calculation of voltage maintenance rate .....	27
6.4.3 Conditions to be prescribed in the detail specification .....	27
7 Mechanical tests and measurements .....	27
7.1 Visual examination and check of dimensions .....	27
7.1.1 Visual examination .....	27

7.1.2	Dimensions (gauging) .....	27
7.1.3	Dimensions (detail) .....	28
7.2	Robustness of terminations .....	28
7.2.1	Test Ua1 – Tensile .....	28
7.2.2	Test Ub – Bending (half of the sample) .....	28
7.2.3	Test Uc – Torsion (remaining sample) .....	28
7.2.4	Test Ud – Torque (for terminations with threaded studs or screws and for integral mounting devices) .....	28
7.2.5	Visual examination .....	29
7.3	Vibration .....	29
7.3.1	Initial measurement .....	29
7.3.2	Test .....	29
7.3.3	Final measurement and requirements .....	29
8	Environmental and climatic tests .....	29
8.1	Rapid change of temperature .....	29
8.1.1	Initial measurement .....	29
8.1.2	Test .....	29
8.1.3	Final inspection, measurements and requirements .....	29
8.2	Damp heat, steady state .....	30
8.2.1	Initial measurement .....	30
8.2.2	Test .....	30
8.2.3	Final measurement .....	30
8.3	Endurance .....	30
8.3.1	Initial measurements .....	30
8.3.2	Test .....	30
8.3.3	Final measurement, inspection and requirements .....	30
8.4	Characteristics at high and low temperature .....	31
8.4.1	General .....	31
8.4.2	Test procedure .....	31
8.4.3	Dry heat .....	31
8.4.4	Cold .....	31
8.4.5	Final measurement and requirements .....	31
9	Tests related to component assembly .....	31
9.1	Resistance to soldering heat .....	31
9.1.1	Preconditioning and initial measurement .....	31
9.1.2	Test .....	31
9.1.3	Recovery .....	32
9.1.4	Final inspection, measurements and requirements .....	32
9.2	Solderability .....	32
9.2.1	General .....	32
9.2.2	Preconditioning .....	32
9.2.3	Capacitors with leads .....	32
9.2.4	Surface mount capacitors .....	33
9.3	Component solvent resistance .....	33
9.3.1	Initial measurements .....	33
9.3.2	Test .....	33
9.3.3	Requirements .....	33
9.4	Solvent resistance of marking .....	34
9.4.1	Test .....	34

9.4.2 Requirements .....	34
10 Tests related to safety .....	34
10.1 Passive flammability .....	34
10.1.1 Test procedure .....	34
10.1.2 Requirements .....	34
10.2 Pressure relief (if applicable) .....	35
10.2.1 Test .....	35
10.2.2 Requirements .....	35
11 Quality assessment procedures .....	35
Annex A (normative) Classification according to capacitance and internal resistance .....	36
A.1 General.....	36
A.2 Classification by capacitance and internal resistance .....	36
Annex B (informative) Measurement method of capacitance and low resistance by low frequency AC method (reference) .....	38
B.1 General.....	38
B.2 Measurement system .....	38
B.3 Calculation of capacitance .....	38
B.4 Measurement conditions .....	39
Annex C (informative) Thermal equilibrium time of capacitors .....	40
C.1 General.....	40
C.2 Thermal equilibrium time of capacitors .....	40
Annex D (informative) Charging/discharging efficiency and measurement current .....	42
D.1 General.....	42
D.2 Charging efficiency, discharging efficiency, and current .....	42
D.2.1 Calculation assuming full charge and discharge.....	42
D.2.2 Calculation assuming incomplete charging and discharging due to internal resistance .....	43
Annex E (informative) Procedures for setting the measurement current of capacitor with uncertain nominal internal resistance .....	46
E.1 General.....	46
E.2 Current setting procedures for measurement of capacitor .....	46
E.3 Example of a current setting for determining capacitor characteristics .....	46
Annex F (informative) Policy on uncertainty of measurement and inset limits .....	47
F.1 Objective .....	47
F.2 Calculation of measurement uncertainty.....	47
F.3 Policy.....	47
F.4 Calculation of inset and outset limits .....	47
F.5 Examples .....	48
F.5.1 General .....	48
F.5.2 Example 1: Resistor measurement .....	48
F.5.3 Example 2: Resistor measurement .....	48
F.5.4 Example 3: Transistor measurement (gain).....	48
F.5.5 Example 4: Comparison between initial and final measurement results .....	48
Annex Q (normative) Quality assessment procedures .....	49
Q.1 General.....	49
Q.1.1 Overview .....	49
Q.1.2 Applicability of qualification approval .....	49
Q.1.3 Applicability of capability approval .....	49

Q.1.4	Applicability of technology approval .....	50
Q.2	Primary stage of manufacture .....	50
Q.3	Subcontracting.....	50
Q.4	Structurally similar components .....	50
Q.5	Qualification approval procedures .....	50
Q.5.1	Eligibility for qualification approval.....	50
Q.5.2	Application for qualification approval .....	51
Q.5.3	Test procedure for qualification approval .....	51
Q.5.4	Granting of qualification approval .....	51
Q.5.5	Maintenance of qualification approval .....	51
Q.5.6	Quality conformance inspection .....	51
Q.6	Capability approval procedures .....	51
Q.6.1	General .....	51
Q.6.2	Eligibility for capability approval.....	52
Q.6.3	Application for capability approval .....	52
Q.6.4	Description of capability.....	52
Q.6.5	Demonstration and verification of capability .....	53
Q.6.6	Programme for capability approval.....	53
Q.6.7	Capability approval test report .....	54
Q.6.8	Abstract of description of capability .....	54
Q.6.9	Modifications likely to affect the capability approval .....	54
Q.6.10	Initial capability approval .....	54
Q.6.11	Granting of capability approval .....	55
Q.6.12	Maintenance of capability approval .....	55
Q.6.13	Extension of capability approval .....	56
Q.6.14	Quality conformance inspection .....	56
Q.7	Rework and repair.....	56
Q.7.1	Rework .....	56
Q.7.2	Repair .....	57
Q.8	Release for delivery .....	57
Q.8.1	General .....	57
Q.8.2	Release for delivery under qualification approval before the completion of group B tests .....	57
Q.9	Certified test records of released lots.....	57
Q.10	Delayed delivery .....	57
Q.11	Alternative test methods .....	57
Q.12	Manufacture outside the geographical limits of IECQ CBs .....	57
Q.13	Unchecked parameters .....	57
Q.14	Technology approval procedures .....	58
Q.14.1	General .....	58
Q.14.2	Eligibility for technology approval .....	58
Q.14.3	Application of technology approval .....	58
Q.14.4	Description of technology .....	58
Q.14.5	Demonstration and verification of the technology .....	58
Q.14.6	Granting of technology approval .....	58
Q.14.7	Maintenance of technology approval.....	58
Q.14.8	Quality conformance inspection .....	58
Q.14.9	Failure rate level determination.....	59
Q.14.10	Outgoing quality level .....	59

Annex X (informative) Cross-references to IEC 62391-1:2015.....	60
Bibliography.....	61
Figure 1 – Basic circuit for measuring .....	18
Figure 2 – Voltage–time characteristics between capacitor terminals in capacitance and internal resistance measurement.....	19
Figure 3 – Circuit for constant resistance charging method .....	23
Figure 4 – Circuit for AC resistance method.....	24
Figure 5 – Circuit for measuring leakage currents .....	25
Figure 6 – Diagram of current and voltage changes at the time of measuring the leakage current.....	26
Figure 7 – Maintain voltage test diagram .....	27
Figure A.1 – Conceptual rendering orientated by characteristics in each classification.....	37
Figure B.1 – Capacitance measurement system by the low frequency AC method .....	38
Figure C.1 – Thermal equilibrium times of capacitors (from 85 °C to 25 °C) .....	40
Figure C.2 – Thermal equilibrium times of capacitors (from –40 °C to 25 °C) .....	41
Figure C.3 – Capacitor core temperature change with respect to time .....	41
Figure Q.1 – General scheme for capability approval.....	52
Table 1 – Measurement conditions for measurement method 1A.....	20
Table 2 – Measurement conditions for measurement method 1B.....	21
Table 3 – Tensile force .....	28
Table 4 – Torque .....	29
Table 5 – Severities and requirements .....	35
Table A.1 – Electrical performance and measurement method by class .....	37
Table E.1 – Example of setting current for measurement of capacitor .....	46
Table X.1 – Cross-references to the previous edition .....	60

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**FIXED ELECTRIC DOUBLE-LAYER CAPACITORS  
FOR USE IN ELECTRIC AND ELECTRONIC EQUIPMENT –****Part 1: Generic specification****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62391-1 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The document has been completely restructured to comply with the ISO/IEC Directives, Part 2; a new technical categorization of test methods has been introduced and the test methods have been reorganized according to these new categories; tables, figures and references have been revised accordingly.
- b) Calculation formula of charging/discharging efficiency in Annex D were divided into two cases: "Calculation assuming full charge and discharge" and "Calculation assuming incomplete charging and discharging due to internal resistance".

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2966/FDIS	40/2976/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 62391 series, published under the general title *Fixed electric double-layer capacitors for use in electric and electronic equipment*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

# FIXED ELECTRIC DOUBLE-LAYER CAPACITORS FOR USE IN ELECTRIC AND ELECTRONIC EQUIPMENT –

## Part 1: Generic specification

### 1 Scope

This part of IEC 62391 applies to fixed electric double-layer capacitors (hereafter referred to as capacitors) mainly used in DC circuits of electric and electronic equipment.

This part of IEC 62391 establishes standard terms, inspection procedures and methods of test for use in sectional and detail specifications of electronic components for quality assessment or any other purpose.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1:2007, *Environmental testing – Part 2-1: Tests – Tests A: Cold*

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Tests B: Dry Heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20, *Environmental testing – Part 2-20: Tests – Test Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-45:1980, *Environmental testing – Part 2-45: Tests – Test XA and guidance: Immersion in cleaning solvents*  
IEC 60068-2-45:1980/AMD1:1993)

IEC 60068-2-58, *Environmental testing – Part 2-58: Tests – Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)*

IEC 60068-2-69, *Environmental testing – Part 2-69: Tests – Test Te/ Tc: Solderability testing of electronic components and printed boards by the wetting balance (force measurement) method*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60294, *Measurement of the dimensions of a cylindrical component with axial terminations*

IEC 60695-11-5, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60717, *Method for the determination of the space required by capacitors and resistors with unidirectional terminations*

IEC 61193-2, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*