



TECHNICAL SPECIFICATION



Nanomanufacturing – Product specifications – Part 1: Basic concepts

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 07.120

ISBN 978-2-8322-7020-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	8
4 General	12
4.1 Requirements for product specifications.....	12
4.2 Generic systematics of specifications for nanomaterials and nano-enabled products.....	12
4.3 Blank detail specification	13
4.4 Detail specification.....	14
5 Structure of a blank detail specification	15
5.1 General.....	15
5.2 General product description and procurement information.....	15
5.3 Specification of key control characteristics.....	16
6 Measurement procedures for key control characteristics.....	17
6.1 General.....	17
6.2 SML 4: Standardized measurement procedure for the KCC available.....	17
6.3 SML 3: Adoption and adaptation of an existing standardized measurement procedure	17
6.4 SML 2: Guidance for measurement procedures in the absence of a standard.....	17
6.5 SML 1: No documented measurement procedure available	18
6.6 Overview of measurement methods and SML of the related measurement procedures.....	18
7 Certification aspects	19
7.1 General remarks	19
7.2 Product audit	20
7.3 Factory audit.....	20
8 Process steps for the development of nanomaterial or nano-enabled product detail specification	20
8.1 General.....	20
8.2 Defining the scope of the specification	20
8.3 Defining the list of key control characteristics.....	21
Annex A (informative) Structure of standards for blank detail specifications	22
A.1 Title and scope of standards for blank detail specifications	22
A.1.1 Generic format of the title	22
A.1.2 Generic format of the scope.....	22
A.2 Content of standards for blank detail specifications.....	22
Annex B (informative) Structure of measurement standards for key control characteristics	24
B.1 Title and scope of measurement standards for key control characteristics.....	24
B.1.1 Generic format of the title	24
B.1.2 Generic format of the scope.....	24
B.2 Content of measurement standards for key control characteristics	24
Annex C (informative) Guidance of quality evaluation and reliability assessment	26
C.1 General.....	26
C.2 Content of quality and reliability assessment standard	26

- C.3 QM system audit..... 27
- C.4 Process audit..... 27
- C.5 Product audit 27
- C.6 Audit score 27
- C.7 Audit frequency..... 28
- C.8 Environmental, health and safety (EHS) aspects..... 28
- Bibliography..... 29

- Figure 1 – Systematics of IEC TC 113 standards 6
- Figure 2 – KCCs and their relation to the BDS: general scheme..... 14
- Figure 3 – KCCs and their relation to the BDS: example 14

- Table 1 – General product description and procurement information 15
- Table 2 – Format for specification of key control characteristics..... 16
- Table 3 – Overview of measurement methods (Example) 19

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**NANOMANUFACTURING –
PRODUCT SPECIFICATIONS –**
Part 1: Basic concepts**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62565-1 has been prepared by IEC technical committee 113: Nanotechnology for electrotechnical products and systems. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
113/697/DTS	113/723/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62565 series, published under the general title *Nanomanufacturing – Product specifications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION


The mission of IEC technical committee 113 (IEC TC 113) is to develop IEC publications based on quality management (QM) principles in order to facilitate the transition of nano-enabled products from development to mass production.

The standardization strategy of IEC TC 113 covers the entire value chain from the production of nanomaterials and their use as independent products (in other words, the product is the raw material) to their use as raw materials for integration into subassemblies or end-user products. Since IEC TC 113 is an electrotechnical committee, the focus of standardization is on electrotechnical products without excluding the applicability to non-electrotechnical products. The development of IEC Publications for reliability and durability assessment is also in the scope of IEC TC 113.

This part of IEC 62565 provides the basic concept and guidelines on how to write the various types of blank detail specification (BDS) and detail specification (DS) in a standardized and harmonized manner and describes the systematics behind these documents.

The systematics is based on the "three pillar concept" and provides:

- standards for the specification of nanomaterials and nano-enabled products (left pillar: IEC TS 62565-x-y);
- standards for the measurement of key control characteristics (KCCs) for nanomaterials and nano-enabled products (right pillar: IEC TS 62607-x-y);
- standards for quality and reliability assessment. These include test methods for reliability and durability, but also general standards based on existing International Standards for quality management systems (QMS) adapted to the specific needs of nanotechnology (centre pillar: IEC TS 62876-x-y).



Blank detail specifications (BDSs) provide a list of all known product performance parameters, called key control characteristics (KCCs), of the nanomaterial or nano-subassembly which is part of the nano value chain.

Detail specifications (DSs) provide values and attributes (that had been left blank in BDS) for a specific application agreed between supplier and customer.

KCC measurement standards provide a detailed description how to measure a specific KCC and report the results. There can be several measurement methods for the same KCC, which can be selected based on the needs of the application.

Quality and reliability assessment standards describe the quality and reliability of nano-enabled products.

Figure 1 – Systematics of IEC TC 113 standards

In Figure 1, the logical connections in this comprehensive system of quality assurance for nanomaterials and nano-enabled products are visualized. Due to the interdependence of the three types of standards, it is important that standardization in IEC TC 113 covers all three columns in order to arrive at a consistent system of standards which can be operated in a "seamless" fashion.

This part of IEC 62565 provides the basic concept for the series of BDSs. Examples of other parts addressing specific technology areas are:

- IEC TS 62565-2-x: Carbon nanotube materials
- IEC TS 62565-3-x: Graphene-based materials
- IEC TS 62565-4-x: Luminescent nanomaterials
- IEC TS 62565-5-x: Nano-enabled energy storage materials

NOTE It is expected that additional BDS series will emerge as industrial uptakes of new materials or new applications occur.

An indispensable basis of the concept of BDS and DS are clear definitions of the product characteristics and detailed descriptions for measuring these characteristics. These characteristics are called key control characteristics (KCCs) because they represent key features of the products to be monitored in the framework of a quality management system. IEC 62607 consists of a series of KCC measurement Technical Specifications to be used for the BDS and DS:

- IEC TS 62607-2-x: KCCs for carbon nanotube materials
- IEC TS 62607-3-x: KCCs for luminescent nanomaterials
- IEC TS 62607-4-x: KCCs for nano-enabled electrical energy storage
- IEC TS 62607-5-x: KCCs for thin-film organic/nano electronic devices
- IEC TS 62607-6-x: KCCs for graphene-based material
- IEC TS 62607-7-x: KCCs for nano-enabled photovoltaics
- IEC TS 62607-8-x: KCCs for nano-enabled metal-oxide interfacial devices
- IEC TS 62607-9-x: KCCs for nano-scale stray magnetic field measurements

Each part of the IEC 62607 series of measurement Technical Specifications describes exactly one method for measuring a particular KCC. Measurement standards outside the IEC 62607 series can be used in IEC 62565 BDSs and DSs if their applications are clear in the context of the specification.

In addition to the specification of the nanomaterial characteristics (IEC 62565 series) and the standardized procedures for the measurement of the characteristics (IEC 62607 series), two additional aspects of quality management are relevant for complete quality assurance:

The performance of materials and products at the time of manufacture is one thing, but the reliability is an additional relevant quality assurance metric. Two examples in the IEC 62876 series are given below.

- IEC TS 62876-2-1:2018, *Nanotechnology – Reliability assessment – Part 2-1: Nano-enabled photovoltaic devices – Stability test*
- IEC TS 62876-3-1:2022, *Nanomanufacturing – Reliability assessment – Part 3-1: Graphene-based material – Stability: Temperature and humidity test*

To ensure that the sourcing of the nanomaterials and the manufacturing process are consistently managed according to the prescriptions of ISO 9001:2015, the first steps have been taken in the development of an IEC standard for a quality management system in nanoelectronics.

The reliability standards and the quality management system standard are represented by the centre pillar in Figure 1.

More background information can be found in Annex C.

NANOMANUFACTURING – PRODUCT SPECIFICATIONS –

Part 1: Basic concepts

1 Scope

This part of IEC 62565, which is a Technical Specification, defines the system of blank detail specifications for nanomaterials and nano-assemblies as well as final nano-enabled products addressed in the nanomanufacturing value chain.

It defines the concepts of blank detail specification (BDS), detail specification (DS) and key control characteristic (KCC). Furthermore, it provides guidelines how to develop and use product specifications, particularly the IEC 62565 series, in the field of nanotechnology.

This document also provides guidelines regarding the certification and reliability aspects for products specified by a DS and associated KCCs.

NOTE 1 The IEC 62565 series uses an open generic structure that can be flexibly adapted to technical developments. The double indexing of the individual parts allows grouping into technology areas without restriction due to an overly strict hierarchical structure.

NOTE 2 Key elements of the IEC 62565 series are a consensus-based set of key control characteristics (KCCs) with clear definitions and standardized measurement procedures to measure them.

2 Normative references

There are no normative references in this document.