

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

## System för trådlös energiöverföring för elfordon – Del 3: Särskilda fordringar för överföringssystem med magnetiska fält

*Electric vehicle wireless power transfer (WPT) systems –  
Part 3: Specific requirements for magnetic field wireless power transfer systems*

Som svensk standard gäller europastandarden EN IEC 61980-3:2022. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 61980-3:2022.

### Nationellt förord

Europastandarden EN IEC 61980-3:2022

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61980-3, First edition, 2022 - Electric vehicle wireless power transfer (WPT) systems – Part 3: Specific requirements for magnetic field wireless power transfer systems**

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN IEC 61980-1, utg 1:2022.

---

ICS 43.120.00

---

Denna standard är fastställd av SEK Svensk Elstandard,  
som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: [sek@elstandard.se](mailto:sek@elstandard.se). Internet: [www.elstandard.se](http://www.elstandard.se)

---

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

English Version

Electric vehicle wireless power transfer (WPT) systems - Part 3:  
Specific requirements for magnetic field wireless power transfer  
systems  
(IEC 61980-3:2022)

Systèmes de transfert de puissance sans fil (WPT) pour  
véhicules électriques - Partie 3: Exigences spécifiques pour  
les systèmes de transfert de puissance sans fil par champ  
magnétique  
(IEC 61980-3:2022)

Kontaktlose Energieübertragungssysteme (WPT) für  
Elektrofahrzeuge - Teil 3: Besondere Anforderungen für die  
kontaktlosen Energieübertragungssysteme mit Magnetfeld  
(IEC 61980-3:2022)

This European Standard was approved by CENELEC on 2022-12-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## **European foreword**

The text of document 69/857/FDIS, future edition 1 of IEC 61980-3, prepared by IEC/TC 69 "Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61980-3:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-09-22
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-12-22

This document supersedes CLC IEC/TS 61980-3:2020 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document is read in conjunction with EN IEC 61980-1:2021.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

### **Endorsement notice**

The text of the International Standard IEC 61980-3:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

- |                  |      |  |
|------------------|------|--|
| IEC 60038        | NOTE | Harmonized as EN 60038                           |
| IEC 61786-1      | NOTE | Harmonized as EN 61786-1                         |
| ISO 15118-1:2019 | NOTE | Harmonized as EN ISO 15118-1:2019 (not modified) |

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 61439-1	2020	Low-voltage switchgear and controlgear assemblies - Part 1: General rules	EN IEC 61439-1	2021
IEC 61439-7	2018	Low-voltage switchgear and controlgear assemblies - Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle charging stations	-	-
IEC 61980-1	2020	Electric vehicle wireless power transfer (WPT) systems - Part 1: General requirements	EN IEC 61980-1	2021
IEC 61980-2	— <sup>1</sup>	Electric vehicle wireless power transfer (WPT) systems - Part 2: Specific requirements for communication between electric road vehicles (EV) and infrastructure with respect to wireless power transfer (WTP) systems	EN IEC 61980-2	— <sup>2</sup>
ISO 19363	2020	Electrically propelled road vehicles - Magnetic field wireless power transfer - Safety and interoperability requirements	EN ISO 19363	2021
ISO 20653	-	Road vehicles - Degrees of protection (IP code) - Protection of electrical equipment against foreign objects, water and access	-	-
ICNIRP	-	ICNIRP guidelines for limiting exposure to time-varying electric and magnetic fields (1 Hz - 100 kHz), Health Physics 99(6):818 - 836; 2010	-	-

<sup>1</sup> Under preparation. Stage at the time of publication: IEC/AFDIS 61980-2:2022.

<sup>2</sup> Under preparation. Stage at the time of publication: prEN IEC 61980-2:2021.

## EN IEC 61980-3:2022 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
Recommendation ITU-R SM.2110-1	2019	Guidance on frequency ranges for operation of nonbeam wireless power transmission for electric vehicles		

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Electric vehicle wireless power transfer (WPT) systems –  
Part 3: Specific requirements for magnetic field wireless power transfer systems**

**Systèmes de transfert de puissance sans fil (WPT) pour véhicules électriques –  
Partie 3: Exigences spécifiques pour les systèmes de transfert de puissance  
sans fil par champ magnétique**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 43.120

ISBN 978-2-8322-6023-4

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references .....	10
3 Terms and definitions .....	11
4 Abbreviated terms .....	15
5 General .....	15
6 Classification.....	15
7 General supply device requirements.....	17
7.1 General architecture .....	17
7.2 Power transfer requirements .....	18
7.3 Efficiency.....	21
7.4 Alignment .....	22
7.5 Activities provided by WPT system .....	22
8 Communication.....	24
9 Power transfer interoperability .....	24
10 Protection against electric shock .....	25
10.1 General requirements .....	25
10.2 Degree of protection against access to hazardous-live-parts.....	25
11 Specific requirements for WPT systems.....	25
12 Power cable requirements .....	29
13 Constructional requirements .....	30
13.1 Supply device dimensions and installation requirements .....	30
13.4 IP degrees .....	30
14 Strength of materials and parts.....	30
15 Service and test conditions.....	31
16 Electromagnetic compatibility (EMC) .....	32
16.1 Load and operating conditions .....	32
17 Marking and instructions.....	38
Annex A (normative) Circular reference EVPC .....	54
A.1 Circular reference EVPCs for MF-WPT1 .....	54
A.2 Circular reference EVPCs for MF-WPT1/MF-WPT2 .....	63
A.3 Circular reference EVPCs for MF-WPT3 .....	72
Annex B (informative) Examples of other secondary devices.....	82
B.1 DD secondary device for MF-WPT1/Z1 .....	82
B.2 DD secondary device for MF-WPT1/Z2 .....	83
B.3 DD secondary device for MF-WPT2/Z1 .....	83
B.4 DD secondary device for MF-WPT2/Z2 .....	84
B.5 DD secondary device for MF-WPT2/Z3 .....	85
B.6 DD secondary device for MF-WPT3/Z1 .....	86
B.7 DD secondary device for MF-WPT3/Z2 .....	87
B.8 DD secondary device for MF-WPT3/Z3 .....	88
Annex C (informative) Coil position in parking spot .....	90
C.1 General.....	90

C.2	Width of vehicles and parking spots .....	90
C.3	Placement along the direction of travel .....	90
Annex D (informative)	Theoretical approach for system interoperability .....	92
D.1	General.....	92
D.2	Magnetic and electric interoperability .....	92
D.3	Compliance test and measurement specifications .....	109
Annex E (informative)	Determining centre alignment point .....	116
E.1	General.....	116
E.2	Laboratory procedure for determining the approximate centre alignment point of a primary device of an SPC with a secondary device of a reference EVPC.....	116
E.3	Laboratory procedure for determining the approximate centre alignment point of an EVPC with a primary device of a reference SPC.....	116
E.4	Determining the centre alignment point for a coil pair through simulation .....	116
Bibliography	.....	117
Figure 101	– Surface mounted .....	16
Figure 102	– Flush mounted .....	16
Figure 1	– Example of an MF-WPT system .....	18
Figure 103	– Test bench protection areas .....	27
Figure 104	– Example of test bench setup (version 1) – View from above .....	33
Figure 105	– Example of test bench setup (version 2) – View from above .....	34
Figure 106	– Side view of test setup shown in Figure 104.....	35
Figure 107	– Example of vehicle test setup (version 1) – View from above.....	36
Figure 108	– Example of vehicle test setup (version 2) – View from above.....	37
Figure 109	– Side view of test setup shown in Figure 107.....	38
Figure 110	– Illustration of test positions.....	41
Figure A.1	– Mechanical dimensions of the MF-WPT1/Z1 reference secondary device.....	55
Figure A.2	– Schematic of the EV power electronics for the MF-WPT1/Z1 reference EVPC.....	56
Figure A.3	– Impedance compensation circuit.....	56
Figure A.4	– Example of a rectifier circuit.....	57
Figure A.5	– Mechanical dimensions of the MF-WPT1/Z2 reference secondary device.....	58
Figure A.6	– Schematic of the EV power electronics for the MF-WPT1 reference EVPC.....	59
Figure A.7	– Impedance compensation circuit.....	59
Figure A.8	– Example of a rectifier circuit.....	60
Figure A.9	– Mechanical dimensions of the MF-WPT1/Z3 reference secondary device.....	61
Figure A.10	– Schematic of the EV power electronics for the MF-WPT1/Z3 reference EVPC.....	62
Figure A.11	– Impedance compensation circuit .....	62
Figure A.12	– Example of a rectifier circuit.....	63
Figure A.13	– Mechanical dimensions of the MF-WPT1 and MF-WPT2 Z1 reference secondary device.....	64
Figure A.14	– Schematic of the EV power electronics for the MF-WPT1 and MF-WPT2 Z1 reference EVPC .....	65
Figure A.15	– Example of an impedance compensation circuit using variable reactances .....	65

Figure A.16 – Example of a rectifier circuit.....	66
Figure A.17 – Mechanical dimensions of the MF-WPT1 and MF-WPT2 Z2 reference secondary device.....	67
Figure A.18 – Schematic of the EV power electronics for the MF-WPT1 and MF-WPT2 Z2 reference EVPC.....	68
Figure A.19 – Example of impedance compensation circuit using variable reactances .....	68
Figure A.20 – Example of a rectifier circuit.....	69
Figure A.21 – Mechanical dimensions of the MF-WPT1 and MF-WPT2 Z3 reference secondary device.....	70
Figure A.22 – Schematic of the EV power electronics for the MF-WPT1 and MF-WPT2 reference EVPC.....	71
Figure A.23 – Example of impedance compensation circuit using variable reactances .....	71
Figure A.24 – Example of a rectifier circuit.....	72
Figure A.25 – Mechanical dimensions of the MF-WPT3/Z1 reference secondary device.....	73
Figure A.26 – Schematic of the EV power electronics for the MF-WPT3 reference EVPC.....	74
Figure A.27 – Example for impedance compensation circuit using variable reactances .....	74
Figure A.28 – Example for an output filter and rectifier.....	75
Figure A.29 – Mechanical dimensions of the MF-WPT3/Z2 reference secondary device.....	76
Figure A.30 – Schematic of the EV power electronics for the MF-WPT3/Z2 reference EVPC.....	77
Figure A.31 – Example for impedance compensation circuit using variable reactances .....	77
Figure A.32 – Example of an output filter and rectifier.....	78
Figure A.33 – Mechanical dimensions of the MF-WPT3/Z3 reference secondary device.....	79
Figure A.34 – Schematic of the EV power electronics for the MF-WPT3 reference EVPC.....	80
Figure A.35 – Example of an impedance compensation circuit using variable reactances.....	80
Figure A.36 – Example of an output filter and rectifier.....	81
Figure B.1 – Mechanical dimensions of the MF-WPT1/Z1 DD secondary device.....	82
Figure B.2 – Mechanical dimensions of the MF-WPT1/Z2 DD secondary device.....	83
Figure B.3 – Mechanical dimensions of the MF-WPT2/Z1 DD secondary device.....	84
Figure B.4 – Mechanical dimensions of the MF-WPT2/Z2 DD secondary device.....	85
Figure B.5 – Mechanical dimensions of the MF-WPT2/Z3 DD secondary device.....	86
Figure B.6 – Mechanical dimensions of the MF-WPT3/Z1 DD secondary device.....	87
Figure B.7 – Mechanical dimensions of the MF-WPT3/Z2 DD secondary device.....	88
Figure B.8 – Mechanical dimensions of the MF-WPT3/Z3 DD secondary device.....	89
Figure D.1 – General schematic of the concept showing the coils with their ports to the power electronics and the varying parameters .....	93
Figure D.2 – Schematic to explain impedance.....	100
Figure D.3 – General behaviour of the reflected impedance (example).....	102
Figure D.4 – Impedance space at the primary coil (example) .....	107
Figure D.5 – Impedance spaces of the reference primary coil and alternate electronics .....	108
Figure D.6 – Test set-up for reference or product primary coil electric interoperability conformance tests .....	110
Figure D.7 – Coaxial coil gauge device "CC325" .....	113

Figure D.8 – Transversal coil gauge device "DD275" .....	115
Table 101 – MF-WPT power classes .....	16
Table 102 – Supported secondary device ground clearance range .....	17
Table 103 – Compatibility class A supply device output power ramp rates .....	20
Table 104 – Minimum power transfer efficiency with compatibility class A supply device and normative reference EV device of same power class .....	21
Table 105 – Minimum power transfer efficiency with compatibility class A supply device and normative reference EV device of different power classes .....	21
Table 106 – Minimum power transfer efficiency for a compatibility class B supply device and specified EVPC .....	22
Table 107 – Alignment tolerance of a primary device (compatibility class A) .....	22
Table 108 – Summary requirements according to compatibility class .....	23
Table 109 – Alignment positions and offset values for primary devices which are part of compatibility class A supply devices .....	42
Table 110 – Compatibility class A test 2 test positions .....	44
Table 111 – Example of compatibility class B supply device test 2 test positions .....	47
Table 112 – Test bodies for touch hazard .....	48
Table 113 – Test objects for ignition risk test .....	48
Table 114 – Vehicle detection action .....	53
Table A.1 – Values of circuit elements for Figure A.2 .....	56
Table A.2 – Range of coupling factors .....	57
Table A.3 – Values of circuit elements for Figure A.6 .....	59
Table A.4 – Range of coupling factors .....	60
Table A.5 – Values of circuit elements for Figure A.10 .....	62
Table A.6 – Range of coupling factors .....	63
Table A.7 – Values of circuit elements for Figure A.14 .....	65
Table A.8 – Values of variable reactances .....	66
Table A.9 – Coupling factors and coil current MF- WPT1 and MF-WPT2 Z1 .....	66
Table A.10 – Values of circuit elements for Figure A.18 .....	68
Table A.11 – Values of variable reactances .....	69
Table A.12 – Coupling factors and coil current MF- WPT1 and MF-WPT2 Z2 .....	69
Table A.13 – Values of circuit elements for Figure A.22 .....	71
Table A.14 – Values of variable reactances .....	72
Table A.15 – Coupling factors and coil current MF- WPT1 and MF-WPT2 Z3 .....	72
Table A.16 – Values of circuit elements for Figure A.26 .....	74
Table A.17 – Values of variable reactances .....	75
Table A.18 – Inductance values for Figure A.28 .....	75
Table A.19 – Coupling factors and coil current MF- WPT3/Z1 .....	75
Table A.20 – Values of circuit elements for Figure A.30 .....	77
Table A.21 – Values of variable reactances .....	78
Table A.22 – Inductance values for Figure A.32 .....	78
Table A.23 – Coupling factors and coil current MF- WPT3/Z2 .....	78
Table A.24 – Values of circuit elements for Figure A.17 .....	80

Table A.25 – Values of variable reactances .....	80
Table A.26 – Inductance values for Figure A.19 .....	81
Table A.27 – Coupling factors and coil current MF- WPT3/Z3 .....	81
Table B.1 – Mechanical dimensions of the MF-WPT1/Z1 DD secondary device.....	82
Table B.2 – Mechanical dimensions of the MF-WPT1/Z2 DD secondary device.....	83
Table B.3 – Mechanical dimensions of the MF-WPT2/Z1 DD reference secondary device.....	84
Table B.4 – Mechanical dimensions of the MF-WPT2/Z2 DD reference secondary device.....	85
Table B.5 – Mechanical dimensions of the MF-WPT2/Z3 DD secondary device.....	86
Table B.6 – Mechanical dimensions of the MF-WPT3/Z1 DD secondary device.....	87
Table B.7 – Mechanical dimensions of the MF-WPT3/Z2 DD secondary device.....	88
Table B.8 – Mechanical dimensions of the MF-WPT3/Z3 DD secondary device.....	89
Table D.1 – Description of terms.....	94
Table D.2 – Fundamental mutual inductance values $M_0$ for Z1 (in $\mu\text{H}$ ).....	97
Table D.3 – Fundamental mutual inductance values $M_0$ for Z2 (in $\mu\text{H}$ ).....	98
Table D.4 – Fundamental mutual inductance values $M_0$ for Z3 (in $\mu\text{H}$ ).....	99
Table D.5 – Explanation of terms .....	100
Table D.6 – Voltages (RMS) required to be induced in circular reference secondary coils...	105
Table D.7 – Recommended parameters for primary coil impedance space .....	108

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS –****Part 3: Specific requirements for magnetic field wireless power transfer systems**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61980-3 has been prepared by IEC technical committee 69: Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
69/857/FDIS	69/866/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

In this document, the following print types are used:

- compliance statement: *italic type*.

This part is to be used in conjunction with IEC 61980-1:2020.

The clauses of the particular requirements in this document supplement or modify the corresponding clauses in IEC 61980-1:2020. Where the text indicates an "addition" to or a "replacement" of the relevant requirement, test specification or explanation of IEC 61980-1:2020, these changes are made to the relevant text of IEC 61980-1:2020, which then becomes part of the standard. Where no change is necessary, the words "Clause/Subclause xx of IEC 61980-1:2020 is applicable" are used. Additional items to those of IEC 61980-1:2020 are numbered starting 101. Annexes are lettered from A onwards.

A list of all parts of the IEC 61980 series, published under the general title *Electric vehicle wireless power transfer (WPT) systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The IEC 61980 series is published in separate parts according to the following structure:

- IEC 61980-1 covers general requirements for electric road vehicle (EV) wireless power transfer (WPT) systems including general background and definitions (e.g. efficiency, electrical safety, EMC, EMF);
- IEC 61980-2<sup>1</sup> specifically applies to magnetic field wireless power transfer (MF-WPT) for electric road vehicles (EV) and covers specific requirements for system activities and communication between the electric road vehicle side and the off-board side, including general background and definitions;
- IEC 61980-3 covers specific power transfer requirements for the off-board side of magnetic field wireless power transfer systems for electric road vehicles (e.g. efficiency, electrical safety, EMC, EMF).

Requirements for the on-board side of MF-WPT for electric road vehicles are covered in ISO 19363.

IEC 61980-3 follows the structure of IEC 61980-1:2020.

---

<sup>1</sup> Under preparation. Stage at the time of publication: IEC/AFDIS 61980-2:2022.

# ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS –

## Part 3: Specific requirements for magnetic field wireless power transfer systems

### 1 Scope

This part of IEC 61980 applies to the off-board supply equipment for wireless power transfer via magnetic field (MF-WPT) to electric road vehicles for purposes of supplying electric energy to the RESS (rechargeable energy storage system) and/or other on-board electrical systems. The MF-WPT system operates at standard supply voltage ratings per IEC 60038 up to 1 000 V AC and up to 1 500 V DC from the supply network. The power transfer takes place while the electric vehicle (EV) is stationary.

Off-board supply equipment fulfilling the requirements in this document are intended to operate with EV devices fulfilling the requirements described in ISO 19363.

The aspects covered in this document include

- the characteristics and operating conditions,
- the required level of electrical safety,
- requirements for basic communication for safety and process matters if required by a MF-WPT system,
- requirements for positioning to assure efficient and safe MF-WPT power transfer, and
- specific EMC requirements for MF-WPT systems.

The following aspects are under consideration for future documents:

- requirements for MF-WPT systems for two- and three-wheel vehicles,
- requirements for MF-WPT systems supplying power to EVs in motion,
- requirements for bidirectional power transfer,
- requirements for flush mounted primary device,
- requirements for MF-WPT systems for heavy duty vehicle, and
- requirements for MF-WPT systems with inputs greater than 11,1 kVA.

This document does not apply to

- safety aspects related to maintenance, and
- trolley buses, rail vehicles and vehicles designed primarily for use off-road.

NOTE The terms used in this document are specifically for MF-WPT.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 61439-1:2020, *Low-voltage switchgear and controlgear assemblies – Part 1: General rules*

IEC 61439-7:2018, *Low-voltage switchgear and controlgear assemblies – Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle charging stations*

IEC 61980-1:2020, *Electric vehicle wireless power transfer (WPT) systems – Part 1: General requirements*

IEC 61980-2:—, *Electric vehicle wireless power transfer (WPT) systems – Part 2: Specific requirements for MF-WPT system communication and activities<sup>2</sup>*

ISO 19363:2020, *Electrically propelled road vehicles – Magnetic field wireless power transfer – Safety and interoperability requirements*

ISO 20653, *Road vehicles – Degrees of protection (IP code) – Protection of electrical equipment against foreign objects, water and access*

ICNIRP, *ICNIRP guidelines for limiting exposure to time-varying electric and magnetic fields (1 Hz – 100 kHz)*, Health Physics 99(6):818-836; 2010

Recommendation ITU-R SM.2110-1:2019, *Guidance on frequency ranges for operation of non-beam wireless power transmission for electric vehicles*