

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Mätande reläer och skyddsutrustningar – Del 1: Gemensamma fordringar

*Measuring relays and protection equipment –
Part 1: Common requirements*

Som svensk standard gäller europastandarden EN IEC 60255-1:2023. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 60255-1:2023.

Nationellt förord

Europastandarden EN IEC 60255-1:2023

består av:

- **europastandardens ikraftsättningssdokument**, utarbetat inom CENELEC
- **IEC 60255-1, Second edition, 2022 - Measuring relays and protection equipment - Part 1: Common requirements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60255-1, utg 1:2010 med eventuella tillägg, ändringar och rättelser, gäller ej fr o m 2026-01-19.

ICS 29.120.70

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

January 2023

ICS 29.120.70

Supersedes EN 60255-1:2010

English Version

Measuring relays and protection equipment - Part 1: Common
requirements
(IEC 60255-1:2022)

Relais de mesure et dispositifs de protection - Partie 1:
Exigences communes
(IEC 60255-1:2022)

Messrelais und Schutzeinrichtungen - Teil 1: Allgemeine
Anforderungen
(IEC 60255-1:2022)

This European Standard was approved by CENELEC on 2023-01-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 95/513/FDIS, future edition 2 of IEC 60255-1, prepared by IEC/TC 95 "Measuring relays and protection equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60255-1:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-10-19
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2026-01-19

This document supersedes EN 60255-1:2010 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60255-1:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60664-1	NOTE Harmonized as EN IEC 60664-1
IEC 60068-2-5	NOTE Harmonized as EN IEC 60068-2-5
IEC 60068-2-10	NOTE Harmonized as EN 60068-2-10
IEC 60068-2-42	NOTE Harmonized as EN 60068-2-42
IEC 60068-2-43	NOTE Harmonized as EN 60068-2-43
IEC 60068-2-52	NOTE Harmonized as EN IEC 60068-2-52
IEC 60068-2-60	NOTE Harmonized as EN 60068-2-60
IEC 60068-2-68	NOTE Harmonized as EN 60068-2-68
IEC 60529	NOTE Harmonized as EN 60529
IEC 61869-6:2016	NOTE Harmonized as EN 61869-6:2016 (not modified)
IEC 62443-4-2	NOTE Harmonized as EN IEC 62443-4-2
IEC 62351 (series)	NOTE Harmonized as EN 62351 (series)
ISO/IEC 27019	NOTE Harmonized as EN ISO/IEC 27019
IEC 61869-9	NOTE Harmonized as EN IEC 61869-9

Annex A (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-30	-	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	-
IEC 60068-2-78	-	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	-
IEC 60255-21-1	-	Electrical relays - Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment - Section One: Vibration tests (sinusoidal)	EN 60255-21-1	-
IEC 60255-21-2	-	Electrical relays - Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment - Section Two: Shock and bump tests	EN 60255-21-2	-
IEC 60255-21-3	-	Electrical relays - Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment - Section Three: Seismic tests	EN 60255-21-3	-
IEC 60255-26	-	Measuring relays and protection equipment - Part 26: Electromagnetic compatibility requirements	EN 60255-26	-
IEC 60255-27	-	Measuring relays and protection equipment - Part 27: Product safety requirements	EN 60255-27	-
IEC 60255-1XX	series	Measuring relays and protection equipment - Part 1XX: Functional requirements	EN 60255-1XX	series

EN IEC 60255-1:2023 (E)

IEC 60688	-	Electrical measuring transducers for converting AC and DC electrical quantities to analogue or digital signals	-	-
IEC 61810-1	-	Electromechanical elementary relays - Part EN 61810-1 1: General and safety requirements	-	-
IEC 61869-2	-	Instrument transformers - Part 2: Additional EN 61869-2 requirements for current transformers	-	-
IEC 61869-3	-	Instrument transformers - Part 3: Additional EN 61869-3 requirements for inductive voltage transformers	-	-
IEC 61869-5	-	Instrument transformers - Part 5: Additional EN 61869-5 requirements for capacitor voltage transformers	-	-
IEC 61869-10	-	Instrument transformers - Part 10: Additional requirements for low-power passive current transformers	EN IEC 61869-10	-
IEC 61869-11	-	Instrument transformers - Part 11: Additional requirements for low-power passive voltage transformers	EN IEC 61869-11	-



IEC 60255-1

Edition 2.0 2022-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Measuring relays and protection equipment –
Part 1: Common requirements**

**Relais de mesure et dispositifs de protection –
Partie 1: Exigences communes**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.70

ISBN 978-2-8322-6120-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	9
3.1 Terms and definitions	9
3.2 Abbreviated terms	15
4 Environmental conditions	15
4.1 General	15
4.2 Normal environmental conditions	16
4.3 Special environmental conditions	16
4.4 Environmental storage conditions	16
4.5 Transport conditions	16
5 Ratings	16
5.1 General	16
5.2 Rated voltage	17
5.2.1 Input energizing voltage	17
5.2.2 Auxiliary power supply port energizing voltage	17
5.2.3 Rated insulation voltage	17
5.3 Rated current – Input energizing current	17
5.3.1 Primary relay	17
5.3.2 Secondary relay	17
5.4 Binary input and output port	18
5.4.1 Binary input port	18
5.4.2 Binary output port	18
5.5 Transducer analogue input and output port	19
5.5.1 Transducer analogue input port	19
5.5.2 Transducer analogue output port	19
5.6 Frequency	19
5.6.1 Rated frequency	19
5.6.2 Frequency operating range	19
5.7 Rated burden	19
5.8 Rated ambient temperature range	20
6 Design and construction	20
6.1 Marking	20
6.2 Dimensions	20
6.3 Enclosure protection	20
6.4 Product safety requirements	20
6.5 Functional performance requirements	20
6.5.1 General	20
6.5.2 Intrinsic accuracy	21
6.5.3 Operating accuracy	22
6.5.4 Performance under system conditions	22
6.5.5 Performance of multifunctional protection equipment	22
6.5.6 Internal user programmable logic	22
6.6 Communication protocols	22

6.7	Cybersecurity	22
6.8	Binary input and output port	23
6.8.1	Binary input port	23
6.8.2	Binary output port	23
6.9	Transducer analogue input and output port	23
6.9.1	Transducer analogue input port	23
6.9.2	Transducer analogue output port	23
6.10	Input circuit for measurement quantities	23
6.10.1	Analogue voltage port	23
6.10.2	Analogue current port	23
6.10.3	Communication port	24
6.11	Binary output performance (mechanical and static)	24
6.12	Climatic performance	24
6.12.1	General	24
6.12.2	Verification procedure	24
6.12.3	Climatic environmental tests	25
6.13	Mechanical requirements	29
6.13.1	Vibration response and endurance (sinusoidal)	29
6.13.2	Shock response, shock withstand and bump	29
6.13.3	Seismic risk	29
6.14	Pollution	29
6.15	Electromagnetic compatibility (EMC)	29
7	Tests	29
7.1	Test reference conditions	29
7.2	Test overview	30
7.3	Burden measurements	32
7.3.1	Burden for analogue voltage inputs	32
7.3.2	Burden for analogue current inputs	32
7.3.3	Burden for AC power supply	32
7.3.4	Burden for DC power supply	32
7.3.5	Burden for binary input	33
7.4	Type test report content	33
8	Marking, labelling and packaging	34
9	Product documentation and technical data	34
Annex A (normative)	Type testing guidelines	35
A.1	General	35
A.2	Protection setting	35
A.2.1	Introductory remark	35
A.2.2	Test philosophy	35
A.2.3	Overcurrent and undercurrent	36
A.2.4	Overvoltage and undervoltage	37
A.2.5	Over frequency and under frequency	38
A.2.6	Functions set around current, voltage and frequency	38
A.2.7	Other functions	39
Annex B (informative)	Environmental operating locations	40
B.1	Operating environment	40
B.2	Operating conditions	40
Bibliography	44	

Figure 1 – Ports for measuring relays and protection equipment	13
Figure 2 – Binary output parameters	19
Figure A.1 – Settings selection criteria	36
Table 1 – Normal environmental conditions	16
Table 2 – Contact performance requirements	18
Table 3 – Hot and cold temperatures	20
Table 4 – Dry heat test – Operational	25
Table 5 – Cold test – Operational	26
Table 6 – Dry heat test, storage temperature	26
Table 7 – Cold test, storage temperature	27
Table 8 – Change of temperature test	27
Table 9 – Damp heat steady state test	28
Table 10 – Cyclic temperature with humidity test	28
Table 11 – Test reference conditions	30
Table 12 – Test overview	31
Table B.1 – Operating locations	40
Table B.2 – Climatic conditions	41
Table B.3 – Mechanical conditions	41
Table B.4 – EMC conditions	42
Table B.5 – Chemically active substance conditions	42
Table B.6 – Mechanically active substance conditions	42
Table B.7 – Biological conditions	43

INTERNATIONAL ELECTROTECHNICAL COMMISSION**MEASURING RELAYS AND PROTECTION EQUIPMENT –****Part 1: Common requirements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60255-1 has been prepared by IEC technical committee 95: Measuring relays and protection equipment. It is an International Standard.

This second edition cancels and replaces the first edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) scope of document clarified;
- b) merging units and communications as an integral part of the protection added;
- c) binary output clarification expanded;
- d) environmental operating conditions added (Annex B);
- e) test reference conditions added;
- f) multiple changes to improve understanding across most clauses;
- g) derating by manufacturer added;

- h) safety and EMC tests removed from document and referenced only;
- i) relay setting and type test guidelines modified (Annex A)
- j) battery monitor port and low power instrument transformers added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
95/513/FDIS	95/521/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60255 series, published under the general title *Measuring relays and protection equipment*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The following explains the numbering of documents falling under the responsibility of TC 95:

The numbering of documents follows the following principle:

- common standards start with IEC 60255–XX;
- protection functional standards fall into IEC the 60255-1XX series.

The IEC 60255 series consists of the following parts:

a) Common standards:

- Part 1: Common requirements
- Part 21: Vibration, shock, bump and seismic tests
- Part 24: Common format for transient data exchange (COMTRADE) for power systems
- Part 26: Electromagnetic compatibility requirements
- Part 27: Product safety requirements

b) Protection functional standards:

- Part 1XX: Functional requirements

NOTE The last two digits of the part of the proposed functional standard new numbering correspond to function numbers as established in IEEE Std C37.2™-2008 [3]¹.

¹ Numbers in square brackets refer to the Bibliography.

MEASURING RELAYS AND PROTECTION EQUIPMENT –

Part 1: Common requirements

1 Scope

This part of IEC 60255 specifies common rules and requirements applicable to measuring relays and protection equipment, including any combination of equipment to form a distributed protection scheme for power system protection such as control, monitoring and process interface equipment, to obtain uniformity of requirements and tests. This document covers the main technologies in use today; other emerging technologies present specific EMC and safety issues but the philosophy in this document will be applied.

All measuring relays and protection equipment used for protection within the power system environment are covered by this document. Other documents in this series can define their own requirements which in such cases take precedence. The typical locations for measuring relays and protection equipment are where protection of electrical equipment is required: generally power stations, substations and industrial locations.

Measuring relays and protection equipment installed in special applications (marine, railways, aerospace, explosive atmospheres, computer centres, etc.) could be enhanced by additional requirements required by that application.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60255-21-1, *Electrical relays – Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment – Section One: Vibration tests (sinusoidal)*

IEC 60255-21-2, *Electrical relays – Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment – Section Two: Shock and bump tests*

IEC 60255-21-3, *Electrical relays – Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment – Section 3: Seismic tests*

IEC 60255-26, *Measuring relays and protection equipment – Part 26: Electromagnetic compatibility requirements*

IEC 60255-27, *Measuring relays and protection equipment – Part 27: Product safety requirements*

IEC 60255-1XX (all parts), *Measuring relays and protection equipment – Part 1XX: Functional requirements*

IEC 60688, *Electrical measuring transducers for converting AC and DC electrical quantities to analogue or digital signals*

IEC 61810-1, *Electromechanical elementary relays – Part 1: General and safety requirements*

IEC 61869-2, *Instrument transformers – Part 2: Additional requirements for current transformers*

IEC 61869-3, *Instrument transformers – Part 3: Additional requirements for inductive voltage transformers*

IEC 61869-5, *Instrument transformers – Part 5: Additional requirements for capacitor voltage transformers*

IEC 61869-10, *Instrument transformers – Part 10: Additional requirements for low-power passive current transformers*

IEC 61869-11, *Instrument transformers – Part 11: Additional requirements for low-power passive voltage transformers*