

© Copyright SEK. Reproduction in any form without permission is prohibited.

Järnvägsanläggningar – Fasta installationer – Kontaktledningar

*Railway applications –
Fixed installations –
Electric traction overhead contact lines*

Som svensk standard gäller europastandarden EN 50119:2009. Den svenska standarden innehåller den officiella engelska språkversionen av EN 50119:2009.

Nationellt förord

Standarden ersätter tidigare fastställd svensk standard SS-EN 50119, utgåva 1, 2001.

ICS 29.280

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: SEK, Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00. Telefax: 08 - 444 14 30
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Railway applications -
Fixed installations -
Electric traction overhead contact lines**

Applications ferroviaires -
Installations fixes -
Lignes aériennes de contact
pour la traction électrique

Bahnanwendungen -
Ortsfeste Anlagen -
Oberleitungen
für den elektrischen Zugbetrieb

This European Standard was approved by CENELEC on 2009-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: Avenue Marnix 17, B - 1000 Brussels

Foreword

This European Standard was prepared by SC 9XC, Electric supply and earthing systems for public transport equipment and ancillary apparatus (Fixed installations), of Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50119 on 2009-04-01.

This European Standard supersedes EN 50119:2001.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2010-04-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) –

References to definitions in IEC 60050-811 in Clause 3 are included for user reference and in some cases may update or modify the current definition.

National Standards implementing EN 50119:

The National Standards implementing EN 50119 will comprise the full text of the Eurocode (including any annexes), as published by CENELEC, which may be preceded by a national title page and national foreword, and may be followed by a National Annex.

A National Annex, if included, may contain information on those parameters or statements in EN 50119 which are not normative, e.g.

- values where alternative values or informative values only are given in the standard,
- country specific data (e.g. geographical, climatic, etc.), e.g. ice loads or temperature limits,
- the procedure to be used where alternative procedures are given in the standard.

It may also contain

- decisions on the use of informative annexes, and
- references to non-contradictory complementary information to assist the user to apply the standard.

The National Annex shall not alter any provisions of the European Standard.

Contents

	Page
1 Scope	6
2 Normative references	6
3 Terms, definitions, symbols and abbreviated terms	9
3.1 Systems	9
3.2 Conductors.....	10
3.3 Electrical	11
3.4 Geometrical	11
3.5 Foundations	12
3.6 Symbols and abbreviated terms	13
4 Fundamental design data.....	15
4.1 General	15
4.2 Line characteristics	15
4.3 Electrical power system design.....	15
4.4 Vehicle characteristics	16
4.5 Current collectors.....	16
4.6 Environmental conditions.....	16
4.7 Design life	16
5 System requirements.....	16
5.1 Design of electrical system	16
5.2 Design of current collection systems	19
5.3 Mechanical design of contact wire loads	22
5.4 Mechanical design of catenary wire loads	23
5.5 Mechanical design of other stranded conductor loads	25
5.6 Mechanical design of solid wire loads.....	25
5.7 Mechanical design of ropes of non-conducting materials.....	25
5.8 Suspension systems	26
5.9 Tensioning systems	26
5.10 Geometry of overhead equipment	26
5.11 Contact line arrangement above turnouts and crossings	29
5.12 Overlap arrangements	30
5.13 Specific requirements for overhead contact lines for trolleybus systems	30
5.14 Tolerances and limits.....	32
6 Structures	33
6.1 Basis of design.....	33
6.2 Actions on overhead contact lines	36
6.3 Types of structures and related load cases	43
6.4 Design of cross-span supports and structures	47
6.5 Foundations	50
7 Component requirements	58
7.1 General	58
7.2 Supporting assemblies	58
7.3 Contact wire	58
7.4 Other conductors and ropes	58
7.5 Tensioning devices	59
7.6 Mechanical midpoints	59
7.7 Droppers	60
7.8 Clamps and line fittings.....	60
7.9 Electrical connections	61
7.10 Insulators	61
7.11 Sectioning devices	61
7.12 Disconnectors and drives	62
7.13 Protection devices.....	62
7.14 Specific components for trolleybus systems.....	62

8	Testing	63
8.1	General	63
8.2	Support assemblies	63
8.3	Contact wires	73
8.4	Other conductors	73
8.5	Tensioning devices	74
8.6	Mechanical midpoints	75
8.7	Droppers	76
8.8	Clamps, splices and other fittings	78
8.9	Electrical connections	78
8.10	Insulators	79
8.11	Sectioning devices	79
8.12	Disconnectors and drives	81
8.13	Surge protection devices	81
8.14	Specific components for trolleybus systems	81
8.15	System test	81
9	Minimum documentation	82
9.1	General	82
9.2	System specification	83
9.3	Basic design	83
9.4	Installation design	83
9.5	Installation and maintenance	83
Annex A (informative) Current carrying capacity of conductors		84
Annex B (informative) Structural details		85
Annex C (informative) Information on geotechnical soil investigation and soil characteristics		86
Bibliography		88

Figures

Figure 1	— Relationship between contact wire heights and pantograph operating position	29
Figure 2	— Position of return wire in relation to right-of-way	31
Figure 3	— Wind action on lattice steel structures	40
Figure 4	— Definition of drag factors for double channel structure	41
Figure 5	— Description of dimensions and minimum conductor lengths	70
Figure 6	— Potential measuring points at a connecting clamp and a butt joining clamp	71
Figure 7	— Potential measuring points at a T-type infeed terminal	71
Figure 8	— Example of a tensioning device measurement test	75
Figure 9	— Example of a dropper test cycle	77
Figure 10	— Example of a dropper tension test assembly	78
Figure 11	— Example of a test cycle for an electrical connection	79

Tables

Table 1 — Temperature limits for material mechanical properties..... 17

Table 2 — Electrical clearances 18

Table 3 — Clearance between differing phases..... 19

Table 4 — Contact force 21

Table 5 — Factor K_{temp} for contact wires 22

Table 6 — Factor $K_{icewind}$ for contact wires 23

Table 7 — Factor K_{temp} for stranded conductors 24

Table 8 — Factor K_{wind} for stranded conductors 24

Table 9 — Factor K_{ice} for stranded conductors..... 24

Table 10 — Factor K_{radius} for ropes of non-conducting materials..... 26

Table 11 — Contact wire gradients 27

Table 12 — Important parameters to assist in the definition of tolerances and limits 33

Table 13 — Recommended values for factor C_{str} for different structure types 41

Table 14 — Summary of load cases to be considered for each type of structures 46

Table 15 — Summary of partial factors for actions 47

Table 16 — Recommended values for partial factors γ_M for steel material 48

Table 17 — Recommended values for partial factors γ_M for concrete structures..... 48

Table 18 — Recommended values for partial factors γ_M for foundations 54

Table 19 — Values for shear and compressive stress in case of anchoring of steel members in concrete 56

Table 20 — Tightening torques M_t for regularly used bolts 65

Table 21 — Examples of bolt connections 65

Table 22 — Assignment of the strength of bolt and nut 66

Table 23 — Conversion factor for tightening torques 66

Table 24 — Minimum conductor lengths 70

Table A.1 — Continuous current-carrying capacity of conductors and contact wires..... 84

Table B.1 — Recommended dimensions of connections and edge distances of jointing components 85

Table C.1 — Geotechnical characteristic parameters of some standard soils according to EN 50341-1:2001, Annex N 87

1 Scope

This European Standard applies to electric traction overhead contact line systems in heavy railways, light railways, trolley busses and industrial railways of public and private operators.

It applies to new installations of overhead contact line systems and for the complete reconstruction of existing overhead contact line systems.

This standard contains the requirements and tests for the design of overhead contact lines, requirements for structures and their structural calculations and verifications as well as the requirements and tests for the design of assemblies and individual parts.

This standard does not provide requirements for conductor rail systems where the conductor rails are located adjacent to the running rails.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 206-1, *Concrete – Part 1: Specification, performance, production and conformity*

EN 485-1, *Aluminium and aluminium alloys – Sheet, strip and plate – Part 1: Technical conditions for inspection and delivery*

EN 755-1, *Aluminium and aluminium alloys- Extruded rod/bar, tube and profiles – Part 1: Technical conditions for inspection and delivery*

EN 755-2, *Aluminium and aluminium alloys – Extruded rod/bar, tube and profiles – Part 2: Mechanical properties*

EN 1536, *Execution of special geotechnical work – Bored piles*

EN 1537, *Execution of special geotechnical work – Ground anchors*

EN 1991-1-4:2005, *Eurocode 1: Actions on structures – Part 1-4: General actions – Wind actions*

ENV 1991-2-4:1995, *Eurocode 1: Basis of design and actions on structures – Part 2-4: Actions on structures – Wind actions*

EN 1992 (all parts), *Eurocode 2 – Design of concrete structures*

EN 1993 (all parts), *Eurocode 3: Design of steel structures*

EN 1993-1-1:2005, *Eurocode 3: Design of steel structures – Part 1-1: General rules and rules for buildings*

EN 1995 (all parts), *Eurocode 5: Design of timber structures*

EN 1997-1:2004, *Eurocode 7: Geotechnical design – Part 1: General rules*

EN 1997-2:2007, *Eurocode 7: Geotechnical design – Part 2: Ground investigation and testing*

EN 1998 (all parts), *Eurocode 8: Design of structures for earthquake resistance*

EN 1999 (all parts), *Eurocode 9: Design of aluminium structures*

EN 10025 (all parts), *Hot rolled products of structural steels*

- EN 10149 (all parts), *Hot-rolled flat products made of high yield strength steels for cold forming*
- EN 10164, *Steel products with improved deformation properties perpendicular to the surface of the product – Technical delivery conditions*
- EN 10210 (all parts), *Hot finished structural hollow sections of non-alloy and fine grain steels*
- EN 12510, *Wood poles for overhead lines – Strength grading criteria*
- EN 12699, *Execution of special geotechnical work – Displacement piles*
- EN 12843, *Precast concrete products – Masts and poles*
- EN 20898-2, *Mechanical properties of fasteners – Part 2: Nuts with specified proof load values – Coarse thread (ISO 898-2)*
- EN 50121-2, *Railway applications – Electromagnetic compatibility – Part 2: Emission of the whole railway system to the outside world*
- EN 50122 (all parts) ¹⁾, *Railway applications – Fixed installations – Electrical safety, earthing and bonding*
- EN 50123 (all parts), *Railway applications – Fixed installations – D.C. switchgear*
- EN 50124 (all parts), *Railway applications – Insulation coordination*
- EN 50125-2, *Railway applications – Environmental conditions for equipment – Part 2: Fixed electrical installations*
- EN 50149, *Railway applications – Fixed installations – Electric traction – Copper and copper alloy grooved contact wires*
- EN 50151, *Railway applications – Fixed installations – Electric traction – Special requirements for composite insulators*
- EN 50152-2, *Railway applications – Fixed installations – Particular requirements for a.c. switchgear – Part 2: Single-phase disconnectors, earthing switches and switches with U_n above 1 kV*
- EN 50163, *Railway applications – Supply voltages of traction systems*
- EN 50182, *Conductors for overhead lines – Round wire concentric lay stranded conductors*
- EN 50183, *Conductors for overhead lines – Aluminium-magnesium-silicon alloy wires*
- EN 50189, *Conductors for overhead lines – Zinc coated steel wires*
- EN 50206-1:1998, *Railway applications – Rolling stock – Pantographs: Characteristics and tests – Part 1: Pantographs for main line vehicles*
- EN 50206-2:1999, *Railway applications – Rolling stock – Pantographs: Characteristics and tests – Part 2: Pantographs for metros and light rail vehicles*
- EN 50317, *Railway applications – Current collection systems – Requirements for and validation of measurements of the dynamic interaction between pantograph and overhead contact line*
- EN 50318, *Railway applications – Current collection systems – Validation of simulation of the dynamic interaction between pantograph and overhead contact line*

1) At draft stage.

EN 50326, *Conductors for overhead lines – Characteristics of greases*

EN 50341-1:2001, *Overhead electrical lines exceeding AC 45 kV – Part 1: General requirements – Common specifications*

EN 50345, *Railway applications – Fixed installations – Electric traction – Insulating synthetic rope assemblies for support of overhead contact lines*

EN 50367:2006, *Railway applications – Current collection systems – Technical criteria for the interaction between pantograph and overhead line (to achieve free access)*

EN 60071 (all parts), *Insulation co-ordination* (IEC 60071, all parts)

EN 60099 (all parts), *Surge arresters* (IEC 60099, all parts, mod.)

EN 60168, *Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltages greater than 1 kV* (IEC 60168)

EN 60265-1, *High-voltage switches – Part 1: Switches for rated voltages above 1 kV and less than 52 kV* (IEC 60265-1)

EN 60305, *Insulators for overhead lines with a nominal voltage above 1 kV – Ceramic or glass insulator units for a.c. systems – Characteristics of insulator units of the cap and pin type* (IEC 60305)

EN 60383 (all parts), *Insulators for overhead lines with a nominal voltage above 1 kV* (IEC 60383, all parts)

EN 60433, *Insulators for overhead lines with a nominal voltage above 1 kV – Ceramic insulators for a.c. systems – Characteristics of insulator units of the long rod type* (IEC 60433)

EN 60529, *Degrees of protection provided by enclosures (IP Code)* (IEC 60529)

EN 60660, *Insulators – Tests on indoor post insulators of organic material for systems with nominal voltages greater than 1 kV up to but not including 300 kV* (IEC 60660)

EN 60672 (all parts), *Ceramic and glass insulating materials* (IEC 60672, all parts)

EN 60889, *Hard-drawn aluminium wire for overhead line conductors* (IEC 60889)

EN 60947-1, *Low-voltage switchgear and controlgear – Part 1: General rules* (IEC 60947-1)

EN 61109, *Insulators for overhead lines - Composite suspension and tension insulators for a.c. systems with a nominal voltage > 1 000 V - Definitions, test methods and acceptance criteria* (IEC 61109)

EN 61232, *Aluminium-clad steel wires for electrical purposes* (IEC 61232, mod.)

EN 61284:1997, *Overhead lines – Requirements and tests for fittings* (IEC 61284:1997)

EN 61325, *Insulators for overhead lines with a nominal voltage above 1 kV – Ceramic or glass insulator units for d.c. systems – Definitions, test methods and acceptance criteria* (IEC 61325)

EN 61773, *Overhead lines – Testing of foundations for structures* (IEC 61773)

EN 61952, *Insulators for overhead lines - Composite line post insulators for A.C. systems with a nominal voltage > 1 000 V - Definitions, test methods and acceptance criteria* (IEC 61952)

EN 62271-102:2002, *High-voltage switchgear and controlgear – Part 102: Alternating current disconnectors and earthing switches* (IEC 62271-102:2001 + corrigendum April 2002 + corrigendum May 2003)

EN ISO 898-1:1999, *Mechanical properties of fasteners made of carbon steel and alloy steel – Part 1: Bolts, screws and studs* (ISO 898-1:1999)

EN ISO 1461:1999, *Hot dip galvanized coatings on fabricated iron and steel articles – Specifications and test methods* (ISO 1461:1999)

HD 578, *Characteristics of indoor and outdoor post insulators for systems with nominal voltages greater than 1 kV* (IEC 60273)

IEC 60050-811, *International Electrotechnical Vocabulary (IEV) – Chapter 811: Electric traction*

IEC/TR 61245, *Artificial pollution tests on high-voltage insulators to be used on d.c. systems*

█ [REDACTED]

[REDACTED]

█ [REDACTED]

█ [REDACTED]

[REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

[REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

█ [REDACTED]

[REDACTED]

█ [REDACTED]

█ [REDACTED]