

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Digital representation av tillgångar (AAS) för industriella tillämpningar – Del 1: Struktur

*Asset Administration Shell for industrial applications –
Part 1: Asset Administration Shell structure*

Som svensk standard gäller europastandarden EN IEC 63278-1:2024. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 63278-1:2024.

Nationellt förord

Europastandarden EN IEC 63278-1:2024

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 63278-1, First edition, 2023 - Asset Administration Shell for industrial applications – Part 1: Asset Administration Shell structure**

utarbetad inom International Electrotechnical Commission, IEC.

ICS 71.100.20

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1042, 172 21 Sundbyberg
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1042
172 21 Sundbyberg
Tel 08-444 14 00
elstandard.se

ICS 71.100.20

English Version

Asset Administration Shell for industrial applications - Part 1:
Asset Administration Shell structure
(IEC 63278-1:2023)

Enveloppe de Gestion d'Actif pour applications industrielles
- Partie 1: Structure de l'Enveloppe de Gestion d'Actif
(IEC 63278-1:2023)

Verwaltungsschale für industrielle Anwendungen - Teil 1:
Struktur der Verwaltungsschale
(IEC 63278-1:2023)

This European Standard was approved by CENELEC on 2024-01-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 65/1012/FDIS, future edition 1 of IEC 63278-1, prepared by IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63278-1:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-10-18 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-01-18 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 63278-1:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

ISO/IEC 27000:2018 NOTE Approved as EN ISO/IEC 27000:2020 (not modified)
IEC 61360-1:2017 NOTE Approved as EN 61360-1:2017 (not modified)
IEC 61360-2:2012 NOTE Approved as EN 61360-2:2013 (not modified)
IEC 61406-1:2022 NOTE Approved as EN IEC 61406-1:2022 (not modified)
IEC 61987-11:2016 NOTE Approved as EN 61987-11:2017 (not modified)
IEC 61987-12:2016 NOTE Approved as EN 61987-12:2016 (not modified)
IEC 61987-92:2018 NOTE Approved as EN IEC 61987-92:2018 (not modified)
IEC 62541 (series) NOTE Approved as EN IEC 62541 (series)
IEC 62541-5:2020 NOTE Approved as EN IEC 62541-5:2020 (not modified)
IEC 62541-100 NOTE Approved as EN 62541-100
IEC 62683-1 NOTE Approved as EN 62683-1
IEC 62832 (series) NOTE Approved as EN IEC 62832 (series)
IEC 62832-1:2020 NOTE Approved as EN IEC 62832-1:2020 (not modified)
IEC 62832-2:2020 NOTE Approved as EN IEC 62832-2:2020 (not modified)
IEC 62890:2020 NOTE Approved as EN IEC 62890:2020 (not modified)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62443	series	Security for industrial automation and control systems	EN IEC 62443	series

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Asset Administration Shell for industrial applications –
Part 1: Asset Administration Shell structure**

**Enveloppe de Gestion d'Actif pour applications industrielles –
Partie 1: Structure de l'Enveloppe de Gestion d'Actif**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 71.100.20

ISBN 978-2-8322-7679-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
0.1 General.....	7
0.2 Overview on parts of the series.....	7
0.3 Interoperability.....	8
0.4 Key objectives of the Asset Administration Shell.....	9
1 Scope.....	10
2 Normative references.....	10
3 Terms, definitions, abbreviated terms, and conventions.....	10
3.1 Terms and definitions.....	10
3.2 Abbreviated terms.....	15
3.3 Conventions.....	17
4 Conceptual framework.....	17
4.1 General.....	17
4.2 Asset Administration Shell and related entities.....	17
4.2.1 General.....	17
4.2.2 Detailed overview.....	18
4.2.3 Asset.....	19
4.2.4 AAS responsible.....	20
4.2.5 AAS user application.....	20
4.2.6 Asset Administration Shell.....	20
4.2.7 AAS interface.....	21
4.2.8 Submodel.....	21
4.2.9 SubmodelElement.....	22
4.2.10 Submodel template.....	22
4.2.11 Submodel template element.....	22
4.2.12 Concept repositories.....	23
4.2.13 Asset integration.....	25
4.2.14 Asset service.....	25
4.2.15 Asset related services.....	25
4.3 Life cycle aspects of assets and Asset Administration Shells.....	26
4.4 Example for an overall Asset Administration Shell scenario.....	28
5 Identifiers.....	31
5.1 Needs.....	31
5.2 Determination of identifiers.....	31
5.2.1 General.....	31
5.2.2 Globally distinct identifiers for concepts by IRDIs.....	32
5.2.3 Globally distinct identifiers by URIs.....	32
5.2.4 Local identifiers.....	32
6 Asset Administration Shell structure.....	33
6.1 General.....	33
6.2 Requirements associated to Asset Administration Shell.....	34
6.2.1 General.....	34
6.2.2 Asset Administration Shell.....	34
6.2.3 Submodel.....	35
6.2.4 SubmodelElements.....	36

6.2.5	AAS interface	40
6.3	Requirements related to data exposure and information security.....	41
6.3.1	Data exposure of Asset Administration Shell and its Submodels	41
6.3.2	Requirements related to information security of Asset Administration Shell in general	42
6.3.3	Requirements related to the IEC 62443 series	43
Annex A (informative) Relevant standards		44
A.1	Possible sources for Submodels and Submodel templates	44
A.1.1	General	44
A.1.2	Different sets of concept definitions for SubmodelElements	44
A.1.3	Existing international specifications that can be used as basis for Submodel templates	45
A.2	IEC 61360 dictionaries, classes and property types	48
A.2.1	General	48
A.2.2	Classes	49
A.2.3	Property types and instances.....	49
A.2.4	IEC Common Data Dictionary (IEC CDD).....	50
A.2.5	ECLASS	51
A.3	IEC 61987 series classes and dictionary	51
A.3.1	General	51
A.3.2	Specific classes	52
A.3.3	Dictionary	53
A.4	IEC 62683 series classes and dictionary	53
A.4.1	General	53
A.4.2	Dictionary	54
A.5	Digital Factory (IEC 62832 series)	54
A.5.1	Introduction to Digital Factory	54
A.5.2	Compatibility of the Digital Factory with the concept of Asset Administration Shell.....	57
A.6	AutomationML (IEC 62714 series).....	59
A.6.1	AutomationML overview.....	59
A.6.2	AutomationML modeling concepts.....	61
A.6.3	Interoperability of Asset Administration Shell supported by AutomationML	62
A.7	OPC UA.....	63
A.7.1	OPC UA overview	63
A.7.2	OPC UA Information Models	65
A.7.3	Relationship between AutomationML and OPC UA	66
Annex B (informative) Usage view of the Asset Administration Shell		67
Annex C (informative) Security for industrial automation and control systems		69
C.1	Security concepts from the IEC 62443 series	69
C.2	Foundational requirements.....	69
C.3	Security level	70
C.4	Measures of defence for IACS	70
Bibliography.....		71
Figure 1 – Facets of interoperability according to ISO/IEC 21823-1		8
Figure 2 – Overview of Asset Administration Shell and related entities.....		17
Figure 3 – Information exchange between AAS user applications.....		18

Figure 4 – Detailed overview of Asset Administration Shell and related entities	18
Figure 5 – Assets seen as type asset or instance asset	19
Figure 6 – Example of different Asset Administration Shells associated to the same asset.....	21
Figure 7 – Example of different kinds of concept repositories referenced by SubmodelElements	23
Figure 8 – Top level concepts and relationships of "Capability for Industry Ontology"	24
Figure 9 – Example of modelling by means of Asset Administration Shell	25
Figure 10 – Example of asset integration, asset services and asset related services	25
Figure 11 – Example of life cycle aspects of assets and Asset Administration Shells	26
Figure 12 – Example of assets in product and production system life cycles	27
Figure 13 – Example of Asset Administration Shell in product life cycle	28
Figure 14 – Illustration of an example of an overall Asset Administration Shell scenario	28
Figure 15 – Illustration of value exchange in overall scenario.....	30
Figure 16 – Different identifiers for globally distinct identifiers and local identifiers	32
Figure 17 – Example of an Asset Administration Shell demonstrating the general structure	33
Figure 18 – Illustration of different aspects of SubmodelElements.....	36
Figure 19 – Asset Administration Shells of a representative assembly of electrical axes	39
Figure 20 – AAS user application accessing AAS interfaces of Asset Administration Shells	41
Figure 21 – Asset Administration Shell security overview.....	42
Figure A.1 – Example: Representation of a class tree in IEC CDD	49
Figure A.2 – Simplified UML scheme of device, LOPs and aspects (see IEC 61987-11).....	52
Figure A.3 – Organization in blocks	54
Figure A.4 – Structured asset class in the Digital Factory (see IEC 62832 series).....	55
Figure A.5 – Description of a structured asset that is composed of several assets	56
Figure A.6 – Comparison of the approaches of the Digital Factory and Asset Administration Shell	57
Figure A.7 – Architecture of AutomationML	60
Figure A.8 – CAEX concepts.....	61
Figure A.9 – Relations between AutomationML elements	62
Figure A.10 – OPC UA specification organization.....	64
Figure A.11 – Component internal base mode.....	65
Figure B.1 – Overview of usage view of the Asset Administration Shell [7].....	67
Figure C.1 – Foundational Requirements and Security Levels applicable for an Asset	70
Table 1 – Examples for categorization of SubmodelElements	38
Table A.1 – Examples of standards providing concept repository entries which can be referenced by Submodel templates	46
Table A.2 – Examples of standards providing potential sources of Submodel templates.....	47
Table A.3 – Examples of standards providing reference models for Submodels	48
Table A.4 – Example of representation of a property type with some attributes in IEC CDD.....	50
Table A.5 – Comparison of the individual concepts of Digital Factory (IEC 62832 series) and Asset Administration Shell	58

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ASSET ADMINISTRATION SHELL FOR INDUSTRIAL APPLICATIONS –**Part 1: Asset Administration Shell structure**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63278-1 has been prepared by IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65/1012/FDIS	65/1027/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 63278 series, published under the general title *Asset Administration Shell for industrial applications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

0.1 General

The production system life cycle focuses on the design, deployment, commissioning, operation and decommissioning of an entire production facility. Product life cycle management is the process of managing the entire life cycle of a product with the information flows and controls from inception, through engineering design and manufacture, to service and end of life treatment of manufactured products. The supply chain management is the management of the flow of products and services and includes processes that transform raw materials and parts components into final products, and it involves the streamlining of business activities to maximize customer value and gain a competitive advantage in the marketplace. Each of these dimensions intersects at the vertical integration of machines, plants, and enterprise systems in the equipment hierarchy of an enterprise pyramid. The integration of manufacturing software applications along each dimension and across dimensions helps to enable advanced controls at the shop floor and optimal decision-making at the enterprise. Details of existing manufacturing standards for each of the three life cycle dimensions are provided in [1]¹.

Several integration technologies have been individually put into practical use (e.g. CAD/CAM) aiming to accelerate product innovation cycles, streamline supply chains, and increase production system flexibility through information exchange between the dimensions. Details of the integration technologies and capabilities supported by them are provided in [1].

The Asset Administration Shell (AAS) is seen as one interoperable manifestation of a digital twin in manufacturing that facilitates tighter integration within and across the three dimensions mentioned above.

This document is the first part of the series "Asset Administration Shell for industrial applications". The multiple parts of the series will detail structure, information models, definition of services and online interfaces, required security aspects and communication languages including mapping contents of OPC UA and AutomationML models to the Asset Administration Shell.

0.2 Overview on parts of the series

The current planning foresees parts covering the following topics:

- Asset Administration Shell structure (this document)
- information meta model (to allow to access standardized information)
- security provisions for Asset Administration Shells
- use cases and modelling examples
- interfaces to Asset Administration Shells
- communication language among sets of Asset Administration Shells
- specification of content of Asset Administration Shells for various domains

This part of IEC 63278 describes requirements towards the general structure, that each possible Asset Administration Shell should comply with. In a following part of the series, this structure will be developed further towards a meta-model of the Asset Administration Shell. Based on these specifications, individual Asset Administration Shells can be created. These individual Asset Administration Shells will be the actual containers of information and will provide information and services with respect to the described asset.

¹ Numbers in square brackets refer to the Bibliography.

0.3 Interoperability

The Asset Administration Shell pursues the overall purpose to support interoperability of software applications. According to ISO/IEC 21823-1, different facets for interoperability can be considered (see Figure 1).




Figure 1 – Facets of interoperability according to ISO/IEC 21823-1

Semantic interoperability considers the meaning of the data model within the context of a subject area so that it is understood by the participating software applications. The Asset Administration Shell addresses semantic interoperability by associating well-known concepts to the data, which is exchanged between the software applications.

Policy interoperability considers the compliance with the legal, organizational, and policy frameworks applicable to the participating software systems. The Asset Administration Shell addresses policy interoperability in the following way:

- The Asset Administration Shell provides uniform identity and access control management including usage restriction for information and services of assets.
- The Asset Administration Shell enables uniform structuring of information and services of assets. This allows the Asset Administration Shell to define and maintain the structure of information and services of an asset and not the individual software applications. This simplifies information management in manufacturing industries by both reducing the effort and increasing the quality of information.

Transport interoperability considers the data transfer between software applications based on an established communication infrastructure between the participating software applications. This facet is not addressed in this part of the series but will be considered in further parts of the series.

Syntactic interoperability considers the data format by which the exchanged information can be understood by the participating software applications. This facet is not addressed in this part of the series but will be considered in further parts of the series.

Behavioural interoperability considers the expected outcomes to interface operations. This facet is addressed by the Asset Administration Shell in the sense that the Asset Administration Shell provides a standardized interface to software applications. The concrete behaviour of this standardized interface will be considered in further parts of the series.

0.4 Key objectives of the Asset Administration Shell

The following statements summarize these discussions and formulate some aims for the Asset Administration Shell, helping to keep the focus:

- Asset Administration Shell aims at establishing cross-company interoperability. Assets within manufacturing are provided by many different enterprises. In order to fulfil the scenarios of today and tomorrow, information and services on assets should be interoperable.
- Asset Administration Shell is intended for non-intelligent and intelligent products. The concept of asset comprises many different entities, with or without the ability to communicate actively or being intelligent. To leverage benefits in engineering, maintenance or operation throughout all hierarchy levels, the idea of the Asset Administration Shell is suitable to be applied by all assets.
- Asset Administration Shell aims at covering the complete life cycle of products, devices, machines and facilities.
Much useful information on assets is formed in the early phase of their life cycle, such as design, engineering and marketing. To maintain economic efficiency, digitized information from these early phases should be preserved and used in later phases, such as engineering higher level structures and operating and maintaining these structures.
- Asset Administration Shell aims at enabling integrated value chains.
Assets for manufacturing lines and products are provided by many different value chain partners. To maintain economic efficiency, digitized information should be exchanged among value chain partners. This will also enable advanced production modes (see 0.1).
- Asset Administration Shell is intended to be a base for autonomous systems and artificial intelligence.
In the future, many benefits are expected from approaches such as autonomous systems and artificial intelligence. These approaches require a sound basis of information and identifiers of elements. The Asset Administration Shell provides both.

ASSET ADMINISTRATION SHELL FOR INDUSTRIAL APPLICATIONS –

Part 1: Asset Administration Shell structure

1 Scope

This part of IEC 63278 defines the structure of a standardized digital representation of an asset, called Asset Administration Shell (AAS). The Asset Administration Shell gives uniform access to information and services.

The purpose of the Asset Administration Shell is to enable two or more software applications to exchange information and to mutually use the information that has been exchanged in a trusted and secure way.

This document focuses on Asset Administration Shells representing assets of manufacturing enterprises including products produced by those enterprises and the full hierarchy of industrial equipment. It defines the related structures, information, and services.

The Asset Administration Shell applies to:

- any type of industrial process (discrete manufacturing, continuous process, batch process, hybrid production);
- any industrial sector applying industrial-process measurement, control and automation;
- the entire life cycle of assets from idea to end of life treatment;
- assets which are physical, digital, or intangible entities.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62443 (all parts), *Security for industrial automation and control systems*