

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

REDLINE VERSION

Passiva avstörningsfilter –

Del 3: Filter för vilka provning avseende säkerhet är lämplig

Passive filter units for electromagnetic interference suppression –

Part 3: Passive filter units for which safety tests are appropriate

En så kallad ”Redline version” (RLV) innehåller både standarden som fastställts som SS och en ändringsmarkerad IEC-standard. Alla tillägg och borttagningar sedan den tidigare utgåvan av IEC-standardens är markerade med färg. Med en RLV sparar du mycket tid när du ska identifiera och bedöma aktuella ändringar i standarden. SEK Svensk Elstandard kan bara ge ut RLV i de fall den finns tillgänglig från IEC.



IEC 60939-3

Edition 2.0 2024-02
REDLINE VERSION

INTERNATIONAL STANDARD



**Passive filter units for electromagnetic interference suppression –
Part 3: Passive filter units for which safety tests are appropriate**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.160

ISBN 978-2-8322-8283-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	8
1 General.....	11
1 Scope.....	11
2 Normative references	11
3 Terms and definitions	13
4 General requirements	17
4.1 Classification and usage of class X and Y capacitors	17
4.1.1 General	17
4.1.2 Class X capacitors	17
4.1.3 Class Y capacitors	18
4.2 Information to be given in a detail specification	19
4.2.1 General	19
4.2.2 Outline drawing and dimensions	20
4.2.3 Mounting	20
4.2.4 Ratings and characteristics.....	20
4.3 Marking.....	21
4.3.1 General	21
4.3.2 Coding.....	21
4.3.3 Marking details	21
4.3.4 Marking of filters.....	21
4.3.5 Marking of packaging.....	21
4.3.6 Additional marking	21
4.4 Components	22
4.5 Overcurrent protective devices.....	22
4.6 Wiring and Insulation	22
4.6.1 General	22
4.6.2 Sleeving, tubing and wire insulation	22
4.6.3 Properties of insulation material.....	22
4.7 Protective Bonding Conductors	23
4.8 Corrosion	23
5 Preferred ratings and characteristics	23
5.1 Preferred characteristics	23
5.1.1 General	23
5.1.2 Preferred climatic categories	23
5.2 Preferred values of ratings	24
5.2.1 Rated voltage (U_R).....	24
5.2.2 Rated temperature.....	24
5.2.3 Passive flammability	24
6 Test plan for safety tests	24
6.1 Structurally similar filters.....	24
6.2 Safety approval procedure	25
6.2.1 General	25
6.2.2 Sampling	25
6.2.3 Tests	25
6.3 Requalification tests.....	26
7 Test and measurement procedures.....	26

7.1	Measurement conditions	26
7.1.1	General	26
7.1.2	Standard atmospheric conditions for testing	26
7.1.3	Recovery conditions	27
7.1.4	Referee conditions.....	27
7.1.5	Reference conditions	27
7.1.6	Drying.....	27
7.2	Visual examination and check of dimensions	28
7.2.1	Visual examination	28
7.2.2	Dimensions (gauging)	28
7.2.3	Dimensions (detail).....	28
7.2.4	Creepage distances and clearances	28
7.3	Inductance measurement	32
7.3.1	General	32
7.3.2	Measuring conditions	32
7.4	Earth inductors incorporated in filters	33
7.5	Capacitance	33
7.5.1	General	33
7.5.2	Measuring conditions	33
7.6	Insertion loss	33
7.7	Insulation resistance	34
7.7.1	General	34
7.7.2	Measuring voltage	34
7.7.3	Application of measuring voltage	34
7.7.4	Mean time to measuring	35
7.7.5	Temperature correction factor.....	35
7.7.6	Information to be given in a detail specification.....	35
7.7.7	Requirements	38
7.8	Voltage proof	39
7.8.1	General	39
7.8.2	Test procedure	39
7.8.3	Applied voltage.....	39
7.8.4	Tests	40
7.8.5	Requirements	41
7.8.6	Repetition of the voltage proof test	41
7.8.7	Information to be given in a detail specification.....	41
7.8.8	Requirements	41
7.9	DC line resistance or voltage drop at rated current	41
7.9.1	General	41
7.9.2	DC line resistance	42
7.9.3	Voltage drop at rated current	42
7.10	Discharge resistance	42
7.10.1	General	42
7.10.2	Resistor Test	42
7.11	Capacitor discharge	43
7.11.1	General	43
7.11.2	Discharge measurement	43
7.12	Robustness of terminations.....	43
7.12.1	General	43

7.12.2	Test Ua1 – Tensile	43
7.12.3	Test Ub – Bending	44
7.12.4	Test Uc – Torsion	44
7.12.5	Test Ud – Torque.....	44
7.12.6	Visual examination	45
7.13	Resistance to soldering heat.....	45
7.13.1	Applicability of the test.....	45
7.13.2	Pre-measurement	45
7.13.3	Test conditions	45
7.13.4	Test severity	46
7.13.5	Intermediate inspection, measurements and requirements	46
7.14	Climatic sequence.....	46
7.14.1	General	46
7.14.2	Initial measurements	46
7.14.3	Dry heat	46
7.14.4	Damp heat, cyclic	46
7.14.5	Cold.....	47
7.14.6	Low air pressure	47
7.14.7	Damp heat, cyclic, remaining cycles	47
7.14.8	Final inspection, measurements and requirements.....	47
7.15	Damp heat, steady state	48
7.15.1	Pre-measurements	48
7.15.2	Test method	48
7.15.3	Test conditions	48
7.15.4	Final inspection, measurements and requirements.....	48
7.16	Temperature rise	48
7.16.1	General	48
7.16.2	Test method	49
7.16.3	Test description	49
7.16.4	Requirements	50
7.17	Current overload	51
7.17.1	Pre-measurements	51
7.17.2	Test method	51
7.17.3	Final inspection, measurements and requirements.....	52
7.18	Leakage current.....	52
7.19	Protective conductor resistance	52
7.20	Impulse voltage.....	52
7.20.1	General	52
7.20.2	Initial measurements	52
7.20.3	Test conditions	52
7.20.4	Requirements	53
7.21	Endurance	53
7.21.1	General	53
7.21.2	General test conditions	53
7.21.3	Test conditions – current test.....	54
7.21.4	Test conditions – voltage test, terminations/case	54
7.21.5	Test conditions – voltage test between terminations	55
7.21.6	Test conditions – combined voltage/current tests.....	55
7.21.7	Final inspection, measurements and requirements.....	55

7.22	Passive flammability	56
7.22.1	General	56
7.22.2	Test method	56
7.23	Active flammability	57
7.24	Solvent resistance of the marking	57
7.24.1	General	57
7.24.2	Test description	57
7.24.3	Requirements after test	57
8	Optional tests (for performance only)	57
8.1	Solderability	57
8.1.1	General	57
8.1.2	Test method	57
8.1.3	Test conditions	57
8.1.4	Requirements	58
8.1.5	Final measurements and requirements	58
8.2	Rapid change of temperature	58
8.2.1	Pre-measurements	58
8.2.2	Test method	58
8.2.3	Final inspection	59
8.3	Vibration	59
8.3.1	Pre-measurements	59
8.3.2	Test method	59
8.3.3	Test conditions	59
8.3.4	Intermediate inspection	59
8.3.5	Final Inspection	59
8.4	Shock	59
8.4.1	Pre-measurements	59
8.4.2	Test method	59
8.4.3	Test conditions	59
8.4.4	Final Inspection	60
8.5	Container sealing	60
8.5.1	General	60
8.5.2	Test conditions	60
8.5.3	Requirements	60
8.6	Charge and discharge	60
8.6.1	General	60
8.6.2	Test circuits and wave forms	60
8.6.3	Information given in detail specification	62
8.6.4	Initial measurements	62
8.6.5	Test conditions	63
8.6.6	Final measurements and requirements	63
8.7	Component solvent resistance	63
8.7.1	General	63
8.7.2	Initial measurements	63
8.7.3	Test description	64
8.7.4	Final measurements	64
Annex A	(informative) Calculation of leakage current	65
A.1	General	65
A.2	Calculation of leakage current for 1-line filters	65

A.3	Calculation of leakage current for 2-line filters	66
A.4	Calculation of leakage current for 3-line filters	67
A.5	Calculation of leakage current for 4-line filters	68
Annex B (normative)	Sampling plan for safety requirements only	71
Annex C (normative)	Test schedule for safety requirements only	73
Annex D (normative)	Circuit for the impulse voltage test	76
Annex E (normative)	Circuit for the endurance test	78
Annex F (normative)	Declaration of design.....	79
Annex G (informative)	Safety and performance tests qualification approval – Assessment level DZ	80
Annex P (informative)	Additional components and material standards.....	
Annex X (informative)	Cross reference for references to the previous edition of this document.....	84
Bibliography		80
Figure 1	– Asymmetrical and symmetrical test circuit	16
Figure 2	– Examples for the application of Tests A and B of Table 7	37
Figure 3	– Examples for the application of Test C of Table 7.....	38
Figure 4	– Impulse wave form	53
Figure 5	– Relay circuit	60
Figure 6	– Thyristor circuit	61
Figure 7	– Voltage and current waveforms	62
Figure A.1	– Leakage current for 1-line filters	65
Figure A.2	– Leakage current for 2-line filters	66
Figure A.3	– Leakage current for 3-line filters	67
Figure A.4	– Leakage current for 4-line filters	69
Figure D.1	– Impulse voltage test circuit	76
Figure E.1	– Endurance test circuit	78
Table 1	– Classification of Class X capacitors.....	17
Table 2	– Classification of Class Y capacitors.....	18
Table 3	– Standard atmospheric conditions.....	27
Table 4	– Creepage distances	29
Table 5	– Clearance.....	32
Table 6	– DC voltage for insulation resistance	34
Table 7	– Measuring points.....	36
Table 8	– Insulation resistance – Safety tests only.....	38
Table 9	– Insulation resistance – Safety and performance tests	39
Table 10	– Voltage proof (filter connected to mains)	40
Table 11	– Voltage proof (filter not connected to mains; e.g. DC filters)	40
Table 12	– Force for wire terminations	44
Table 13	– Torque	44
Table 14	– Number of cycles.....	47
Table 15	– Maximum temperatures	51

Table 16 – Categories of flammability	56
Table 17 – Preferred severity	60
Table 18 – Measurements and requirements after charge and discharge	63
Table B.1 – Tests concerning safety requirements only	71
Table B.2 – Lot-by-lot test – Safety tests only approval	72
Table C.1 – Test schedule for safety requirements only	73
Table D.1 – Values of C_X , C_T , R_P , R_S , C_P	76
Table D.2 – Values and tolerances of C_X , t_r , t_d	77
Table G.1 – Sampling plan – Assessment level DZ	80
Table X.1 – Reference to IEC 60939-3 for clause/subclause or annex	84
Table X.2 – Reference to IEC 60939-3 for Figures/Tables	86

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PASSIVE FILTER UNITS FOR ELECTROMAGNETIC
INTERFERENCE SUPPRESSION –****Part 3: Passive filter units for which safety tests are appropriate****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> or www.iso.org/patents. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60939-3:2015. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60939-3 has been prepared by of IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This second edition cancels and replaces the first edition published in 2015, Corrigendum 1:2016 and Corrigendum 2:2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Separated clauses for safety and performance tests;
- b) Added note for use of multiple X capacitors bridging basic insulation in 3 phase filters;
- c) Characteristics and conditions to substitute X and Y capacitors are now described in a separate Subclause 4.1;
- d) Creepage and clearance tables updated and in line with the latest editions of IEC 60938-2 and IEC 60664-1;
- e) Allowing voltage measurement for inductance measurements (7.3);
- f) Added requirements for marking depending on remaining energy after disconnection;
- g) Added content of CTL DSH 2044:2016 for temperature test of IEC filters;
- h) Added note about temperature rise required specimens for safety testing;
- i) Changed index of capacitors in Annex A to avoid confusion between index name and capacitor class;
- j) Moved tests from group 1A to 2. Now, samples in group 1A need to be submitted without potting;
- k) Revision of all parts of the document has taken place based on the ISO/IEC Directives, Part 2:2021, and harmonization with other similar kinds of documents. Annex X contains all cross-references of changes in clause/subclause numbers.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/3102/FDIS	40/3118/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60939 series, published under the general title *Passive filter units for electromagnetic interference suppression*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 3: Passive filter units for which safety tests are appropriate

~~1 General~~

~~1.1 Scope~~

This part of IEC 60939 covers passive filters used to attenuate unwanted radio-frequency signals (such as noise or interference) generated from electromagnetic sources.

Both single and multi-channel filters within one enclosure or which are built on a printed circuit board forming a compact entity are included within the scope of this document.

Filters constructed of capacitive elements where the inductance is inherent in the construction of the filter are within the scope of this document. Similarly, filters constructed of inductive elements where the capacitance is inherent in the construction of the filter are also within the scope of this document. It is up to the manufacturer to state whether a given component is to be designed as a capacitor, an inductor or a filter. Filters can include also other components such as resistors and/or varistors or similar components.

This document applies to passive filter units for electromagnetic interference suppression for which safety tests are appropriate. This implies that filters specified according to this document will either be connected to mains supplies, when compliance with the mandatory tests of Table B.1 is necessary, or used in other circuit positions where the equipment specification ~~prescribes~~ specifies that some or all of these safety tests are required.

This document applies to passive filter units, which will be connected to an AC mains or other supply (DC or AC) with a nominal voltage not exceeding 1 000 V AC, with a nominal frequency not exceeding 400 Hz, or 1 500 V DC.

NOTE For AC use, IEC 60384-14 applies to capacitors which will be connected to AC mains with a nominal frequency not exceeding 100 Hz.

This document covers appliance filters (US) but does not cover facility filters, cord-connected filters or direct plug-in filters. These other filters will be covered by another sectional specification.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~NOTE 1 These documents are referenced, in whole, in part or as alternative requirements to the requirements contained in this standard. Their use is specified, where necessary, for the application of the requirements of this standard.~~

~~NOTE 2 The list below is a summary of all standards that are referred to within this standard. Appearance of a standard in the list does not mean that the standard or parts of it are applicable. Only those parts that are specifically referenced in this standard are applicable.~~

~~IEC 60027-1, Letters symbols to be used in electrical technology – Part 1: General~~

~~IEC 60050 (all parts), International electrotechnical vocabulary~~

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60062:2016, *Marking codes for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1:2007, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:2023, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-17:2023, ~~Basic~~ *Environmental testing – procedures* – Part 2-17: Tests – Test Q: Sealing

IEC 60068-2-20:20082021, *Environmental testing – Part 2-20: Tests – Test ~~T~~ Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2021, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-45:1980, *Basic environmental testing procedures – Part 2-45: Tests – Test XA and guidance: Immersion in cleaning solvents*

IEC 60068-2-78:2012, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

~~IEC 60294, Measurement of the dimensions of a cylindrical component with axial terminations~~

IEC 60384-14:20132023, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification – Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60664-1:20072020, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 60695-11-5:2016, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60695-11-10:2013, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60938-1:20062021, *Fixed inductors for electromagnetic interference suppression – Part 1: Generic specification*

IEC 60938-2:2021, *Fixed inductors for electromagnetic interference suppression – Part 2: Sectional specification on power line chokes*

~~IEC 60939-1, Passive filter units for electromagnetic interference suppression—Part 1: Generic specification~~

IEC 60940:2015, *Guidance information on the application of capacitors, resistors, inductors and complete filter units for electromagnetic interference suppression*

~~IEC 61140, Protection against electric shock—Common aspects for installation and equipment~~

~~ISO 80000-1, Quantities and units—Part 1: General~~

CISPR 17:2011, *Methods of measurement of the suppression characteristics of passive EMC filtering devices*

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Passiva avstörningsfilter – Del 3: Filter för vilka provning avseende säkerhet är lämplig

*Passive filter units for electromagnetic interference suppression –
Part 3: Passive filter units for which safety tests are appropriate*

Som svensk standard gäller europastandarden EN IEC 60939-3:2024. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 60939-3:2024.

Nationellt förord

Europastandarden EN IEC 60939-3:2024

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60939-3, Second edition, 2024 - Passive filter units for electromagnetic interference suppression – Part 3: Passive filter units for which safety tests are appropriate**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60939-3, utg 1:2016 med eventuella tillägg, ändringar och rättelser gäller ej fr o m 2027-03-18.

ICS 31.160.00

Denna standard är fastställd av SEK Svensk Elstandard,
som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1042, 172 21 Sundbyberg
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1042
172 21 Sundbyberg
Tel 08-444 14 00
elstandard.se

English Version

Passive filter units for electromagnetic interference suppression -
Part 3: Passive filter units for which safety tests are appropriate
(IEC 60939-3:2024)

Filtres passifs d'antiparasitage - Partie 3: Filtres passifs
pour lesquels des essais de sécurité sont appropriés
(IEC 60939-3:2024)

Passive Filter für die Unterdrückung von
elektromagnetischen Störungen - Teil 3: Filter, für die
Sicherheitsprüfungen vorgeschrieben sind
(IEC 60939-3:2024)

This European Standard was approved by CENELEC on 2024-03-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 40/3102/FDIS, future edition 2 of IEC 60939-3, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60939-3:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2024-12-18
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2027-03-18

This document supersedes EN 60939-3:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60939-3:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60068-2-13 NOTE Approved as EN IEC 60068-2-13

IEC 60068-2-27 NOTE Approved as EN 60068-2-27

IEC 60085 NOTE Approved as EN 60085

IEC 60294 NOTE Approved as EN 60294

IEC 60335-1 NOTE Approved as EN IEC 60335-1

IEC 60384-9 NOTE Approved as EN 60384-9

IEC 60939-1 NOTE Approved as EN 60939-1

IEC 60947-1 NOTE Approved as EN IEC 60947-1

IEC 60990 NOTE Approved as EN 60990

IEC 61112 NOTE Approved as EN 61112

IEC 61140 NOTE Approved as EN 61140

IEC 62109-1 NOTE Approved as EN 62109-1

ISO 80000-1 NOTE Approved as EN ISO 80000-1

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60060-1	2010	High-voltage test techniques - Part 1: General definitions and test requirements	EN 60060-1	2010
IEC 60062	2016	Marking codes for resistors and capacitors	EN 60062	2016
IEC 60068-1	2013	Environmental testing - Part 1: General and guidance	EN 60068-1	2014
IEC 60068-2-1	2007	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	2007
IEC 60068-2-2	2007	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	2007
IEC 60068-2-6	2007	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-14	2023	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN IEC 60068-2-14	2023
IEC 60068-2-17	2023	Environmental testing - Part 2-17: Tests - Test Q: Sealing	EN IEC 60068-2-17	2023
IEC 60068-2-20	2021	Environmental testing - Part 2-20: Tests - Test Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads	EN IEC 60068-2-20	2021
IEC 60068-2-21	2021	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN IEC 60068-2-21	2021
IEC 60068-2-30	2005	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60068-2-45	1980	Basic environmental testing procedures - Part 2-45: Tests - Test XA and guidance: Immersion in cleaning solvents	EN 60068-2-45	1992
IEC 60068-2-78	2012	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	2013

EN IEC 60939-3:2024 (E)

IEC 60384-14	2023	Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	EN IEC 60384-14	2023
IEC 60664-1	2020	Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests	EN IEC 60664-1	2020
IEC 60695-11-5	2016	Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance	EN 60695-11-5	2017
IEC 60695-11-10	2013	Fire hazard testing - Part 11-10: Test flames - 50 W horizontal and vertical flame test methods	EN 60695-11-10	2013
IEC 60938-1	2021	Fixed inductors for electromagnetic interference suppression - Part 1: Generic specification	EN IEC 60938-1	2021
IEC 60938-2	2021	Fixed inductors for electromagnetic interference suppression - Part 2: Sectional specification on power line chokes	EN IEC 60938-2	2021
IEC 60940	2015	Guidance information on the application of capacitors, resistors, inductors and complete filter units for electromagnetic interference suppression	EN 60940	2015
CISPR 17	2011	Methods of measurement of the suppression characteristics of passive EMC filtering devices	EN 55017	2011

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Passive filter units for electromagnetic interference suppression –
Part 3: Passive filter units for which safety tests are appropriate**

**Filtres passifs d'antiparasitage –
Partie 3: Filtres passifs pour lesquels des essais de sécurité sont appropriés**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.160

ISBN 978-2-8322-8175-8

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.
--

CONTENTS

FOREWORD.....	8
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	12
4 General requirements	16
4.1 Classification and usage of class X and Y capacitors	16
4.1.1 General	16
4.1.2 Class X capacitors	16
4.1.3 Class Y capacitors	16
4.2 Information to be given in a detail specification	17
4.2.1 General	17
4.2.2 Outline drawing and dimensions	18
4.2.3 Mounting	18
4.2.4 Ratings and characteristics.....	18
4.3 Marking.....	19
4.3.1 General	19
4.3.2 Coding.....	19
4.3.3 Marking details	19
4.3.4 Marking of filters	19
4.3.5 Marking of packaging.....	19
4.3.6 Additional marking	19
4.4 Components	20
4.5 Overcurrent protective devices.....	20
4.6 Wiring and Insulation	20
4.6.1 General	20
4.6.2 Sleeving, tubing and wire insulation.....	20
4.6.3 Properties of insulation material.....	20
4.7 Protective Bonding Conductors	21
4.8 Corrosion.....	21
5 Preferred ratings and characteristics	21
5.1 Preferred characteristics	21
5.1.1 General	21
5.1.2 Preferred climatic categories	21
5.2 Preferred values of ratings	22
5.2.1 Rated voltage (U_R).....	22
5.2.2 Rated temperature.....	22
5.2.3 Passive flammability	22
6 Test plan for safety tests	22
6.1 Structurally similar filters.....	22
6.2 Safety approval procedure	23
6.2.1 General	23
6.2.2 Sampling	23
6.2.3 Tests	23
6.3 Requalification tests.....	24
7 Test and measurement procedures.....	24
7.1 Measurement conditions	24

7.1.1	General	24
7.1.2	Standard atmospheric conditions for testing	24
7.1.3	Recovery conditions	25
7.1.4	Referee conditions	25
7.1.5	Reference conditions	25
7.1.6	Drying	25
7.2	Visual examination and check of dimensions	26
7.2.1	Visual examination	26
7.2.2	Dimensions (gauging)	26
7.2.3	Dimensions (detail)	26
7.2.4	Creepage distances and clearances	26
7.3	Inductance measurement	29
7.3.1	General	29
7.3.2	Measuring conditions	29
7.4	Earth inductors incorporated in filters	29
7.5	Capacitance	29
7.5.1	General	29
7.5.2	Measuring conditions	29
7.6	Insertion loss	30
7.7	Insulation resistance	30
7.7.1	General	30
7.7.2	Measuring voltage	30
7.7.3	Application of measuring voltage	31
7.7.4	Mean time to measuring	32
7.7.5	Temperature correction factor	32
7.7.6	Information to be given in a detail specification	32
7.7.7	Requirements	34
7.8	Voltage proof	35
7.8.1	General	35
7.8.2	Test procedure	35
7.8.3	Applied voltage	35
7.8.4	Tests	36
7.8.5	Requirements	37
7.8.6	Repetition of the voltage proof test	37
7.8.7	Information to be given in a detail specification	37
7.8.8	Requirements	37
7.9	DC line resistance or voltage drop at rated current	37
7.9.1	General	37
7.9.2	DC line resistance	38
7.9.3	Voltage drop at rated current	38
7.10	Discharge resistance	38
7.10.1	General	38
7.10.2	Resistor Test	38
7.11	Capacitor discharge	39
7.11.1	General	39
7.11.2	Discharge measurement	39
7.12	Robustness of terminations	39
7.12.1	General	39
7.12.2	Test Ua1 – Tensile	39

7.12.3	Test Ub – Bending	40
7.12.4	Test Uc – Torsion	40
7.12.5	Test Ud – Torque	40
7.12.6	Visual examination	41
7.13	Resistance to soldering heat	41
7.13.1	Applicability of the test	41
7.13.2	Pre-measurement	41
7.13.3	Test conditions	41
7.13.4	Test severity	42
7.13.5	Intermediate inspection, measurements and requirements	42
7.14	Climatic sequence	42
7.14.1	General	42
7.14.2	Initial measurements	42
7.14.3	Dry heat	42
7.14.4	Damp heat, cyclic	42
7.14.5	Cold	43
7.14.6	Low air pressure	43
7.14.7	Damp heat, cyclic, remaining cycles	43
7.14.8	Final inspection, measurements and requirements	43
7.15	Damp heat, steady state	44
7.15.1	Pre-measurements	44
7.15.2	Test method	44
7.15.3	Test conditions	44
7.15.4	Final inspection, measurements and requirements	44
7.16	Temperature rise	44
7.16.1	General	44
7.16.2	Test method	45
7.16.3	Test description	45
7.16.4	Requirements	46
7.17	Current overload	47
7.17.1	Pre-measurements	47
7.17.2	Test method	47
7.17.3	Final inspection, measurements and requirements	48
7.18	Leakage current	48
7.19	Protective conductor resistance	48
7.20	Impulse voltage	48
7.20.1	General	48
7.20.2	Initial measurements	48
7.20.3	Test conditions	48
7.20.4	Requirements	49
7.21	Endurance	49
7.21.1	General	49
7.21.2	General test conditions	49
7.21.3	Test conditions – current test	50
7.21.4	Test conditions – voltage test, terminations/case	50
7.21.5	Test conditions – voltage test between terminations	51
7.21.6	Test conditions – combined voltage/current tests	51
7.21.7	Final inspection, measurements and requirements	51
7.22	Passive flammability	52

7.22.1	General	52
7.22.2	Test method	52
7.23	Active flammability	53
7.24	Solvent resistance of the marking	53
7.24.1	General	53
7.24.2	Test description	53
7.24.3	Requirements after test	53
8	Optional tests (for performance only)	53
8.1	Solderability	53
8.1.1	General	53
8.1.2	Test method	53
8.1.3	Test conditions	53
8.1.4	Requirements	54
8.1.5	Final measurements and requirements	54
8.2	Rapid change of temperature	54
8.2.1	Pre-measurements	54
8.2.2	Test method	54
8.2.3	Final inspection	55
8.3	Vibration	55
8.3.1	Pre-measurements	55
8.3.2	Test method	55
8.3.3	Test conditions	55
8.3.4	Intermediate inspection	55
8.3.5	Final Inspection	55
8.4	Shock	55
8.4.1	Pre-measurements	55
8.4.2	Test method	55
8.4.3	Test conditions	55
8.4.4	Final Inspection	56
8.5	Container sealing	56
8.5.1	General	56
8.5.2	Test conditions	56
8.5.3	Requirements	56
8.6	Charge and discharge	56
8.6.1	General	56
8.6.2	Test circuits and wave forms	56
8.6.3	Information given in detail specification	58
8.6.4	Initial measurements	58
8.6.5	Test conditions	59
8.6.6	Final measurements and requirements	59
8.7	Component solvent resistance	59
8.7.1	General	59
8.7.2	Initial measurements	59
8.7.3	Test description	60
8.7.4	Final measurements	60
Annex A	(informative) Calculation of leakage current	61
A.1	General	61
A.2	Calculation of leakage current for 1-line filters	61
A.3	Calculation of leakage current for 2-line filters	62

A.4	Calculation of leakage current for 3-line filters	62
A.5	Calculation of leakage current for 4-line filters	64
Annex B (normative)	Sampling plan for safety requirements only	65
Annex C (normative)	Test schedule for safety requirements only	67
Annex D (normative)	Circuit for the impulse voltage test	70
Annex E (normative)	Circuit for the endurance test	72
Annex F (normative)	Declaration of design.....	73
Annex G (informative)	Safety and performance tests qualification approval – Assessment level DZ	74
Annex X (informative)	Cross reference for references to the previous edition of this document.....	76
Bibliography		79
Figure 1	– Asymmetrical and symmetrical test circuit	15
Figure 2	– Examples for the application of Tests A and B of Table 7	33
Figure 3	– Examples for the application of Test C of Table 7.....	34
Figure 4	– Impulse wave form	49
Figure 5	– Relay circuit	56
Figure 6	– Thyristor circuit	57
Figure 7	– Voltage and current waveforms	58
Figure A.1	– Leakage current for 1-line filters	61
Figure A.2	– Leakage current for 2-line filters	62
Figure A.3	– Leakage current for 3-line filters	63
Figure A.4	– Leakage current for 4-line filters	64
Figure D.1	– Impulse voltage test circuit	70
Figure E.1	– Endurance test circuit	72
Table 1	– Classification of Class X capacitors.....	16
Table 2	– Classification of Class Y capacitors.....	17
Table 3	– Standard atmospheric conditions.....	25
Table 4	– Creepage distances	28
Table 5	– Clearance.....	28
Table 6	– DC voltage for insulation resistance	31
Table 7	– Measuring points.....	33
Table 8	– Insulation resistance – Safety tests only.....	34
Table 9	– Insulation resistance – Safety and performance tests	35
Table 10	– Voltage proof (filter connected to mains)	36
Table 11	– Voltage proof (filter not connected to mains; e.g. DC filters)	36
Table 12	– Force for wire terminations	40
Table 13	– Torque	40
Table 14	– Number of cycles.....	43
Table 15	– Maximum temperatures	47
Table 16	– Categories of flammability	52
Table 17	– Preferred severity.....	56

Table 18 – Measurements and requirements after charge and discharge	59
Table B.1 – Tests concerning safety requirements only	65
Table B.2 – Lot-by-lot test – Safety tests only approval	66
Table C.1 – Test schedule for safety requirements only	67
Table D.1 – Values of C_X , C_T , R_P , R_S , C_P	70
Table D.2 – Values and tolerances of C_X , t_r , t_d	71
Table G.1 – Sampling plan – Assessment level DZ	74
Table X.1 – Reference to IEC 60939-3 for clause/subclause or annex	76
Table X.2 – Reference to IEC 60939-3 for Figures/Tables	78

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PASSIVE FILTER UNITS FOR ELECTROMAGNETIC
INTERFERENCE SUPPRESSION –****Part 3: Passive filter units for which safety tests are appropriate****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> or www.iso.org/patents. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60939-3 has been prepared by of IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This second edition cancels and replaces the first edition published in 2015, Corrigendum 1:2016 and Corrigendum 2:2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Separated clauses for safety and performance tests;
- b) Added note for use of multiple X capacitors bridging basic insulation in 3 phase filters;
- c) Characteristics and conditions to substitute X and Y capacitors are now described in a separate Subclause 4.1;

- d) Creepage and clearance tables updated and in line with the latest editions of IEC 60938-2 and IEC 60664-1;
- e) Allowing voltage measurement for inductance measurements (7.3);
- f) Added requirements for marking depending on remaining energy after disconnection;
- g) Added content of CTL DSH 2044:2016 for temperature test of IEC filters;
- h) Added note about temperature rise required specimens for safety testing;
- i) Changed index of capacitors in Annex A to avoid confusion between index name and capacitor class;
- j) Moved tests from group 1A to 2. Now, samples in group 1A need to be submitted without potting;
- k) Revision of all parts of the document has taken place based on the ISO/IEC Directives, Part 2:2021, and harmonization with other similar kinds of documents. Annex X contains all cross-references of changes in clause/subclause numbers.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/3102/FDIS	40/3118/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60939 series, published under the general title *Passive filter units for electromagnetic interference suppression*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 3: Passive filter units for which safety tests are appropriate

1 Scope

This part of IEC 60939 covers passive filters used to attenuate unwanted radio-frequency signals (such as noise or interference) generated from electromagnetic sources.

Both single and multi-channel filters within one enclosure or which are built on a printed circuit board forming a compact entity are included within the scope of this document.

Filters constructed of capacitive elements where the inductance is inherent in the construction of the filter are within the scope of this document. Similarly, filters constructed of inductive elements where the capacitance is inherent in the construction of the filter are also within the scope of this document. It is up to the manufacturer to state whether a given component is to be designed as a capacitor, an inductor or a filter. Filters can include also other components such as resistors and/or varistors or similar components.

This document applies to passive filter units for electromagnetic interference suppression for which safety tests are appropriate. This implies that filters specified according to this document will either be connected to mains supplies, when compliance with the mandatory tests of Table B.1 is necessary, or used in other circuit positions where the equipment specification specifies that some or all of these safety tests are required.

This document applies to passive filter units, which will be connected to an AC mains or other supply (DC or AC) with a nominal voltage not exceeding 1 000 V AC, with a nominal frequency not exceeding 400 Hz, or 1 500 V DC.

NOTE For AC use, IEC 60384-14 applies to capacitors which will be connected to AC mains with a nominal frequency not exceeding 100 Hz.

This document covers appliance filters (US) but does not cover facility filters, cord-connected filters or direct plug-in filters. These other filters will be covered by another sectional specification.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60062:2016, *Marking codes for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1:2007, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:2023, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-17:2023, *Environmental testing – Part 2-17: Tests – Test Q: Sealing*

IEC 60068-2-20:2021, *Environmental testing – Part 2-20: Tests – Test Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2021, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-45:1980, *Basic environmental testing procedures – Part 2-45: Tests – Test XA and guidance: Immersion in cleaning solvents*

IEC 60068-2-78:2012, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60384-14:2023, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification – Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 60695-11-5:2016, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60695-11-10:2013, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60938-1:2021, *Fixed inductors for electromagnetic interference suppression – Part 1: Generic specification*

IEC 60938-2:2021, *Fixed inductors for electromagnetic interference suppression – Part 2: Sectional specification on power line chokes*

IEC 60940:2015, *Guidance information on the application of capacitors, resistors, inductors and complete filter units for electromagnetic interference suppression*

CISPR 17:2011, *Methods of measurement of the suppression characteristics of passive EMC filtering devices*