

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Sakernas internet (IoT) – Funktionell arkitektur för interoperabilitet för resursidentifierare

Internet of Things (IoT) –

Functional architecture for resource identifier interoperability

Denna svenska standard innehåller den engelska texten i nedan angiven IEC-publikation, utarbetad inom International Electrotechnical Commission, IEC:

- **ISO/IEC 30181, First edition, 2024 - Internet of Things (IoT) – Functional architecture for resource identifier interoperability**

ICS 35.020.00

Denna standard är fastställd av SEK Svensk Elstandard,
som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1042, 172 21 Sundbyberg
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1042
172 21 Sundbyberg
Tel 08-444 14 00
elstandard.se



ISO/IEC 30181

Edition 1.0 2024-11

INTERNATIONAL STANDARD



Internet of Things (IoT) – Functional architecture for resource identifier interoperability

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.020

ISBN 978-2-8327-0065-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Abbreviated terms	9
5 IoT resource name system.....	10
5.1 Requirements for the interoperability of the resource ID in an IoT platform	10
5.1.1 General	10
5.1.2 Uniqueness	10
5.1.3 Equality	11
5.1.4 Persistency.....	11
5.1.5 Scalability.....	11
5.1.6 Security	11
5.2 IoT RNS architecture	11
5.2.1 Assumption.....	11
5.2.2 Architecture	12
5.2.3 Metamodel.....	14
5.2.4 Sequence and algorithms	15
Annex A (informative) Resource identifier format of various IoT platforms.....	18
A.1 Overview.....	18
A.2 oneM2M.....	18
A.3 GS1 OIiot.....	20
A.4 IBM Watson IoT	21
A.5 OCF IoTivity.....	22
A.6 FIWARE.....	22
A.7 Identification Link.....	23
Annex B (informative) Resource interoperability scenario and implementation examples between heterogeneous IoT platforms in a smart city	24
B.1 Overview.....	24
B.2 Resource registration and deletion.....	25
B.3 Discovery service and path conversion	26
B.4 Resource request.....	29
Bibliography.....	30
Figure 1 – The IoT metamodel	10
Figure 2 – Overview of system structure and components.....	13
Figure 3 – The IoT RNS architecture.....	14
Figure 4 – The metamodel of IoT RNS	15
Figure 5 – Resource registration and deletion of IoT RNS.....	16
Figure 6 – Discovery service and path conversion in the local IoT RNS	16
Figure A.1 – International OID tree	19
Figure A.2 – oneM2M standard object identifiers.....	19
Figure A.3 – oneM2M resource structure	20
Figure A.4 – GS1 ID key value	21

Figure A.5 – FIWARE IoT device management architecture based on IoT agents	22
Figure A.6 – Example of Identification Link with QR-Code in Identification Link frame	23
Figure A.7 – Example of RFID emblem with Identification Link frame	23
Figure B.1 – IoT RNS interoperability scenario in a smart city	24
Figure B.2 – Scenario-based sequence diagram that converts the resource path among heterogeneous IoT platforms	25
Figure B.3 – Resource registration example of IoT RNS	26
Figure B.4 – Resource deletion example of IoT RNS	26
Figure B.5 – Discovery service example of IoT RNS	27
Figure B.6 – Path conversion example in the local IoT RNS: phases 1 and 2	27
Figure B.7 – Path conversion example in the local IoT RNS: phases 3 and 4	27
Figure B.8 – Results of path conversion in each local IoT RNS	28
Figure B.9 – Resource request example of IoT RNS	29
Table A.1 – Comparison of five IoT platforms' resource ID formats	18
Table A.2 – GS1 identification key type	20
Table A.3 – Type of Watson IoT client ID	21
Table A.4 – Request identifier parameter	21
Table B.1 – Mapping table example of IoT RNS	28

INTERNET OF THINGS (IoT) – FUNCTIONAL ARCHITECTURE FOR RESOURCE IDENTIFIER INTEROPERABILITY

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> and www.iso.org/patents. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 30181 has been prepared by subcommittee 41: Internet of Things and Digital Twin, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC41/458/FDIS	JTC1-SC41/471/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, and the ISO/IEC Directives, JTC 1 Supplement available at www.iec.ch/members_experts/refdocs and www.iso.org/directives.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Internet of Things (IoT) is defined as an infrastructure of interconnected entities, people, systems and information resources together with services which processes and reacts to information from the physical world and virtual world. IoT has attracted significant social attention globally and is expanding in various fields such as smart homes, healthcare, smart cities, logistics, smart cars, etc. In particular, IoT platforms are essential because they connect various devices (e.g. sensors, access points, and data networks) and provide services to the user. Heterogeneous IoT platforms refer to IoT platforms developed based on different standards such as various data models, policies, vendors, interfaces, and specifications. Therefore, interoperability, such as requesting services and sharing resources among heterogeneous IoT platforms, is important, and it is essential for a real IoT system.

IoT platform has many challenges to interoperability, such as support for diverse protocols, discovery service, well-defined semantic management, and processing of data formats in heterogeneous IoT platforms. However, current diverse IoT platforms and related standards make it difficult to achieve interoperability and collaboration between heterogeneous IoT platforms. Especially regarding resource interoperability issues, each IoT platform has been developed using a specific and unique resource identifier, including a different type of resource-request format, so it is difficult to identify resources among heterogeneous IoT platforms. Furthermore, the existing approaches mainly focus on integrating and managing each IoT platform's ontology and a method of duplicating resources for the target IoT platforms. It makes it a burden for the developer to construct specific ontologies for the diverse IoT platforms.

This document provides a functional architecture for resource identifier (ID) interoperability, which converts the format of a resource identifier among heterogeneous IoT platforms. This document concentrates on converting resource paths (e.g. uniform resource identifier (URI)) used in a specific IoT platform to the target IoT platform. In addition, this document provides an IoT resource name system (RNS) architecture based on the comparative analysis of heterogeneous IoT platforms and a smart city scenario, including resource registration, resource deletion, sharing mapping tables, and resource path conversion. To ensure the user can use heterogeneous IoT resources, IoT RNS analyses and converts identifier into desired resource-request formats, including reconfiguring resource requests between heterogeneous IoT platforms as appropriate for the user-requested resources.

This document has the ISO/IEC 30141 [1]¹ IoT reference architecture as a reference to consider interoperability among heterogeneous components and systems. In addition, this document has IEC 61406-2 [2] as a reference to specify minimum requirements for a globally unique identification of resources which constitutes a link to its related digital information. Furthermore, the IoT RNS in this document can be modularized in middleware as edge computing in the IoT system. Therefore, this document has as a reference ISO/IEC TR 30164 [3], which describes the general concepts, terms, characteristics, use cases, and techniques (e.g. data management, coordination, processing, network functionality, heterogeneous computing, security, hardware and software optimization) of edge computing for IoT system applications.

¹ Numbers in square brackets refer to the Bibliography.

INTERNET OF THINGS (IoT) – FUNCTIONAL ARCHITECTURE FOR RESOURCE IDENTIFIER INTEROPERABILITY

1 Scope

This document specifies functional requirements and architecture about the following items for resource interoperability among heterogeneous IoT platforms through the conversion of resource identifiers (IDs) and paths (e.g. uniform resource identifier (URI)):

- requirements for interoperability of resource IDs in the heterogeneous IoT platforms;
- functional architecture for converting IDs and paths of resources on heterogeneous IoT platforms; and,
- functional architecture for mapping and managing resource IDs among heterogeneous IoT platforms.

2 Normative references

There are no normative references in this document.