

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Kopplingsapparater för högst 1000 V – Del 5-1: Manöverkretsapparater och kopplingselement – Elektromekaniska manöverkretsapparater

*Low-voltage switchgear and controlgear –
Part 5-1: Control circuit devices and switching elements –
Electromechanical control circuit devices*

Som svensk standard gäller europastandarden EN IEC 60947-5-1:2025. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 60947-5-1:2025.

Nationellt förord

Europastandarden EN IEC 60947-5-1:2025

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60947-5-1, Fifth edition, 2024 - Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60947-5-1, utg 4:2018 med eventuella tillägg, ändringar och rättelser gäller ej fr o m 2028-04-30.

ICS 29.120.40; 29.130.20

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1042, 172 21 Sundbyberg
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1042
172 21 Sundbyberg
Tel 08-444 14 00
elstandard.se

EUROPEAN STANDARD

EN IEC 60947-5-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2025

ICS 29.120.40; 29.130.20

Supersedes EN 60947-5-1:2017; EN 60947-5-1:2017/AC:2020-05

English Version

**Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices
(IEC 60947-5-1:2024)**

Appareillage à basse tension - Partie 5-1: Appareils et éléments de commutation pour circuits de commande - Appareils électromécaniques pour circuits de commande
(IEC 60947-5-1:2024)

Niederspannungsschaltgeräte - Teil 5-1: Steuergeräte und Schaltelemente - Elektromechanische Steuergeräte
(IEC 60947-5-1:2024)

This European Standard was approved by CENELEC on 2025-02-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2025 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 60947-5-1:2025 E

SEK Svensk Elstandard

SS-EN IEC 60947-5-1, utg 5:2025

European foreword

The text of document 121A/585/FDIS, future edition 5 of IEC 60947-5-1, prepared by SC 121A "Low-voltage switchgear and controlgear" of IEC/TC 121 "Switchgear and controlgear and their assemblies for low voltage" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60947-5-1:2025.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2026-04-30
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2028-04-30

This document supersedes EN 60947-5-1:2017 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request addressed to CENELEC by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZZ, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60947-5-1:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60068-2-75:2014	NOTE	Approved as EN 60068-2-75:2014 (not modified)
IEC 60073:2002	NOTE	Approved as EN 60073:2002 (not modified)
IEC 60079 (series)	NOTE	Approved as EN IEC 60079-7 (series)
IEC 60255 (series)	NOTE	Approved as EN 60255 (series)
IEC 60947-5-3:2013	NOTE	Approved as EN 60947-5-3:2013 (not modified)
IEC 60947-5-4:2002	NOTE	Approved as EN 60947-5-4:2003 (not modified)
IEC 61000 (series)	NOTE	Approved as EN IEC 61000 (series)
IEC 61810 (series)	NOTE	Approved as EN 61810 (series)
IEC 61672-1:2013	NOTE	Approved as EN 61672-1:2013 (not modified)

IEC 62246-1:2015	NOTE	Approved as EN 62246-1:2015 (not modified)
IEC 62246-1-1:2018	NOTE	Approved as EN IEC 62246-1-1:2018 (not modified)
IEC 62246-4:2023	NOTE	Approved as EN IEC 62246-4:2023 (not modified)
IEC 62443 (series)	NOTE	Approved as EN IEC 62443 (series)
IEC/TR 63201:2019	NOTE	Approved as CLC IEC/TR 63201:2020 (not modified)
ISO 7731:2003	NOTE	Approved as EN ISO 7731:2008 (not modified)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	2007	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-14	2023	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN IEC 60068-2-14	2023
IEC 60068-2-27	2008	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	2009
IEC 60068-2-30	2005	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60068-2-78	2012	Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state	EN 60068-2-78	2013
IEC 60695-2-10	2021	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN IEC 60695-2-10	2021
			+ AC	2024
IEC 60695-2-11	2021	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products (GWEPT)	EN IEC 60695-2-11	2021
IEC 60695-2-12	2021	Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials	EN IEC 60695-2-12	2021
IEC 60730-1	2022	Automatic electrical controls - Part 1: General requirements	EN 60730-1	2016
			+ A1	2019
			+ A2	2022

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60947-1	2020	Low-voltage switchgear and controlgear - Part 1: General rules	EN IEC 60947-1	2021
			+ AC	2023
			+ AC	2024
IEC 60947-4-1	2018	Low-voltage switchgear and controlgear - Part 4-1: Contactors and motor-starters - Electromechanical contactors and motor-starters	EN IEC 60947-4-1	2019
			+ AC	2020
			+ AC	2021
IEC 60947-5-2	2019	Low-voltage switchgear and controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches	EN IEC 60947-5-2	2020
IEC 60947-5-5	1997	Low-voltage switchgear and controlgear -- Part 5-5: Control circuit devices and switching elements - Electrical emergency stop device with mechanical latching function	EN 60947-5-5	1997
+ A1	2005		+ A1	2005
-	-		+ A11	2013
+ A2	2016		+ A2	2017
IEC 60999-1	1999	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units -- Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm ² up to 35 mm ² (included)	EN 60999-1	2000
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) -- Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3	2020	Electromagnetic compatibility (EMC) -- Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN IEC 61000-4-3	2020
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) -- Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
+ A1	2017		+ A1	2017
IEC 61000-4-6	2023	Electromagnetic compatibility (EMC) -- Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN IEC 61000-4-6	2023
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) -- Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	2010

EN IEC 60947-5-1:2025 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61000-4-11	2020	Electromagnetic compatibility (EMC) -- Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN IEC 61000-4-11	2020
			+ AC	2020
			+ AC	2022
IEC 61131-9	2022	Programmable controllers - Part 9: Single-drop digital communication interface for small sensors and actuators (SDCI)	EN IEC 61131-9	2022
IEC 61140	2016	Protection against electric shock - Common aspects for installation and equipment	EN 61140	2016
IEC 62262	2002	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)	EN 62262	2002
			+ A1	2021
IEC 62471	2006	Photobiological safety of lamps and lamp systems	EN 62471	2008
CISPR 11 (mod)	2015	Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement	EN 55011	2016
+ A1	2016		+ A1	2017
-	-		+ A11	2020
+ A2	2019		+ A2	2021
CISPR 32	2015	Electromagnetic compatibility of multimedia equipment - Emission requirements	EN 55032	2015
			+ AC	2016
+ A1	2019		+ A1	2020
-	-		+ A11	2020
ISO 2859-1	1999	Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection	-	-
ISO 14159	2002	Safety of machinery – Hygiene requirements for the design of machinery	EN ISO 14159	2008

Annex ZZ (informative)

Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered

This European standard has been prepared under a Commission's standardisation request relating to harmonised standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZ.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

Table ZZ.1 — Correspondence between this European standard and Annex I of Directive 2014/35/EU [2014 OJ L96]

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks / Notes
(1)(a)	6.1 d) to w), 6.2, 6.3, 8.1, Annex D, Annex F, Annex H, Annex J, Annex K, Annex L, Annex M, Annex N	
(1)(b)	6.1 d) to w), 6.3, 6.5, Clause 7, 8.1, 8.2, 9.1, 9.2, 9.3, Annex C, Annex D, Annex F, Annex J	
(1)(c)	6.1 d) to w), 6.2, 6.3, 6.5 <i>See also references given in (2)(a) to (2)(d) and (3)(a) to (3)(c) in this Table.</i>	
(2)(a)	6.1 d) to v), 6.3, 6.5, 8.1, 8.2, 9.2, 9.3, Annex D, Annex F	
(2)(b)	8.1, 8.2, 9.2, 9.3, Annex G, Annex H, Annex J	
(2)(c)	6.1 w), 6.3, 6.5, 8.1, 8.2, 9.1, 9.2, 9.3, Annex C, Annex D, Annex J, Annex N	
(2)(d)	6.1 i), j), 6.3, 6.5, Clause 7, 8.1, 8.2, 8.4, 9.2, 9.3, Annex D, Annex F, Annex J	
(3)(a)	6.1 g), m), 6.3, 6.5, Clause 7, 8.1, 8.2, 8.4, 9.1, 9.2, 9.3, Annex C, Annex D, Annex F, Annex G, Annex J	
(3)(b)	6.1 m), n), 6.3, 6.5, Clause 7, 8.1, 8.2, 8.3, 9.3, 9.4, Annex D, Annex F, Annex N, Annex K	

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks / Notes
(3)(c)	6.1 e), o), p), 6.3, 6.5, 8.1, 8.2, 9.2, 9.3, Annex D, Annex H, Annex J, Annex K, Annex N	

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Low-voltage switchgear and controlgear –
Part 5-1: Control circuit devices and switching elements – Electromechanical
control circuit devices**

**Appareillage à basse tension –
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –
Appareils électromécaniques pour circuits de commande**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.40, 29.130.20

ISBN 978-2-8322-8326-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	9
1 Scope.....	11
2 Normative references	12
3 Terms, definitions, symbols and abbreviated terms.....	14
3.1 Terms and definitions.....	14
3.1.1 General	14
3.1.2 Basic terms and definitions.....	14
3.1.3 Terms and definitions concerning automatic control switches	16
3.1.4 Terms and definitions concerning manually operated control switches	16
3.1.5 Terms and definitions concerning parts of control switches.....	18
3.1.6 Terms and definitions concerning operation of contactor relays	21
3.1.7 Terms and definitions concerning operation of pilot switches	21
3.1.8 Terms and definitions concerning operation of rotary switches.....	22
3.1.9 Terms and definitions concerning operation of mechanically operated control switches	22
3.1.10 Terms and definitions concerning reed contact magnetic switches.....	25
3.1.11 Terms and definitions concerning Class II control circuit devices	26
3.1.12 Terms and definitions concerning control circuit devices with integrally connected cables.....	26
3.1.13 Terms and definitions concerning semiconductor switching elements	27
3.1.14 Terms and definitions concerning indicator lights, indicating towers and audible signalling devices	27
3.1.15 Terms and definitions concerning control switches with direct opening action	28
3.1.16 Terms and definitions concerning digital communication interface	28
3.1.17 Alphabetical index of definitions.....	29
3.2 Symbols and abbreviated terms	33
4 Classification.....	33
4.1 Contact elements	33
4.2 Control switches	35
4.3 Control circuit devices.....	35
4.4 Time delay switching elements.....	35
4.5 Control switch mounting.....	35
5 Characteristics	35
5.1 Summary of characteristics	35
5.1.1 General	35
5.1.2 Operation of a control switch	35
5.2 Type of control circuit device or switching element.....	36
5.2.1 Kind of control circuit device	36
5.2.2 Kind of switching elements	36
5.2.3 Number of poles	36
5.2.4 Kind of current.....	36
5.2.5 Interrupting medium.....	36
5.2.6 Operating conditions.....	37
5.3 Rated and limiting values for switching elements	37
5.3.1 General	37
5.3.2 Rated voltages (of a switching element).....	37

5.3.3	Currents	37
5.3.4	Rated frequency	38
5.3.5	Vacant	38
5.3.6	Characteristics under normal and abnormal load conditions	38
5.3.7	Short-circuit characteristics – Rated conditional short-circuit current	40
5.4	Utilization categories for switching elements	40
5.5	Control circuits	40
5.6	Vacant	41
5.7	Vacant	41
5.8	Vacant	41
5.9	Vacant	41
5.10	Electrically separated contact elements	41
5.11	Actuating quantities for pilot switches	41
5.12	Pilot switches having two or more contact elements	41
6	Product information	41
6.1	Nature of information	41
6.2	Marking	43
6.2.1	General	43
6.2.2	Terminal identification and marking	43
6.2.3	Functional markings	43
6.2.4	Emergency stop	43
6.2.5	Operating diagram	43
6.2.6	Time delay markings	44
6.3	Instructions for installation, operation and maintenance, decommissioning and dismantling	45
6.4	Environmental information	45
6.4.1	Environmentally conscious design process (ECD process)	45
6.4.2	Procedure to establish material declaration	45
6.5	Additional information	45
7	Normal service, mounting and transport conditions	46
7.1	Normal service conditions	46
7.1.1	Ambient air temperature	46
7.1.2	Altitude	46
7.1.3	Atmospheric conditions	46
7.1.4	Shock and vibration	46
7.2	Conditions during transport and storage	46
7.3	Mounting	46
7.3.1	General	46
7.3.2	Mounting of single hole mounted devices	46
8	Constructional and performance requirements	48
8.1	Constructional requirements	48
8.1.1	General	48
8.1.2	Materials	48
8.1.3	Current-carrying parts and their connections	49
8.1.4	Clearances and creepage distances	49
8.1.5	Actuator	49
8.1.6	Indication of the contact position	50
8.1.7	Conditions for control switches suitable for isolation	50
8.1.8	Terminals	50

8.1.9	Vacant	50
8.1.10	Provisions for protective earthing	50
8.1.11	Enclosures for equipment	50
8.1.12	Degrees of protection of enclosed equipment	50
8.1.13	Conduit pull-out, torque and bending with metallic conduits	50
8.1.14	Requirements for control circuit devices with artificial optical radiation	50
8.1.15	Biological and chemical effects	51
8.1.16	Hygienic design	51
8.1.17	Security aspects	51
8.1.18	Limited energy source	51
8.1.19	Fault and abnormal conditions	53
8.1.20	Stored charge energy circuit	54
8.1.21	Embedded software	54
8.2	Performance requirements	54
8.2.1	Operating conditions	54
8.2.2	Temperature-rise	54
8.2.3	Dielectric properties	54
8.2.4	Ability to make and break under normal and abnormal load conditions	54
8.2.5	Conditional short-circuit current	55
8.2.6	Vacant	55
8.2.7	Additional requirements for control switches suitable for isolation	55
8.3	Electromagnetic compatibility (EMC)	55
8.3.1	General	55
8.3.2	Immunity	56
8.3.3	Emission	56
8.4	Special requirements	56
8.4.1	Additional requirements for reed contact magnetic switches	56
8.4.2	Class II control circuit devices	57
8.4.3	Additional requirements for control circuit devices with integrally connected cables	57
8.4.4	Additional requirements for semiconductor switching elements for control circuit devices	57
8.4.5	Special requirements for indicator lights, indicating towers and their optional audible functions	57
8.4.6	Special requirements for control switches with direct opening action	57
8.4.7	Special requirements for mechanically linked contact elements	57
8.4.8	Additional requirements for control circuit devices incorporating a built-in communication interface (SDCI)	57
9	Tests	57
9.1	Kinds of test	57
9.1.1	General	57
9.1.2	Type tests	57
9.1.3	Routine tests	58
9.1.4	Sampling tests	58
9.1.5	Special tests	58
9.2	Compliance with constructional requirements	59
9.2.1	General	59
9.2.2	Test of materials to abnormal heat and fire	59
9.2.3	Equipment	59
9.2.4	Degrees of protection	59

9.2.5	Mechanical and electrical properties of terminals	60
9.2.6	Verification of actuating force (or torque)	62
9.2.7	Verification of limitation of rotation (of a rotary switch)	62
9.2.8	Conduit pull-out test, torque test and bending test with metallic conduits	62
9.2.9	Test of earth continuity for protective earth	62
9.2.10	Limited energy source test	62
9.2.11	Breakdown of components	63
9.2.12	Artificial optical radiation test	63
9.2.13	Stored charge energy test	64
9.3	Performance	64
9.3.1	Test sequences	64
9.3.2	General test conditions	65
9.3.3	Performance under no-load, normal load and abnormal load conditions	66
9.3.4	Performance under conditional short-circuit current	70
9.4	Tests for EMC	72
9.4.1	General	72
9.4.2	Immunity	72
9.4.3	Emission	74
9.4.4	Test results and test report	75
Annex A (normative)	Electrical ratings based on utilization categories (see 4.1)	76
Annex B (informative)	Example of inductive test loads for DC contacts	78
B.1	General	78
B.2	Construction	78
Annex C (normative)	Special tests – Durability tests	80
C.1	General	80
C.1.1	Durability declaration	80
C.1.2	Test procedures	80
C.1.3	Failure criteria	80
C.2	Mechanical durability	81
C.2.1	General	81
C.2.2	Test procedures	81
C.3	Electrical durability	81
C.3.1	General	81
C.3.2	Test procedures	81
Annex D (normative)	Additional requirements for reed contact magnetic switches	84
Annex E (informative)	Items subject to agreement between manufacturer and user	87
Annex F (normative)	Class II control circuit devices – Requirements and tests	88
Annex G (normative)	Additional requirements for control circuit devices with integrally connected cables	93
Annex H (normative)	Additional requirements for semiconductor switching elements for control circuit devices	97
Annex I (informative)	103
Annex J (normative)	Special requirements for indicator lights, indicating towers and audible signalling devices	104
Annex K (normative)	Special requirements for control switches with direct opening action	110
Annex L (normative)	Special requirements for mechanically linked contact elements	115

Annex M (normative) Terminal marking, distinctive number and distinctive letter for control circuit devices	118
M.1 General.....	118
M.2 Terminal marking rule	118
M.2.1 General	118
M.2.2 Function digit.....	118
M.2.3 Sequence digit.....	118
M.2.4 Numbering method	119
M.3 Distinctive number and distinctive letter	119
M.3.1 General	119
M.3.2 Distinctive number	119
M.3.3 Distinctive letter.....	119
M.4 Terminal numbering sequence	120
M.5 Contactor relays designated by the distinctive letter E	120
M.6 Contactor relays designated by distinctive letters X, Y or Z.....	122
M.6.1 Contactor relays designated by the distinctive letter Z	122
M.6.2 Contactor relays designated by the distinctive letter X.....	122
M.6.3 Contactor relays designated by the distinctive letter Y	122
Annex N (normative) Procedure to determine reliability data for electromechanical devices in control circuits used in functional safety applications.....	123
N.1 General.....	123
N.1.1 Overview	123
N.1.2 Object.....	123
N.1.3 General requirements	123
N.2 Terms, definitions and symbols	123
N.3 Method based on durability test results	123
N.3.1 General method.....	123
N.3.2 Test requirements.....	123
N.3.3 Number of samples.....	124
N.3.4 Characterization of a failure mode	124
N.3.5 Weibull modelling	124
N.3.6 Useful life and upper limit of failure rate.....	124
N.3.7 Reliability data.....	124
N.4 Data information	124
N.5 Example.....	124
Annex O (normative) Additional requirements for control circuit devices incorporating a built-in communication interface complying with IEC 61131-9	125
Bibliography.....	127
Figure 1 – Operation of push-buttons	23
Figure 2 – Difference e between the over-travel of the actuator and that of the contact element.....	23
Figure 3 – Examples of contact elements (schematic sketches)	34
Figure 4 – Examples of the recommended method for drawing an operating diagram of a rotary switch	44
Figure 5 – Mounting hole diameter and dimensions of the key recess (if any)	47
Figure 6 – Voltage drop measurement at contact point of the clamping unit or terminal.....	61
Figure 7 – Test circuits for multi-pole control switches – Contacts of same polarity, not electrically separated	68

Figure 8 – Test circuits for multi-pole control switches – Electrically separated	68
Figure 9 – Load L_d details for test conditions requiring different values of make and break current and/or power factor (time constant)	69
Figure 10 – Current/time limits for DC test loads	69
Figure 11 – Test circuit, conditional short-circuit current	71
Figure B.1 – Construction of load for DC contacts	79
Figure C.1 – Normal circuit (see C.3.2.2)	83
Figure C.2 – Simplified circuit (see C.3.2.2)	83
Figure F.1 – Device insulated by encapsulation	88
Figure F.2 – Device insulated by double and reinforced insulation	89
Figure F.3 – Test apparatus	91
Figure H.1 – Relationship between U_e and U_B	98
Figure H.2 – Example of test circuit for the verification of voltage drop, minimum operational current and OFF-state current	100
Figure H.3 – Short-circuit testing	101
Figure J.1 – Mounting dimensions for indicating tower socket	105
Figure J.2 – Mounting dimensions for temperature-rise tests	107
Figure K.1 – Verification of robustness of the actuating system	114
Figure L.1 – Example of representation of NO and NC contacts which are mechanically linked and NC non-linked contact	116
Figure L.2 – Symbol for device containing mechanically linked contacts	116
Table 1 – Utilization categories for switching elements	36
Table 2 – Verification of making and breaking capacities of switching elements under normal load conditions corresponding to the utilization categories	39
Table 3 – Verification of making and breaking capacities of switching elements under abnormal conditions corresponding to the utilization categories	40
Table 4 – Mounting hole diameter and dimensions of the key recess (if any)	47
Table 5 – Preferred minimum distances between centres of mounting holes	47
Table 6 – Test conditions for glow-wire test	49
Table 7 – Limits for limited energy sources without an overcurrent protective device	52
Table 8 – Limits for limited energy sources with an overcurrent protective device	52
Table 9 – Limits for limited energy source with limited current impedance	53
Table 10 – Acceptance criteria	56
Table 11 – Test values for electrical performance and ageing test of screwless-type clamping units	61
Table 12 – Immunity tests	73
Table A.1 – Examples of contact rating designation based on utilization categories	76
Table A.2 – Examples of semiconductors switching element ratings for 50 Hz and/or 60 Hz	77
Table A.3 – Examples of semiconductors switching element ratings for direct current	77
Table B.1 – DC loads	79
Table C.1 – Making and breaking conditions for electrical durability	82
Table F.1 – Acceptance criteria for Annex F	90
Table G.1 – Material characteristics (informative)	94

Table G.2 – Examples of standard cable types (informative)	95
Table G.3 – Tensile forces	95
Table M.1 – Diagrams of control switches	120
Table M.2 – Diagrams of contactor relays designated by the distinctive letter E	121
Table M.3 – Diagrams of contactor relays designated by the distinctive letter Y	122

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –**Part 5-1: Control circuit devices and switching elements –
Electromechanical control circuit devices**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60947-5-1 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of the scope structure and exclusions;
- b) requirements for control circuits;
- c) update of the normal service conditions (e.g. shock and vibration);
- d) update of information and marking requirements including environmental information requirements referencing IEC TS 63058:2021;

- e) update of the constructional requirements and the corresponding tests considering safety aspects (e.g. artificial optical radiation, security aspects, limited energy source, stored charge energy circuit);
- f) update of the EMC requirements according to the generic documents;
- g) new requirements for reed contact magnetic switches in Annex D;
- h) requirements for class II circuit devices achieved by double or reinforced insulation in Annex F;
- i) update of pull-out tests in Annex G;
- j) information requirements for audible signalling device in Annex J;
- k) insertion of new Annex O.

The text of this International Standard is based on the following documents:

Draft	Report on voting
121A/585/FDIS	121A/598/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This International Standard should be used in conjunction with IEC 60947-1.

The provisions of the general rules, IEC 60947-1, are applicable to this document, where specifically called for. General rules, clauses and subclauses thus applicable, as well as tables, figures and annexes are identified by a reference to IEC 60947-1, for example 1.2.3, Table 4 or Annex A of IEC 60947-1:2020.

The following differing practices of a less permanent nature exist in the countries indicated below.

- 8.2.4.1: Making and breaking capacities (United States of America and Canada).
- 9.3.3.5.2: Test circuits and connections (United States of America and Canada).

A list of all the parts in the IEC 60947 series, under the general title *Low-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices

1 Scope

This part of IEC 60947 applies to control circuit devices and switching elements intended for controlling, signalling, interlocking, etc., of switchgear and controlgear.

It applies to control circuit devices having a rated voltage not exceeding 1 000 V AC (at a frequency not exceeding 1 000 Hz) or 600 V DC.

This document applies to specific types of control circuit devices as contained in the following non exhaustive list:

- manually operated control switches;
- electromagnetically operated control switches, either time-delayed or instantaneous;
- contactor relays;
- pilot switches;
- pressure switches;
- temperature sensitive switches (thermostats);
- programmers;
- position switches;
- control switches operated by part of a machine or mechanism;
- associated control circuit equipment, for example indicator lights;
- control circuit devices incorporating semiconductor switching elements;
- control circuit devices incorporating a built-in single drop digital communication interface.

NOTE 1 Control circuit devices and switching elements are referred to as "equipment" or "device" equally in this document.

This document also applies to specific types of control circuit switching elements associated with other devices (whose main circuits are covered by other standards) as contained in the following non exhaustive list:

- auxiliary contacts of a switching device (e.g. contactor, circuit breaker) which are not dedicated exclusively for use with the coil of that device;
- interlocking contacts of enclosure doors;
- control circuit contacts of rotary switches;
- control circuit contacts of overload relays.

This document does not apply to:

- relays covered in the IEC 60255 or IEC 61810 series;
- automatic electrical control devices for household and similar purposes;
- the use of control circuit devices and switching elements with additional measure within explosive atmospheres. These are given in the IEC 60079 series;

This document does not address specific colour requirements or actuating force values.

NOTE 2 Colour requirements can be found in IEC 60073 and also in CIE S004/E-2001.

The object of this document is to state:

- definitions;
- classification;
- characteristics;
- product information;
- normal service, mounting and transport conditions;
- constructional and performance requirements, including electromagnetic compatibility (EMC) and all related product safety measures;
- tests to verify the requirements and the rated characteristics.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:2023, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-78:2012, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60417, *Graphical symbols for use on equipment*,
available at <http://www.graphical-symbols.info/equipment>

IEC 60695-2-10:2021, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60695-2-11:2021, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-2-12:2021, *Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials*

IEC 60730-1:2022, *Automatic electrical controls – Part 1: General requirements*

IEC 60947-1:2020, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 60947-4-1:2018, *Low-voltage switchgear and controlgear – Part 4-1: Contactors and motor-starters – Electromechanical contactors and motor-starters*

IEC 60947-5-2:2019, *Low-voltage switchgear and controlgear – Part 5-2: Control circuit devices and switching elements – Proximity switches*

IEC 60947-5-5:1997, *Low-voltage switchgear and controlgear – Part 5-5: Control circuit devices and switching elements – Electrical emergency stop device with mechanical latching function*

IEC 60947-5-5:1997/AMD1:2005

IEC 60947-5-5:1997/AMD2:2016

IEC 60999-1:1999, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3:2020, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4:2012, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5:2014, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-5:2014/AMD1:2017

IEC 61000-4-6:2023, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8:2009, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-11:2020, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61131-9:2022, *Programmable controllers – Part 9: Single-drop digital communication interface for small sensors and actuators (SDCI)*

IEC 61140:2016, *Protection against electric shock – Common aspects for installation and equipment*

IEC 62262:2002, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

IEC 62471:2006, *Photobiological safety of lamps and lamp systems*

CISPR 11:2015, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR 11:2015/AMD1:2016

CISPR 11:2015/AMD2:2019

CISPR 32:2015, *Electromagnetic compatibility of multimedia equipment – Emission requirements*

CISPR 32:2015/AMD1:2019

ISO 2859-1:1999, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit AQL) for lot-by-lot inspection*

ISO 14159:2002, *Safety of machinery – Hygiene requirements for the design of machinery*