

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Vindkraftverk – Del 3-2: Havsbaserade flytande anläggningar

Wind energy generation systems –

Part 3-2: Design requirements for floating offshore wind turbines

Som svensk standard gäller europastandarden EN IEC 61400-3-2:2025. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 61400-3-2:2025.

Nationellt förord

Europastandarden EN IEC 61400-3-2:2025

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61400-3-2, First edition, 2025 - Wind energy generation systems – Part 3-2: Design requirements for floating offshore wind turbines**

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN IEC 61400-1, utg 3:2019.

ICS 27.180.00

Denna standard är fastställd av SEK Svensk Elstandard,
som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1042, 172 21 Sundbyberg
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1042
172 21 Sundbyberg
Tel 08-444 14 00
elstandard.se

ICS 27.180

English Version

**Wind energy generation systems - Part 3-2: Design
requirements for floating offshore wind turbines
(IEC 61400-3-2:2025)**

Systèmes de génération d'énergie éolienne - Partie 3-2:
Exigences de conception des éoliennes en mer flottantes
(IEC 61400-3-2:2025)

Windenergieanlagen - Teil 3-2: Auslegungsanforderungen
für schwimmende Windenergieanlagen auf offener See
(IEC 61400-3-2:2025)

This European Standard was approved by CENELEC on 2025-02-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 88/1028/FDIS, future edition 1 of IEC 61400-3-2, prepared by TC 88 "Wind energy generation systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61400-3-2:2025.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2026-02-28 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2028-02-29 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document is read in conjunction with EN IEC 61400-1.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61400-3-2:2025 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

| | | |
|---------------|------|------------------------------|
| IEC 61400-24 | NOTE | Approved as EN IEC 61400-24 |
| ISO 12944-2 | NOTE | Approved as EN ISO 12944-2 |
| ISO 12944-9 | NOTE | Approved as EN ISO 12944-9 |
| ISO 13628-5 | NOTE | Approved as EN ISO 13628-5 |
| ISO 19901-2 | NOTE | Approved as EN ISO 19901-2 |
| ISO 19901-8 | NOTE | Approved as EN ISO 19901-8 |
| ISO 19901-10 | NOTE | Approved as EN ISO 19901-10 |
| IEC 60721-3-3 | NOTE | Approved as EN IEC 60721-3-3 |
| ISO 12944-2 | NOTE | Approved as EN ISO 12944-2 |
| ISO 12944-9 | NOTE | Approved as EN ISO 12944-9 |
| ISO 19902 | NOTE | Approved as EN ISO 19902 |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|-----------------------------|-------------|---|--------------------------------|-------------|
| IEC 60721 | series | Classification of environmental | EN 60721 | series |
| IEC 61400-1 | 2019 | Wind energy generation systems - Part 1: Design requirements | EN IEC 61400-1 | 2019 |
| IEC 61400-3-1 | - | Wind energy generation systems - Part 3-1: Design requirements for fixed offshore wind turbines | EN IEC 61400-3-1 | - |
| IEC 61400-13 | - | Wind turbines - Part 13: Measurement of mechanical loads | EN 61400-13 | - |
| IEC 61400-15-1 ¹ | - | Wind energy generation systems - Part 15-1: Site suitability input conditions for wind power plants | EN IEC 61400-15-1 ² | - |
| IEC 61400-24 | - | Wind energy generation systems - Part 24: Lightning protection | EN IEC 61400-24 | - |
| ISO 2394 | - | General principles on reliability for structures | - | - |
| ISO 2533 | - | Standard Atmosphere | - | - |
| ISO 18692-1 | - | Fibre ropes for offshore stationkeeping - Part 1: General specification | - | - |
| ISO 18692-2 | - | Fibre ropes for offshore stationkeeping - Part 2: Polyester | - | - |
| ISO 18692-3 | - | Fibre ropes for offshore stationkeeping - Part 3: High modulus polyethylene (HMPE) | - | - |
| ISO 19900 | - | Petroleum and natural gas industries - General requirements for offshore structures | EN ISO 19900 | - |

¹ Under preparation. Stage at the time of publication: IEC/AFDIS 61400-15-1:2023.

² Under preparation. Stage at the time of publication: FprEN IEC 61400-15-1:2024.

EN IEC 61400-3-2:2025 (E)

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|----------------|-------------|
| ISO 19901-1 | - | Petroleum and natural gas industries - Specific requirements for offshore structures - Part 1: Metocean design and operating considerations | EN ISO 19901-1 | - |
| ISO 19901-4 | - | Petroleum and natural gas industries - Specific requirements for offshore structures - Part 4: Geotechnical and foundation design considerations | EN ISO 19901-4 | - |
| ISO 19901-6 | - | Petroleum and natural gas industries - Specific requirements for offshore structures - Part 6: Marine operations | EN ISO 19901-6 | - |
| ISO 19901-7 | - | Petroleum and natural gas industries - Specific requirements for offshore structures - Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units | EN ISO 19901-7 | - |
| ISO 19902 | - | Petroleum and natural gas industries - Fixed steel offshore structures | EN ISO 19902 | - |
| ISO 19903 | - | Petroleum and natural gas industries - Concrete offshore structures | EN ISO 19903 | - |
| ISO 19904-1 | - | Petroleum and natural gas industries - Floating offshore structures - Part 1: Ship-shaped, semi-submersible, spar and shallow-draught cylindrical structures | EN ISO 19904-1 | - |
| ISO 19906 | - | Petroleum and natural gas industries - Arctic offshore structures | EN ISO 19906 | - |
| ISO 29400 | - | Ships and marine technology - Offshore wind energy - Port and marine operations | - | - |
| IEC/TS 61400-30 | 2023 | Wind energy generation systems - Part 30: Safety of wind turbine generators - General principles for design | - | - |
| API RP 2T | - | Planning, Designing, and Constructing Tension Leg Platforms | - | - |
| IMO | - | International Code on Intact Stability | - | - |
| IMO | - | MODU CODE | - | - |



INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wind energy generation systems –
Part 3-2: Design requirements for floating offshore wind turbines**

**Systèmes de génération d'énergie éolienne –
Partie 3-2: Exigences de conception des éoliennes en mer flottantes**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.180

ISBN 978-2-8322-9825-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|---|----|
| FOREWORD..... | 8 |
| INTRODUCTION..... | 11 |
| 1 Scope..... | 12 |
| 2 Normative references | 13 |
| 3 Terms and definitions | 14 |
| 4 Symbols, units and abbreviated terms | 26 |
| 4.1 General..... | 26 |
| 4.2 Symbols and units..... | 26 |
| 4.3 Abbreviated terms..... | 27 |
| 5 Principal elements | 28 |
| 5.1 General..... | 28 |
| 5.2 Design methods | 28 |
| 5.3 Safety level for FOWT..... | 30 |
| 5.4 Safety classes for RNA and tower..... | 30 |
| 5.5 Quality assurance | 30 |
| 5.6 Rotor–nacelle assembly markings..... | 30 |
| 5.7 Support structure markings | 31 |
| 6 External conditions – definition and assessment..... | 31 |
| 6.1 General..... | 31 |
| 6.2 Wind turbine classes..... | 31 |
| 6.3 Definition of external conditions at a FOWT site..... | 32 |
| 6.3.1 General | 32 |
| 6.3.2 Wind conditions | 32 |
| 6.3.3 Marine conditions | 33 |
| 6.3.4 Electrical power network conditions | 40 |
| 6.3.5 Other environmental conditions | 40 |
| 6.4 Assessment of external conditions at a FOWT site..... | 41 |
| 6.4.1 General | 41 |
| 6.4.2 The metocean database | 41 |
| 6.4.3 Assessment of wind conditions | 42 |
| 6.4.4 Assessment of marine conditions..... | 44 |
| 6.4.5 Assessment of other environmental conditions | 48 |
| 6.4.6 Assessment of electrical network conditions | 49 |
| 6.4.7 Assessment of soil conditions..... | 49 |
| 7 Structural design | 50 |
| 7.1 General..... | 50 |
| 7.2 Design methodology | 51 |
| 7.3 Loads..... | 51 |
| 7.3.1 General | 51 |
| 7.3.2 Gravitational and inertial loads | 51 |
| 7.3.3 Aerodynamic loads | 51 |
| 7.3.4 Actuation loads..... | 51 |
| 7.3.5 Hydrodynamic loads | 52 |
| 7.3.6 Sea/lake ice loads | 52 |
| 7.3.7 Other loads..... | 52 |
| 7.4 Design situations and load cases | 53 |

| | | |
|--------|--|----|
| 7.4.1 | General | 53 |
| 7.4.2 | Power production (DLC 1.1 to 1.6)..... | 63 |
| 7.4.3 | Power production plus occurrence of fault or loss of electrical network connection (DLC 2.1 – 2.6)..... | 64 |
| 7.4.4 | Start up (DLC 3.1 to 3.3)..... | 66 |
| 7.4.5 | Normal shutdown (DLC 4.1 to 4.3)..... | 67 |
| 7.4.6 | Emergency stop (DLC 5.1)..... | 68 |
| 7.4.7 | Parked (standstill or idling) (DLC 6.1 to 6.5) | 68 |
| 7.4.8 | Parked plus fault conditions (DLC 7.1 and 7.2) | 69 |
| 7.4.9 | Transport, assembly, maintenance and repair (DLC 8.1 to 8.4)..... | 70 |
| 7.4.10 | Redundancy check and damage stability (DLC F1.1 to F2.3) | 74 |
| 7.5 | Load and load effect calculations | 75 |
| 7.5.1 | General | 75 |
| 7.5.2 | Relevance of hydrodynamic loads..... | 75 |
| 7.5.3 | Calculation of hydrodynamic loads..... | 76 |
| 7.5.4 | Calculation of sea/lake ice loads..... | 77 |
| 7.5.5 | Overall damping assessment for support structure response evaluations..... | 77 |
| 7.5.6 | Simulation requirements | 78 |
| 7.5.7 | Other requirements..... | 82 |
| 7.6 | Limit state analysis | 83 |
| 7.6.1 | Method | 83 |
| 7.6.2 | Ultimate strength analysis..... | 86 |
| 7.6.3 | Fatigue analysis | 87 |
| 7.6.4 | Serviceability analysis | 88 |
| 8 | Control system | 89 |
| 9 | Mechanical systems | 90 |
| 10 | Electrical system | 91 |
| 11 | Anchor design | 91 |
| 12 | Assembly, transport and installation | 91 |
| 12.1 | General..... | 91 |
| 12.2 | Planning | 92 |
| 12.3 | Environmental conditions | 92 |
| 12.4 | Documentation..... | 92 |
| 12.5 | Transport, receiving, handling and storage | 93 |
| 13 | Commissioning, operation and maintenance | 93 |
| 13.1 | General..... | 93 |
| 13.2 | Design requirements for safe operation, inspection and maintenance | 93 |
| 13.3 | Commissioning | 94 |
| 13.3.1 | General | 94 |
| 13.3.2 | Energization | 95 |
| 13.3.3 | Commissioning tests..... | 95 |
| 13.3.4 | Records..... | 95 |
| 13.3.5 | Post commissioning activities | 95 |
| 13.4 | Operator's instruction manual | 95 |
| 13.4.1 | General | 95 |
| 13.4.2 | Instructions for operations and maintenance record | 96 |
| 13.4.3 | Instructions for unscheduled automatic shutdown | 96 |
| 13.4.4 | Instructions for diminished reliability | 96 |

| | | |
|-----------------------|--|-----|
| 13.4.5 | Work procedures plan..... | 96 |
| 13.4.6 | Emergency procedures plan | 97 |
| 13.5 | Maintenance manual..... | 97 |
| 14 | Stationkeeping systems..... | 98 |
| 14.1 | General..... | 98 |
| 14.2 | Catenary, semi-taut or taut stationkeeping systems | 98 |
| 14.3 | Tendon systems..... | 99 |
| 14.4 | Synthetic mooring | 99 |
| 14.5 | Stationkeeping system hardware..... | 99 |
| 14.6 | Dynamic power cable..... | 99 |
| 15 | Floating stability | 100 |
| 15.1 | General..... | 100 |
| 15.2 | Intact static stability criteria | 101 |
| 15.3 | Quasi static evaluation..... | 101 |
| 15.4 | Dynamic response evaluation | 102 |
| 15.5 | Damage stability criteria | 102 |
| 16 | Materials | 103 |
| 17 | Marine support systems..... | 103 |
| 17.1 | General..... | 103 |
| 17.2 | Bilge system | 103 |
| 17.3 | Ballast system | 103 |
| Annex A (informative) | Key design parameters for a floating offshore wind turbine (FOWT) | 104 |
| A.1 | Floating offshore wind turbine (FOWT) identifiers..... | 104 |
| A.1.1 | General | 104 |
| A.1.2 | Rotor nacelle assembly (machine) parameters..... | 104 |
| A.1.3 | Support structure parameters | 105 |
| A.1.4 | Wind conditions (based on a 10-min reference period and including wind farm wake effects where relevant) | 105 |
| A.1.5 | Marine conditions (based on a 3-hour reference period where relevant) | 106 |
| A.1.6 | Electrical network conditions at turbine..... | 107 |
| A.2 | Other environmental conditions..... | 107 |
| A.3 | Limiting conditions for transport, installation and maintenance..... | 108 |
| Annex B (informative) | Guidance on calculation of hydrodynamic loads | 109 |
| B.1 | General..... | 109 |
| B.2 | Morison's equation..... | 109 |
| B.3 | Diffraction and radiation theory | 109 |
| B.4 | Slam loading | 110 |
| B.5 | Vortex-induced vibrations and motions..... | 110 |
| B.6 | Appurtenances and marine growth..... | 111 |
| B.7 | Global analysis and fatigue analysis methods | 111 |
| B.8 | Breaking wave loads..... | 112 |
| B.9 | Air gap..... | 112 |
| Annex C (informative) | Floating offshore wind turbine (FOWT) anchor design | 113 |
| Annex D (informative) | Statistical extrapolation of operational metocean parameters for ultimate strength analysis | 114 |
| D.1 | General..... | 114 |
| D.2 | Use of IFORM to determine 50-yr significant wave height conditional on mean wind speed..... | 114 |

| | | |
|-----------------------|--|-----|
| D.3 | Examples of joint distributions of V and H_S and approximations to the environmental contour | 116 |
| D.4 | Choice of sea state duration | 118 |
| D.5 | Determination of the extreme individual wave height to optionally be embedded in SSS | 119 |
| Annex E (informative) | Corrosion protection | 120 |
| E.1 | General..... | 120 |
| E.2 | The marine environment | 120 |
| E.3 | Corrosion protection considerations | 121 |
| E.4 | Corrosion protection systems – Support structures | 121 |
| E.5 | Corrosion protection in the rotor-nacelle assembly | 122 |
| Annex F (informative) | Prediction of extreme wave heights during tropical cyclones..... | 123 |
| F.1 | General..... | 123 |
| F.2 | Wind field estimation for tropical cyclones..... | 123 |
| F.3 | Wave estimation for tropical cyclones | 124 |
| Annex G (informative) | Recommendations for alignment of safety levels in tropical cyclone regions..... | 125 |
| G.1 | General..... | 125 |
| G.2 | Global robustness level criteria | 125 |
| G.3 | Design load cases..... | 125 |
| Annex H (informative) | Earthquakes..... | 127 |
| Annex I (informative) | Model tests..... | 128 |
| Annex J (informative) | Tsunamis..... | 131 |
| J.1 | General..... | 131 |
| J.2 | Numerical model of tsunami [51], [52] | 131 |
| J.3 | Evaluation of variance of water surface elevation and current velocity [5] | 134 |
| Annex K (informative) | Redundancy of stationkeeping system..... | 135 |
| Annex L (informative) | Differing limit state methods in IEC and ISO standards..... | 136 |
| Annex M (informative) | Application of load and load effect logic to floating substructure design..... | 138 |
| M.1 | General..... | 138 |
| M.2 | Typical load computation setups | 138 |
| M.3 | Applied example | 139 |
| Annex N (informative) | Guidance on simulation length and associated parameters | 140 |
| N.1 | General considerations | 140 |
| N.1.1 | General | 140 |
| N.1.2 | Initial transient time | 140 |
| N.1.3 | Low-frequency dynamics sampling | 140 |
| N.1.4 | Reference period | 140 |
| N.2 | Simulations for fatigue limit state analysis..... | 141 |
| N.2.1 | General | 141 |
| N.2.2 | Response variance and reference period..... | 141 |
| N.2.3 | Statistical convergence of damage | 141 |
| N.3 | Simulations for extreme limit state analysis..... | 141 |
| N.3.1 | General | 141 |
| N.3.2 | Characteristic extreme consistency with the reference period | 142 |
| N.3.3 | Characteristic value variability | 142 |

| | |
|---|-----|
| Annex O (informative) Estimation of wave directional spreading by long wave method / single point measurement | 143 |
| O.1 Background..... | 143 |
| O.2 Linear free-wave extraction..... | 144 |
| O.3 Second-order calculation | 144 |
| Annex P (informative) Direction spreading function | 146 |
| Annex Q (informative) Concrete structures design | 147 |
| Q.1 General..... | 147 |
| Q.2 Design load cases..... | 147 |
| Q.2.1 Limit states in reinforced concrete design | 147 |
| Q.2.2 ULS, ALS and FLS load cases..... | 148 |
| Q.2.3 SLS load cases..... | 148 |
| Q.2.4 Load factors | 148 |
| Q.3 Design criteria | 149 |
| Q.3.1 Material factors..... | 149 |
| Q.3.2 ULS, ALS, FLS verifications..... | 149 |
| Q.3.3 SLS: Watertightness verification | 150 |
| Q.3.4 SLS: Crack-opening verification..... | 150 |
| Q.3.5 SLS: Limitation of stresses | 150 |
| Annex R (informative) Relationship between peak wave period and significant wave height in the sea areas affected by swell..... | 151 |
| R.1 General..... | 151 |
| R.2 Relationship between wave height and wave period in the sea areas affected by swell | 151 |
| Annex S (informative) Application of damage stability criteria | 152 |
| S.1 Objective | 152 |
| S.2 Scenario of loss of floating stability..... | 152 |
| S.3 Flow of application of new damage stability criteria | 152 |
| S.4 Definition of target probability of failure (PS)..... | 153 |
| S.5 Definition of collision probability (P1) | 154 |
| S.6 Definition of total loss probability by ship collision (P2) | 156 |
| S.6.1 Concept of estimation of P2 and PT..... | 156 |
| S.6.2 Simplification of FEM analysis | 156 |
| S.6.3 Estimation of P2 by limit curve..... | 158 |
| S.7 Additional countermeasure to reduce P2..... | 159 |
| Bibliography..... | 160 |
| | |
| Figure 1 – Parts of a floating offshore wind turbine (FOWT)..... | 16 |
| Figure 2 – Rigid-body motion degrees of freedom of a floating substructure; <i>illustration by Alfred Hicks, National Renewable Energy Laboratory</i> | 17 |
| Figure 3 – Design process for a floating offshore wind turbine (FOWT)..... | 29 |
| Figure 4 – Definition of water levels | 38 |
| Figure 5 – Top-down view of nacelle yaw and nacelle yaw misalignment in a simulation | 62 |
| Figure 6 – The two approaches to calculate the design load effect..... | 84 |
| Figure D.1 – Example of the construction of the 50-year environmental contour for a 3-hour sea state duration | 115 |
| Figure J.1 – The calculated result of Equation (J.8) | 133 |

| | |
|--|-----|
| Figure M.1 – Example of load and load effect workflow for a hybrid "beams" and "nodes" floating substructure model setup | 139 |
| Figure O.1 – A typical 60-min (full-scale) time history spectrum with $H_s = 6,18$ m and $T_p = 10,36$ s recorded at the Ocean Engineering Wide Tank, University of Ulsan, Korea (South) | 143 |
| Figure R.1 – The relationship between significant wave height and significant wave period based on the measurement at Fukushima offshore site [2] | 151 |
| Figure S.1 – Concept flow of application of new damage stability criteria | 153 |
| Figure S.2 – Concept image of the approaching frequency | 155 |
| Figure S.3 – Concept of estimation of P2 and PT in a strict way..... | 156 |
| Figure S.4 – Concept of a limit curve | 158 |
| Figure S.5 – Concept of the probability of total loss probability by ship collision..... | 158 |
| | |
| Table 1 – Conversion between extreme wind speeds of different averaging periods..... | 42 |
| Table 2 – Design load cases | 56 |
| Table 3 – Safety factor for yield stress | 87 |
| Table G.1 – Additional load cases for tropical cyclone affected regions | 126 |
| Table L.1 – Mapping of limit states in ISO 19904-1 Table 4 and load cases from IEC 61400-3-2 | 137 |
| Table Q.1 – Partial factors γ_F for actions for different limit states | 149 |
| Table Q.2 – Material factors γ_m for different limit states and materials | 149 |
| Table Q.3 – Allowable crack-width for different exposure zones | 150 |
| Table S.1 – Annual reliability of offshore structures | 154 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND ENERGY GENERATION SYSTEMS –**Part 3-2: Design requirements for floating offshore wind turbines**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61400-3-2 has been prepared by IEC technical committee 88: Wind energy generation systems. It is an International Standard.

This first edition cancels and replaces IEC TS 61400-3-2, published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC TS 61400-3-2:

- a) The relevant contents of IEC 61400-3-1 have been migrated into IEC 61400-3-2, making IEC 61400-3-2 a self-standing document that does not have to be read directly in conjunction with IEC 61400-3-1.

- b) Several modifications have been made regarding metocean conditions in Clause 6 considering the nature of FOWT and the offshore site where FOWT will be installed, including: (1) the importance of wave directional spreading has been highlighted as it may result in larger loads for FOWT, including the addition of the new informative Annex O and Annex P and (2) the characteristic of swell has been explained, which may be relevant for some FOWT projects, including the addition of new informative Annex R regarding the characteristic of swell.
- c) Subclauses 7.1, 7.2, 7.3, 7.4 and 7.5 have been changed to include a revised DLC table and its related descriptions, including amongst others updated requirements on directionality, wave conditions, redundancy check and damage stability cases, and a robustness check case; further updates are made related to guidance and necessities provided on load calculations and simulation requirements.
- d) Subclause 7.6 has been updated with guidance on fatigue assessment along with clarifications on serviceability analysis and the applicable material for WSD; related Annex L has been updated and a new Annex M has been added for clarification of the safety factors and load and load effect approach for floating substructures.
- e) The concept of floater control system that will interact with the wind turbine controller has been introduced in Clause 8.
- f) Clause 11 has been renamed from "Foundation and substructure design" to "Anchor design" and requirements for the transient conditions have been added.
- g) A more detailed clause regarding concrete design has been added to Clause 16 together with an informative Annex Q.
- h) Clause 15 has been updated with the aim to improve ease of use, using experience from oil and gas and considering unique wind turbine characteristics; updates included guidance for TLPs, damage stability, dynamic stability, testing and the addition for Annex S regarding how to analyse collision probability.

This International Standard is to be read in conjunction with IEC 61400-1, *Wind energy generation systems – Part 1: Design requirements*.

The text of this International Standard is based on the following documents:

| Draft | Report on voting |
|--------------|------------------|
| 88/1028/FDIS | 88/1050/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This publication was drafted in accordance with the ISO/IEC Directives, Part 2, and developed in accordance with the ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61400 outlines the minimum design requirements for floating offshore wind turbines (FOWT) and is not intended for use as a complete design specification or instruction manual.

Several different parties may be responsible for undertaking the various elements of the design, manufacture, assembly, installation, erection, commissioning, operation and maintenance of a FOWT and for ensuring that the requirements of this document are met. The division of responsibility between these parties is a contractual matter and is outside the scope of this document.

Any of the requirements of this document may be altered if it can be suitably demonstrated that the safety of the system is not compromised. Compliance with this document does not relieve any person, organization, or corporation from the responsibility of observing other applicable regulations.

WIND ENERGY GENERATION SYSTEMS –

Part 3-2: Design requirements for floating offshore wind turbines

1 Scope

This part of IEC 61400 specifies requirements for assessment of the external conditions at a floating offshore wind turbine (FOWT) site and specifies essential design requirements to ensure the engineering integrity of FOWTs. Its purpose is to provide an appropriate level of protection against damage from all anticipated hazards during the planned lifetime.

This document focuses on the engineering integrity of the structural components of a FOWT but is also concerned with subsystems such as control and protection mechanisms, internal electrical systems and mechanical systems.

A wind turbine shall be considered as a FOWT if the floating substructure is subject to hydrodynamic loading and supported by buoyancy and a stationkeeping system. A FOWT encompasses five principal subsystems: the RNA, the tower, the floating substructure, the stationkeeping system and the onboard machinery, equipment and systems that are not part of the RNA.

The following types of floating substructures are explicitly considered within the context of this document:

- ship-shaped structures and barges,
- semi-submersibles (Semi),
- spar buoys (Spar),
- tension-leg platforms/buoys (TLP / TLB).

This document can be utilized for structural types other than listed above, but special consideration may be needed to support novel features to achieve the same target safety level. These other structures can have a great range of variability in geometry, materials and structural forms and, therefore, can be only partly covered by the requirements of this document. In other cases, specific requirements stated in this document can be found not to apply to all or part of a structure under design. In all the above cases, conformity with this document will require that the design is based upon its underpinning principles and achieves a level of safety equivalent, or superior, to the level implicit in it.

This document is applicable to unmanned floating structures with one single horizontal axis turbine. While generally applicable, additional considerations may be needed, e.g., for multi-turbine units on a single floating substructure, vertical-axis wind turbines, FOWTs with shared moorings, spinning spars, floating structures without a stationkeeping system, or combined wind/wave energy systems.

This document is to be used together with the appropriate IEC and ISO standards mentioned in Clause 2. In particular, this document is fully consistent with the requirements of IEC 61400-1. In the event of requirements that may conflict between this document and the normative references, the requirements stated in this document supersede those of the references.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60721 (all parts), *Classification of environmental conditions*

IEC 61400-1:2019, *Wind energy generation systems – Part 1: Design requirements*

IEC 61400-3-1, *Wind energy generation systems – Part 3-1: Design requirements for fixed offshore wind turbines*

IEC 61400-13, *Wind turbines – Part 13: Measurements of mechanical loads*

IEC 61400-15-1, *Wind energy generation systems – Part 15-1: Site suitability input conditions for wind power plants*¹

IEC 61400-24, *Wind turbines – Part 24: Lighting protection*

IEC TS 61400-30:2023, *Wind energy generation systems – Part 30: Safety of wind turbine generators – General principles for design*

ISO 2394, *General principles on reliability for structures*

ISO 2533, *Standard Atmosphere*

ISO 18692-1, *Fibre ropes for offshore stationkeeping – Part 1: General specification*

ISO 18692-2, *Fibre ropes for offshore stationkeeping – Part 2: Polyester*

ISO 18692-3, *Fibre ropes for offshore stationkeeping – Part 3: High modulus polyethylene (HMPE)*

ISO 19900, *Petroleum and natural gas industries – General requirements for offshore structures*

ISO 19901-1, *Petroleum and natural gas industries – Specific requirements for offshore structures – Part 1: Metocean design and operating conditions*

ISO 19901-4, *Petroleum and natural gas industries – Specific requirements for offshore structures – Part 4: Geotechnical and foundation design considerations*

ISO 19901-6, *Petroleum and natural gas industries – Specific requirements for offshore structures – Part 6: Marine operations*

ISO 19901-7, *Petroleum and natural gas industries – Specific requirements for offshore structures – Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units*

ISO 19902, *Petroleum and natural gas industries – Fixed steel offshore structures*

¹ Under consideration. Stage at the time of publication: IEC/AFDIS 61400-15-1:2023.

ISO 19903, *Petroleum and natural gas industries – Concrete offshore structures*

ISO 19904-1, *Petroleum and natural gas industries – Floating offshore structures – Part 1: Ship-shaped, semi-submersible, spar and shallow-draught cylindrical structures*

ISO 19906, *Petroleum and natural gas industries – Arctic offshore structures*

ISO 29400, *Ships and marine technology – Offshore wind energy – Port and marine operations*

API RP 2T, *Planning, Designing, and Constructing Tension Leg Platforms*

IMO *International Code on Intact Stability*, 2008 (2008 IS CODE), 2020 Edition

IMO *2009 MODU CODE*, 2020 Edition