

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

## Programmerbara styrsystem – Del 2: Utrustning – Fordringar och provning

*Industrial-process measurement and control –  
Programmable controllers –  
Part 2: Equipment requirements and tests*

Som svensk standard gäller europastandarden EN IEC 61131-2:2025. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 61131-2:2025.

### Nationellt förord

Europastandarden EN IEC 61131-2:2025

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61131-2, Fourth edition, 2017 - Industrial-process measurement and control - Programmable controllers - Part 2: Equipment requirements and tests**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61131-2, utg 3:2007 med eventuella tillägg, ändringar och rättelser gäller ej fr o m 2030-12-31.

---

ICS 25.040.40; 35.240.50

---

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: Box 1042, 172 21 Sundbyberg  
Telefon: 08 - 444 14 00.  
E-post: [sek@elstandard.se](mailto:sek@elstandard.se). Internet: [elstandard.se](http://elstandard.se)

---

## Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

## Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

## Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

## SEK Svensk Elstandard

Box 1042  
172 21 Sundbyberg  
Tel 08-444 14 00  
elstandard.se

English Version

**Industrial-process measurement and control - Programmable  
controllers - Part 2: Equipment requirements and tests  
(IEC 61131-2:2017)**

Mesurage et contrôle des processus industriels - Automates  
programmables - Partie 2: Exigences et essais des  
équipements  
(IEC 61131-2:2017)

Industrielle Leittechnik - Speicherprogrammierbare  
Steuerungen - Teil 2: Betriebsmittelanforderungen und  
Prüfungen  
(IEC 61131-2:2017)

This European Standard was approved by CENELEC on 2025-10-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## **European foreword**

The text of document 65B/1083/FDIS, future edition 4 of IEC 61131-2, prepared by SC 65B "Measurement and control devices" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61131-2:2025.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2026-12-31 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2030-12-31 document have to be withdrawn

This document supersedes EN 61131-2:2007 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request addressed to CENELEC by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

## **Endorsement notice**

The text of the International Standard IEC 61131-2:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60038	NOTE	Approved as EN 60038
IEC 60068-2-78	NOTE	Approved as EN IEC 60068-2-78
IEC 60721-3-0	NOTE	Approved as EN IEC 60721-3-0
IEC 60721-3-1	NOTE	Approved as EN IEC 60721-3-1
IEC 60721-3-2	NOTE	Approved as EN IEC 60721-3-2
IEC 60721-3-3	NOTE	Approved as EN IEC 60721-3-3
IEC 60721-3-7	NOTE	Approved as EN 60721-3-7
IEC 60947-5-2	NOTE	Approved as EN IEC 60947-5-2
IEC 60947-5-6	NOTE	Approved as EN 60947-5-6
IEC 61300-3-2	NOTE	Approved as EN 61300-3-2
IEC 61300-3-3	NOTE	Approved as EN 61300-3-3

IEC 61000-4-29      NOTE Approved as EN 61000-4-29  
IEC 61010-1:2010    NOTE Approved as EN 61010-1:2010 (not modified)  
CISPR 14-1          NOTE Approved as EN IEC 55014-1

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cencenelec.eu](http://www.cencenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN IEC 60068-2-14	-
IEC 60068-2-27	-	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-30	-	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	-
IEC 60068-2-31	-	Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens	EN 60068-2-31	-
IEC 60417	1973	Graphical symbols for use on equipment. Index, survey and compilation of the single sheets.	-	-
IEC 60947-5-1	2016	Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices	EN 60947-5-1	2017
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) - Part 4-3 : Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2006

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	2014
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	2010
IEC 61000-4-11	2004	Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	2004
IEC 61000-4-18	2006	Electromagnetic compatibility (EMC) - Part 4-18: Testing and measurement techniques - Damped oscillatory wave immunity test	EN 61000-4-18	2007
IEC 61000-6-1	2016	Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity standard for residential, commercial and light-industrial environments	EN IEC 61000-6-1	2019
IEC 61000-6-2	2016	Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity standard for industrial environments	EN IEC 61000-6-2	2019
IEC 61000-6-4	-	Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments	EN IEC 61000-6-4	-
IEC 61010-2-201	-	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-201: Particular requirements for control equipment	EN IEC 61010-2-201	-
IEC 61131-1	-	Programmable controllers - Part 1: General information	EN 61131-1	-
IEC 61131-3	-	Programmable controllers - Part 3: Programming languages	EN 61131-3	-
IEC 61131-9	-	Programmable controllers - Part 9: Single-drop digital communication interface for small sensors and actuators (SDCI)	EN IEC 61131-9	-
IEC/TR 61131-4	2004	Programmable controllers - Part 4: User guidelines	-	-
IEC 61158	series	Industrial communication networks - Fieldbus specifications	EN IEC 61158	series
IEC 61784	series	Industrial communication networks - Profiles	EN IEC 61784	series
ISO 7000	-	Graphical symbols for use on equipment - Registered symbols	-	-

## EN IEC 61131-2:2025 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ANSI/ISA-50.00.01	1975 -	Compatibility of Analog Signals for Electronic Industrial Process Instruments (R2012)	-	-
HCF_SPEC-13	Rev 7.5	HART (Highway Addressable Remote Transducer) Communication Protocol Specification	-	-

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Industrial-process measurement and control – Programmable controllers –  
Part 2: Equipment requirements and tests**

**Mesurage et contrôle des processus industriels – Automates programmables –  
Partie 2: Exigences et essais des équipements**

## CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references .....	12
3 Terms, definitions, abbreviated terms, acronyms, conventions and symbols .....	13
3.1 Terms and definitions.....	13
3.2 Abbreviated terms, acronyms, conventions and symbols.....	18
4 Compliance and type tests.....	19
4.1 Compliance with this standard .....	19
4.2 Type tests .....	20
4.2.1 General .....	20
4.2.2 Equipment to be tested (equipment under test/EUT).....	20
4.2.3 Special features for EMC tests .....	23
4.2.4 Withstand test conditions.....	23
4.2.5 Climatic tests.....	23
4.2.6 Functionality verification with temperature .....	23
4.2.7 Verification procedure.....	27
4.2.8 Requirements for test programmes and proper functioning verification procedures (PFVPs) to be provided by the manufacturer .....	28
4.2.9 EMC Performance criteria.....	28
4.2.10 General facility/laboratory conditions for tests .....	29
4.3 Test report.....	29
5 Normal service conditions and requirements.....	30
5.1 General.....	30
5.2 Operating conditions and requirements.....	30
5.2.1 Ambient temperature and relative humidity .....	30
5.2.2 Altitude .....	34
5.3 Mechanical operating conditions and requirements .....	35
5.3.1 General .....	35
5.3.2 Vibrations .....	35
5.3.3 Shock .....	36
5.3.4 Free falls (portable and hand-held equipment).....	36
5.4 Transport and storage conditions and requirements .....	37
5.4.1 General .....	37
5.4.2 Ambient temperature and relative humidity .....	37
5.4.3 Altitude .....	39
5.4.4 Free falls (in manufacturer's original packaging).....	39
6 Functional requirements .....	40
6.1 General.....	40
6.2 Power input ports.....	41
6.2.1 Requirements .....	41
6.2.2 Verification of power input ports (a.c. or d.c.).....	42
6.3 Memory power back-up.....	46
6.3.1 Requirements .....	46
6.3.2 Verification of memory power back-up requirements.....	46
6.4 Digital I/Os.....	48

6.4.1	General .....	48
6.4.2	Positive logic digital I/Os (sinking inputs / sourcing outputs) .....	48
6.4.3	Negative logic digital I/Os (sourcing inputs / sinking outputs) .....	48
6.4.4	Digital inputs (positive logic, current sinking) .....	49
6.4.5	Digital outputs for alternating currents (positive logic, current sourcing) .....	52
6.4.6	Digital outputs for direct current (current sourcing) .....	57
6.4.7	Requirements for discrete channel compatibility with IEC 61131-9 SDCI .....	61
6.4.8	Special digital I/O interfaces .....	61
6.5	Analog I/Os .....	61
6.5.1	General .....	61
6.5.2	Analog inputs .....	61
6.5.3	Analog outputs .....	61
6.5.4	Analog temperature inputs .....	62
6.5.5	Requirements for analog channel compatibility with HART® (Highway Addressable Remote Transducer) .....	62
6.5.6	Verification of analog I/Os .....	62
6.6	Communication interface requirements .....	64
6.6.1	General .....	64
6.6.2	Verification of communication interface requirements .....	64
6.7	Main processing unit(s) and memory(ies) requirements .....	64
6.7.1	General .....	64
6.7.2	Verification of processing unit requirements .....	64
6.8	Remote input/output station (RIOS) requirements .....	65
6.8.1	General .....	65
6.8.2	Verification of local and remote I/O stations .....	65
6.9	Peripherals (PADTs, TEs, HMIs) requirements .....	66
6.9.1	General .....	66
6.9.2	Verification of peripheral (PADTs, TEs, HMIs) requirements .....	67
6.10	Self-tests and diagnostics requirements .....	67
6.10.1	General .....	67
6.10.2	Verification of self-tests and diagnostics .....	67
6.11	Functional earth .....	68
6.12	Requirements for information on normal service and function .....	68
7	Electromagnetic compatibility (EMC) requirements .....	68
7.1	General .....	68
7.2	Emission requirements .....	70
7.3	EMC immunity requirements .....	71
7.3.1	Immunity levels .....	71
7.3.2	Voltage dips and interruptions power ports .....	77
7.4	Requirements for information on EMC installation .....	78
8	Marking requirements and information to be provided by the manufacturer .....	78
8.1	Verification .....	78
8.2	General marking requirements .....	78
8.2.1	Minimum marking requirement .....	78
8.2.2	Functional identifications .....	79
8.2.3	Functional earth terminals markings .....	79
8.2.4	Documentation markings .....	79
8.3	Information format and content .....	79
8.3.1	Information format .....	79

8.3.2	Information content.....	80
8.3.3	Information on compliance with this standard.....	80
8.3.4	Information on shipping and storage .....	80
8.3.5	Information on a.c. and d.c. power supply.....	80
8.3.6	Information on digital inputs (current sinking) .....	81
8.3.7	Information on digital outputs for alternating currents (current sourcing) .....	81
8.3.8	Information on digital outputs for direct current (current sourcing).....	82
8.3.9	Information on analog inputs.....	82
8.3.10	Information on analog outputs .....	84
8.3.11	Information on communication interfaces .....	86
8.3.12	Information on main processing unit(s) and memory(ies) .....	86
8.3.13	Information on remote input/output station (RIOS) .....	86
8.3.14	Information on peripherals (PADTs, TEs, HMIs).....	87
8.3.15	Information on self-tests and diagnostics .....	87
8.4	Information on EMC installation .....	88
8.5	Information on reliability.....	88
Annex A	(informative) Temperature derating for altitude .....	89
A.1	Standard atmosphere modelling.....	89
A.1.1	Ambient temperature .....	89
A.1.2	Aerostatics equation .....	89
A.1.3	Air density .....	90
A.1.4	Radiation .....	90
A.1.5	Derating ratio.....	91
A.1.6	Comparison with IEEE1613 .....	91
Annex B	(informative) Digital input standard operating range equations.....	93
Annex C	(normative) Zone C – EMC immunity levels .....	94
Annex D	(normative) Legacy techniques that are out-dated and not recommended for new design .....	97
D.1	Background .....	97
D.2	Ambient temperature .....	97
D.3	Type 2 digital input .....	97
D.3.1	Definition .....	97
D.3.2	Background .....	97
D.4	Analog inputs.....	98
D.5	Analog outputs.....	99
D.6	CRT displays .....	99
Annex E	(informative) Application reasoning for a.c. and d.c. interruptions .....	101
Annex F	(normative) Digital I/O: Current-sourcing input and current-sinking output.....	102
F.1	Digital I/O (negative logic).....	102
F.2	Function and verification .....	104
Bibliography	.....	105
Figure 1	– Equipment in the scope and not in the scope .....	11
Figure 2	– Example EUT configurations .....	21
Figure 3	– General temperature test environment .....	24
Figure 4	– Vented equipment .....	25
Figure 5	– Non-vented equipment .....	26

Figure 6 – Panel mounted equipment extending through the wall of a cabinet.....	27
Figure 7 – Typical interface/port diagram of a modular control equipment.....	41
Figure 8 – Gradual shut-down/start-up test .....	44
Figure 9 – Fast supply voltage variation test.....	45
Figure 10 – Slow supply voltage variation test .....	45
Figure 11 – Positive logic (sinking inputs / sourcing outputs) .....	48
Figure 12 – U-I operation regions of current-sinking inputs .....	49
Figure 13 – Input Type 3 Diagnostic.....	51
Figure 14 – Temporary overload waveform for digital a.c. outputs.....	53
Figure 15 – Temporary overload waveform for digital d.c. outputs.....	58
Figure 16 – EMC zones .....	69
Figure A.1 – A small atmosphere element.....	89
Figure E.1 – d.c. distribution to control equipment and faults .....	101
Figure F.1 – Negative logic (sourcing inputs / sinking outputs).....	102
Figure F.2 – Positive logic with faults.....	103
Figure F.3 – Negative logic with faults .....	104
Table 1 – Criteria to prove the performance of an EUT against EMC disturbances .....	29
Table 2 – General facility/laboratory conditions for tests .....	29
Table 3 – Operating environments, ambient temperature and relative humidity .....	30
Table 4 – Dry-heat withstand and immunity tests .....	31
Table 5 – Cold withstand and immunity tests .....	32
Table 6 – Change of temperature, withstand and immunity tests.....	33
Table 7 – Cyclic (12 + 12) damp-heat withstand test.....	34
Table 8 – Multiplication factors for equipment ambient temperature of operation at altitudes up to 5 000 m .....	35
Table 9 – Sinusoidal vibration conditions .....	35
Table 10 – Immunity vibration test .....	36
Table 11 – Immunity shock test.....	36
Table 12 – Free fall on concrete floor for portable and hand-held equipment .....	37
Table 13 – Storage environments, ambient temperature and relative humidity .....	38
Table 14 – Transportation environments, ambient temperature and humidity .....	38
Table 15 – Free fall on concrete floor in manufacturer’s original packaging.....	39
Table 16 – Rated values and operating ranges of incoming power supply .....	41
Table 17 – Voltage interruptions (functional requirements).....	42
Table 18 – Voltage ripple and frequency range immunity test.....	43
Table 19 – Gradual shut-down/start-up test .....	44
Table 20 – Supply voltage variation tests.....	44
Table 21 – Voltage interruptions immunity test (Functional tests).....	46
Table 22 – Back-up duration withstand test.....	47
Table 23 – Change of energy source test.....	47
Table 24 – Operating ranges for digital inputs (current sinking).....	50
Table 25 – Rated values and operating ranges for current sourcing digital a.c. outputs.....	52

Table 26 – Overload test circuit values .....	55
Table 27 – Endurance test circuit values.....	55
Table 28 – Overload and short-circuit tests for digital outputs .....	56
Table 29 – Rated values and operating ranges (d.c.) for current-sourcing digital d.c. outputs .....	57
Table 30 – Overload and short-circuit tests for digital outputs .....	60
Table 31 – Rated values and impedance limits for analog inputs .....	61
Table 32 – Rated values and impedance limits for analog outputs .....	61
Table 33 – Analog output overload immunity test .....	63
Table 34 – Insertion/withdrawal of removable units .....	66
Table 35 – EMC zones & protection considerations.....	70
Table 36 – Enclosure port tests, Zones A and B.....	71
Table 37 – Conducted immunity tests, Zone B .....	72
Table 38 – Conducted immunity tests, zone A.....	73
Table 39 – Electrostatic discharge immunity test.....	74
Table 40 – Radiated electromagnetic field immunity test.....	75
Table 41 – Power-frequency magnetic field immunity test .....	75
Table 42 – Fast transient burst immunity test.....	76
Table 43 – High-energy surge immunity test .....	76
Table 44 – Conducted r.f. immunity test.....	77
Table 45 – Voltage dips and interruptions (EMC requirements).....	77
Table 46 – Voltage dips and interruptions immunity test (EMC tests) <sup>f</sup> .....	78
Table 47 – Analog input static characteristics .....	83
Table 48 – Analog input dynamic characteristics.....	83
Table 49 – Analog input general characteristics .....	84
Table 50 – Analog input miscellaneous characteristics.....	84
Table 51 – Analog output static characteristics .....	84
Table 52 – Analog output dynamic characteristics.....	85
Table 53 – Analog output general characteristics .....	85
Table 54 – Analog output miscellaneous characteristics .....	85
Table A.1 – Component temperature derating with altitude, 2 000 m as reference .....	91
Table A.2 – Component temperature derating with altitude, 1 500 m as reference, and 20 °C at the sea level standard temperature .....	91
Table C.1 – Enclosure port tests, Zone C.....	94
Table C.2 – Conducted immunity tests, Zone C.....	95
Table C.3 – Damped oscillatory wave immunity test.....	96
Table D.1 – Standard operating ranges for Type 2 digital inputs (current sinking) .....	98
Table D.2 – Rated values and impedance limits for analog inputs .....	99
Table D.3 – Rated values and impedance limits for analog outputs .....	99

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL-PROCESS MEASUREMENT AND CONTROL –  
PROGRAMMABLE CONTROLLERS –****Part 2: Equipment requirements and tests**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61131-2 has been prepared by subcommittee 65B: Measurement and control devices, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) removal of safety requirements and instead pointing to IEC 61010-2-201;
- b) addition of negative logic digital inputs and outputs;
- c) addition of Type 3-d digital input;
- d) addition of 2,7 GHz to 6 GHz requirement for Radio-frequency electro-magnetic amplitude modulated immunity;

- e) clarification of temperature testing;
- f) clarification of type testing;
- g) deprecation of certain technologies;
- h) general update of multiple aspects of functionality and EMC;
- i) reorganization of clauses to associate requirements and verifications more closely.

The text of this standard is based on the following documents:

FDIS	Report on voting
65B/1083/FDIS	65B/1091/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61131 series, published under the general title *Industrial-process measurement and control – Programmable controllers*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

IEC 61131-2 is part of a series of standards on industrial control equipment, including programmable controllers, and their associated peripherals and should be read in conjunction with the other parts of the series. However, it can be read and applied alone.

Where a conflict exists between this and other IEC standards, the provisions of this standard should be considered to govern in the area of industrial control equipment, including programmable controllers, and their associated peripherals.

This standard defines for industrial control equipment the following:

- Testing and verifications methods (Clause 4);
- Operating conditions (5.2);
- Temperature and climatic tests (5.2.1);
- Mechanical requirements and tests (5.3);
- Functional requirements and tests for power supplies, I/Os and other components (Clause 6);
- EMC requirements and tests (Clause 7);
- Marking and documentation requirements (Clause 8).

Product safety requirements for PLC and the other types of industrial control equipment now in the scope of this standard are specified in IEC 61010-2-201, which replaces the requirements of Clauses 11 to 14 of IEC 61131-2:2007.

The operating conditions and the temperature derating for altitudes are aligned with IEC 61010-2-201:–1.

---

<sup>1</sup> Under preparation. Stage at the time of publication: IEC /CDV 61010-2-201:2016.

# INDUSTRIAL-PROCESS MEASUREMENT AND CONTROL – PROGRAMMABLE CONTROLLERS –


## Part 2: Equipment requirements and tests

### 1 Scope

This part of IEC 61131 specifies functional and electromagnetic compatibility requirements and related verification tests for industrial control equipment of the following types:

- programmable controllers (PLC);
- programmable automation controller (PAC);
- remote I/O;
- programming and debugging tools (PADTs);
- industrial PC (computers) and industrial panel PC;
- displays and human-machine Interfaces (HMI) for industrial use;
- distributed control system (DCS), and DCS components that are listed here in the scope;
- any product where the primary purpose is performing the function of industrial control equipment, including PLC and/or PAC, and/or their associated peripherals which have as their intended use the control and command of machines, automated manufacturing and industrial processes, e.g. discrete, batch and continuous control.

In this document “control equipment” is equivalent to “industrial control equipment” as are PLC and PAC.



IEC

**Figure 1 – Equipment in the scope and not in the scope**

Components of the above named equipment (see Figure 1) included in the scope of this standard are:

- (auxiliary) stand-alone power supplies;
- peripherals such as digital and analog I/O;
- industrial network equipment.

Control equipment and their associated peripherals are intended to be used in an industrial environment and may be provided as open or enclosed equipment.

If control equipment or its associated peripherals are intended for use in other environments (light industrial, commercial, residential), then the specific requirements, standards and installation practices for those other environments shall be additionally applied to the control equipment and its associated peripherals.

Equipment covered in this standard is intended for use in overvoltage category II (IEC 60664-1) in low-voltage installations, where the rated equipment supply voltage does not exceed AC 1 000 V r.m.s. (50/60 Hz), or DC 1 000 V. If control equipment or their associated peripherals are applied in overvoltage category III installations, then additional analysis will be required to determine the suitability of the equipment for those applications.

The object of this standard is to establish the definitions and identify the principal characteristics relevant to the selection and application of control equipment and their associated peripherals.

This standard also specifies:

- a) service (operating, storage and transportation) requirements for control equipment and their associated peripherals (Clause 5);
- b) functional requirements for control equipment and their associated peripherals (Clause 6);
- c) EMC requirements for control equipment and their associated peripherals (Clause 7);
- d) information that the manufacturer is required to supply (Clause 8).

Safety requirements for control equipment and their associated peripherals are specified in IEC 61010-2-201.

The requirements of IEC Guide 106, "Guide for specifying environmental conditions for equipment performance rating", and IEC Guide 107 "Electromagnetic compatibility – Guide to the drafting of electromagnetic compatibility publications," are incorporated herein.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 + 12 h cycle)*

IEC 60068-2-31, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*

IEC 60417, *Graphical symbols for use on equipment* (available at <http://www.graphical-symbols.info/equipment>)

IEC 60947-5-1:2016, *Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3:2006, *Electromagnetic compatibility (EMC) – Part 4-3 : Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4:2012, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5:2014, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6:2013, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances induced by radio-frequency fields*

IEC 61000-4-8:2009, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-11:2004, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests*

IEC 61000-4-18:2006, *Electromagnetic compatibility (EMC) – Part 4-18: Testing and measurement techniques – Damped oscillatory waves immunity test*

IEC 61000-6-1:2016, *Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity standard for residential, commercial and light-industrial environments*

IEC 61000-6-2:2016, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments*

IEC 61000-6-4, *Electromagnetic compatibility (EMC) – Part 6-4: Generic standards – Emission standard for industrial environments*

IEC 61010-2-201:–2, *Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-201: Particular requirements for control equipment*

IEC 61131-1, *Programmable controllers – Part 1: General information*

IEC 61131-3, *Programmable controllers – Part 3: Programming languages*

IEC 61131-9, *Programmable controllers – Part 9: Single-drop digital communication interface for small sensors and actuators (SDCI)*

IEC TR 61131-4, *Programmable controllers – Part 4: User guidelines*

IEC 61158 (all parts), *Industrial communication networks – Fieldbus specifications*

IEC 61784 (all parts), *Industrial communication networks – Profiles*

ISO 7000, *Graphical symbols for use on equipment – Registered symbols* (available at <http://www.iso.org/obp>)

ANSI/ISA-50.00.01-1975 – (R2012), *Compatibility of Analog Signals for Electronic Industrial Process Instruments*

HCF\_SPEC-13, *HART (Highway Addressable Remote Transducer) Communication Protocol Specification, Rev 7.5*

---

<sup>2</sup> Under preparation. Stage at the time of publication: IEC/ADIS 61010-2-201:2016.