

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Fältbuss – Del 6-13: Specifikation av protokoll i applikationsskiktet – Delar i fältbuss, Typ 13

*Industrial communication networks –
Fieldbus specifications –
Part 6-13: Application layer protocol specification –
Type 13 elements*

Som svensk standard gäller europastandarden EN 61158-6-13:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61158-6-13:2008.

Nationellt förord

Europastandarden EN 61158-6-13:2008

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-6-13, First edition, 2007 - Industrial communication networks - Fieldbus specifications - Part 6-13: Application layer protocol specification - Type 13 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Denna standard, och de andra delarna i serien SS-EN 61158-6, ersätter SS-EN 61158-6, utgåva 1, 2004.

Tidigare fastställd svensk standard SS-EN 61158-6, utgåva 1, 2004, gäller ej fr o m 2011-02-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-13: Application layer protocol specification -
Type 13 elements
(IEC 61158-6-13:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-13: Spécification des services
des couches d'application -
Éléments de type 13
(CEI 61158-6-13:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-13: Protokollspezifikation
des Application Layer
(Anwendungsschicht) -
Typ 13-Elemente
(IEC 61158-6-13:2007)

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/476/FDIS, future edition 1 of IEC 61158-6-13, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-6-13 on 2008-02-01.

This and the other parts of the EN 61158-6 series supersede EN 61158-6:2004.

With respect to EN 61158-6:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 6-2, 6-3, ...6-20.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-6-13:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- | | |
|-------------|--|
| IEC 60559 | NOTE Harmonized as HD 592 S1:1991 (not modified). |
| IEC 61784-2 | NOTE Harmonized as EN 61784-2:2008 (not modified). |
-

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-3-13	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 3-13: Data-link layer service definition - Type 13 elements	EN 61158-3-13	2008 ²⁾
IEC 61158-4-13	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 4-13: Data-link layer protocol specification - Type 13 elements	EN 61158-4-13	2008 ²⁾
IEC 61158-5-13	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 5-13 Application layer service definition - Type 13 elements	EN 61158-5-13	2008 ²⁾
ISO/IEC 7498	Series	Information technology - Open Systems Interconnection - Basic Reference Model	EN ISO/IEC 7498	Series
ISO/IEC 8822	- ¹⁾	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-2	- ¹⁾	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

CONTENTS

INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications.....	8
1.3 Conformance.....	8
2 Normative references	9
3 Terms, definitions, symbols, abbreviations and conventions	9
3.1 ISO/IEC 7498-1 terms	9
3.2 ISO/IEC 8822 terms	10
3.3 ISO/IEC 9545 terms	10
3.4 ISO/IEC 8824 terms	10
3.5 Terms and definitions from IEC 61158-5-13.....	11
3.6 Other terms and definitions	11
4 FAL syntax description	12
4.1 General.....	12
4.2 FAL-AR PDU abstract syntax	12
4.3 Abstract syntax of Asyn2 pduBody	15
5 Transfer syntax	21
5.1 Encoding of data types.....	21
6 FAL protocol state machines	27
7 AP context state machine	28
8 FAL service protocol machine.....	28
9 AR protocol machine	28
9.1 Buffered-network-scheduled bi-directional pre-established connection (BNB-PEC) ARPM	28
9.2 Buffered-network-scheduled uni-directional pre-established connection (BNU-PEC) ARPM.....	30
9.3 Queued user-triggered uni-directional (QUU) ARPM.....	33
9.4 Queued user-triggered bi-directional connectionless (QUB-CL) ARPM	35
9.5 Queued user-triggered bi-directional connection-oriented with segmentation (QUB-COS) ARPM	40
10 DLL mapping protocol machine	58
10.1 Primitive definitions	58
10.2 DMPM state machine	59
Annex A (normative) – Constant value assignments.....	61
A.1 Values of abort-code	61
A.2 NMT-command-ID	62
A.3 Type 13 specific error-code constants	62
A.4 EPL-node-list	64
Bibliography.....	65
Figure 1 – Encoding of Time of Day value.....	26
Figure 2 – Encoding of Time Difference value.....	26
Figure 3 – Primitives exchanged between protocol machines.....	27

Figure 4 – State transition diagram of BNB-PEC ARPM	29
Figure 5 – State transition diagram of BNU-PEC ARPM	32
Figure 6 – State transition diagram of QUU ARPM	34
Figure 7 – State transition diagram of QUB-CL ARPM	38
Figure 8 – State transition diagram of QUB-COS (CmdL) ARPM	44
Figure 9 – State transition diagram of QUB-COS (SeqL) ARPM	54
Figure 10 – State transition diagram of DMPM	59
Table 1 – Use of signaling-flags	14
Table 2 – Values of error-type	17
Table 3 – Transfer syntax for bit sequences	22
Table 4 – Transfer syntax for data type UNSIGNEDn	23
Table 5 – Transfer syntax for data type Integern	24
Table 6 – Primitives issued by user to BNB-PEC ARPM	28
Table 7 – Primitives issued by BNB-PEC ARPM to user	28
Table 8 – BNB-PEC ARPM state table – sender transactions	30
Table 9 – BNB-PEC ARPM state table – receiver transactions	30
Table 10 – Function BuildFAL-PDU	30
Table 11 – Primitives issued by user to BNU-PEC ARPM	31
Table 12 – Primitives issued by BNU-PEC ARPM to user	31
Table 13 – BNU-PEC ARPM state table – sender transactions	32
Table 14 – BNU-PEC ARPM state table – receiver transactions	32
Table 15 – Function BuildFAL-PDU	32
Table 16 – Primitives issued by user to QUU ARPM	33
Table 17 – Primitives issued by QUU ARPM to user	33
Table 18 – QUU ARPM state table – sender transactions	34
Table 19 – QUU ARPM state table – receiver transactions	35
Table 20 – Function BuildFAL-PDU	35
Table 21 – Primitives issued by user to QUB-CL ARPM	36
Table 22 – Primitives issued by QUB-CL ARPM to user	37
Table 23 – QUB-CL ARPM state table – sender transactions	39
Table 24 – QUB-CL ARPM state table – receiver transactions	40
Table 25 – Function BuildFAL-PDU	40
Table 26 – Primitives issued by user to QUB-COS (CmdL) ARPM	42
Table 27 – Primitives issued by QUB-COS (CmdL) ARPM to user	43
Table 28 – QUB-COS (CmdL) ARPM state table – sender transactions	45
Table 29 – QUB-COS (CmdL) ARPM state table – receiver transactions	47
Table 30 – Function BuildSegment	50
Table 31 – Function RoundUp	50
Table 32 – Function MoreFollows	50
Table 33 – Function AddSegment	51
Table 34 – Function GetIntermediatePDU	51

Table 35 – Primitives issued by QUB-COS (CmdL) to QUB-COS (SeqL).....	51
Table 36 – Primitives issued by QUB-COS (SeqL) to QUB-COS (CmdL).....	52
Table 37 – Parameters used with primitives exchanged between QUB-COS (SeqL) and QUB-COS (CmdL).....	52
Table 38 – QUB-COS (SeqL) ARPM states	53
Table 39 – QUB-COS (SeqL) ARPM state table – sender transactions.....	55
Table 40 – QUB-COS (SeqL) ARPM state table – receiver transactions	56
Table 41 – Function BuildFAL-PDU.....	57
Table 42 – Function IncrementCounter	58
Table 43 – Function AddToHistoryBuffer.....	58
Table 44 – Primitives issued by ARPM to DMPM	58
Table 45 – Primitives issued by DMPM to ARPM	58
Table 46 – Primitives issued by DMPM to data-link layer	59
Table 47 – Primitives issued by data-link layer to DMPM	59
Table 48 – DMPM state table – sender transactions	60
Table 49 – DMPM state table – receiver transactions.....	60
Table A.1 – Values of abort-code.....	61
Table A.2 – Values of NMTCommandID	62
Table A.3 – Type 13 specific error-code constants.....	63
Table A.4 – EPL-node-list format	64

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-13: Application layer protocol specification – Type 13 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 13 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard specifies interactions between remote applications and defines the externally visible behavior provided by the Type 13 fieldbus application layer in terms of

- a) the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this standard is to define the protocol provided to

- 1) define the wire-representation of the service primitives defined in IEC 61158- 5-13, and
- 2) define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 13 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-13.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in IEC 61158-6.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-3-13, *Industrial communication networks – Fieldbus specifications - Part 3-13: Data-link layer service definition – Type 13 elements*

IEC 61158-4-13, *Industrial communication networks – Fieldbus specifications - Part 4-13: Data-link layer protocol specification – Type 13 elements*

IEC 61158-5-13, *Industrial communication networks – Fieldbus specifications - Part 5-13: Application layer service definition – Type 13 elements*

ISO/IEC 7498 (all parts), *Information technology – Open Systems Interconnection – Basic Reference Model*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824, *Information technology – Open Systems Interconnection – Specification of Abstract Syntax Notation One (ASN.1)*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]