

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Fältbuss – Del 6-15: Specifikation av protokoll i applikationsskiktet – Delar i fältbuss, Typ 15

*Industrial communication networks –
Fieldbus specifications –
Part 6-15: Application layer protocol specification –
Type 15 elements*

Som svensk standard gäller europastandarden EN 61158-6-15:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61158-6-15:2008.

Nationellt förord

Europastandarden EN 61158-6-15:2008

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-6-15, First edition, 2007 - Industrial communication networks - Fieldbus specifications - Part 6-15: Application layer protocol specification - Type 15 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Denna standard, och de andra delarna i serien SS-EN 61158-6, ersätter SS-EN 61158-6, utgåva 1, 2004.

Tidigare fastställd svensk standard SS-EN 61158-6, utgåva 1, 2004, gäller ej fr o m 2011-02-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-15: Application layer protocol specification -
Type 15 elements
(IEC 61158-6-15:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-15: Spécification des services
des couches d'application -
Éléments de type 15
(CEI 61158-6-15:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-15: Protokollspezifikation
des Application Layer
(Anwendungsschicht) -
Typ 15-Elemente
(IEC 61158-6-15:2007)

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/476/FDIS, future edition 1 of IEC 61158-6-15, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-6-15 on 2008-02-01.

This and the other parts of the EN 61158-6 series supersede EN 61158-6:2004.

With respect to EN 61158-6:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 6-2, 6-3, ...6-20.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-6-15:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60559	NOTE Harmonized as HD 592 S1:1991 (not modified).
IEC 61158-3-15	NOTE Harmonized as EN 61158-3-15:2008 (not modified).
IEC 61158-4-15	NOTE Harmonized as EN 61158-4-15:2008 (not modified).
IEC 61784-1	NOTE Harmonized as EN 61784-1:2008 (not modified).
IEC 61784-2	NOTE Harmonized as EN 61784-2:2008 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-5-15	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 5-15 Application layer service definition - Type 15 elements	EN 61158-5-15	2008 ²⁾
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 8822	- ¹⁾	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-2	- ¹⁾	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

CONTENTS

INTRODUCTION.....	8
1 Scope.....	9
1.1 General.....	9
1.2 Specifications.....	9
1.3 Conformance.....	9
2 Normative references	10
3 Terms and definitions, abbreviations, symbols and conventions	10
3.1 Terms and definitions.....	10
3.2 Abbreviations and symbols.....	17
3.3 Conventions	18
3.4 Conventions used in state machines	20
4 Abstract syntax for client/server	22
5 Transfer syntax for client/server	22
5.1 General.....	22
5.2 Common APDU structure	22
5.3 Service-specific APDU structures	26
5.4 Data representation 'on the wire'.....	50
6 Abstract syntax for publish/subscribe	50
7 Transfer syntax for publish/subscribe	51
7.1 General.....	51
7.2 APDU structure	51
7.3 Sub-message structure	52
7.4 APDU interpretation	54
7.5 Service specific APDU structures	56
7.6 Common data representation for publish/subscribe	77
8 Structure of FAL protocol state machines	82
9 AP-context state machines for client/server	84
10 FAL service protocol machine (FSPM) for client/server.....	84
10.1 General.....	84
10.2 FSPM state tables.....	84
10.3 Functions used by FSPM.....	90
10.4 Parameters of FSPM/ARPM primitives	90
10.5 Client/server server transactions	90
11 Application relationship protocol machines (ARPMs) for client/server	91
11.1 Application relationship protocol machines (ARPMs)	91
11.2 AREP state machine primitive definitions	93
11.3 AREP state machine functions	94
12 DLL mapping protocol machine (DMPM) for client/server.....	94
12.1 AREP mapping to data link layer	94
12.2 DMPM states.....	95
12.3 DMPM states.....	95
12.4 Primitives exchanged between data link layer and DMPM	95
12.5 Client/server on TCP/IP.....	96
13 AP-Context state machines for publish/subscribe	97

14 Protocol machines for publish/subscribe	97
14.1 General	97
14.2 Publish/subscribe on UDP	99
Bibliography	100
Figure 1 – APDU Format	22
Figure 2 – Client to server confirmed service request	24
Figure 3 – Normal response from server to client	24
Figure 4 – Exception response from server to client	24
Figure 5 – Client to server unconfirmed service request	25
Figure 6 – Publish/subscribe APDU	51
Figure 7 – Relationships among protocol machines and adjacent layers	83
Figure 8 – State transition diagram of FSPM	84
Figure 9 – Client/server server transactions	91
Figure 10 – State transition diagram of the client ARPM	92
Figure 11 – State transition diagram of the server ARPM	92
Figure 12 – State transition diagram of DMPM	95
Figure 13 – APDU format	96
Figure 14 – TCP/IP PDU format	97
Figure 15 – Publish/subscribe receiver	98
Table 1 – Conventions used for state machines	21
Table 2 – Exception code	25
Table 3 – Read discretes request	26
Table 4 – Read discretes response	26
Table 5 – Read coils request	27
Table 6 – Read coils response	27
Table 7 – Write single coil request	28
Table 8 – Write single coil response	28
Table 9 – Write multiple coils request	29
Table 10 – Write multiple coils response	29
Table 11 – Broadcast write single coil request	30
Table 12 – Broadcast write multiple coils request	31
Table 13 – Read input registers request	31
Table 14 – Read input registers response	32
Table 15 – Read holding registers request	32
Table 16 – Read holding registers response	33
Table 17 – Write single holding register request	33
Table 18 – Write single holding register response	34
Table 19 – Write multiple holding registers request	34
Table 20 – Write multiple holding registers response	35
Table 21 – Mask write holding register request	36
Table 22 – Mask write holding register request	36

Table 23 – Read/Write multiple holding registers request.....	37
Table 24 – Read/Write multiple holding registers response	37
Table 25 – Read FIFO request.....	38
Table 26 – Read FIFO response	38
Table 27 – Broadcast write single holding register request.....	39
Table 28 – Broadcast write multiple holding registers request	40
Table 29 – Read file record request	41
Table 30 – Read file record response	42
Table 31 – Write file record request	43
Table 32 – Write file record response	45
Table 33 – Read device identification request.....	46
Table 34 – Device identification categories	47
Table 35 – Read device ID code	47
Table 36 – Read device identification response	48
Table 37 – Conformity level	49
Table 38 – Requested vs. returned known objects	50
Table 39 – APDU structure	52
Table 40 – Sub-message structure	53
Table 41 – Publish/subscribe service identifier encoding	53
Table 42 – Attributes changed modally and affecting APDUs interpretations	55
Table 43 – Issue request	56
Table 44 – Flags of issue request	57
Table 45 – Meaning of issue request flags	57
Table 46 – Interpretation of issue.....	58
Table 47 – Heartbeat request	59
Table 48 – Flags of heartbeat request.....	59
Table 49 – Meaning of heartbeat request flags	60
Table 50 – Interpretation of heartbeat.....	61
Table 51 – VAR request.....	62
Table 52 – Flags of VAR request	63
Table 53 – Meaning of VAR request flags	63
Table 54 – Interpretation of VAR.....	64
Table 55 – GAP request.....	65
Table 56 – Flags of GAP request	65
Table 57 – Meaning of GAP request flags	66
Table 58 – Interpretation of GAP.....	66
Table 59 – ACK request.....	67
Table 60 – Flags of ACK request	67
Table 61 – Meaning of ACK request flags	68
Table 62 – Interpretation of ACK.....	68
Table 63 – Header request	69
Table 64 – Change in state of the receiver.....	70
Table 65 – INFO_DST request.....	70

Table 66 – Flags of INFO_DST request	71
Table 67 – Meaning of INFO_DST request flags	71
Table 68 – INFO_REPLY request	72
Table 69 – Flags of INFO_REPLY request	72
Table 70 – Meaning of INFO_REPLY request flags	72
Table 71 – INFO_SRC request	74
Table 72 – Flags of INFO_SRC request	74
Table 73 – Meaning of INFO_SRC request flags	74
Table 74 – INFO_TS request	75
Table 75 – Flags of INFO_TS request	76
Table 76 – Meaning of INFO_TS request flags	76
Table 77 – PAD request	77
Table 78 – Flags of PAD request	77
Table 79 – Meaning of PAD request flags	77
Table 80 – Semantics	78
Table 81 – FSPM state table – client transactions	85
Table 82 – FSPM state table – server transactions	90
Table 83 – Function MatchInvokeID()	90
Table 84 – Function HighBit()	90
Table 85 – Parameters used with primitives exchanged between FSPM and ARPM	90
Table 86 – Client ARPM states	92
Table 87 – Client ARPM state table	92
Table 88 – Server ARPM states	92
Table 89 – Server ARPM state table	93
Table 90 – Primitives issued from ARPM to DMPM	93
Table 91 – Primitives issued by DMPM to ARPM	93
Table 92 – Parameters used with primitives exchanged between ARPM and DMPM	93
Table 93 – DMPM state descriptions	95
Table 94 – DMPM state table – client transactions	95
Table 95 – DMPM state table – server transactions	95
Table 96 – Primitives exchanged between data-link layer and DMPM	96
Table 97 – Encapsulation parameters for client/server on TCP/IP	96

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-15: Application layer protocol specification – Type 15 elements

1 Scope

1.1 General

The fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 15 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible behavior provided by the Type 15 fieldbus Application Layer in terms of

- a) the abstract syntax defining the application layer protocol data units conveyed between communicating application entities,
- b) the transfer syntax defining the application layer protocol data units conveyed between communicating application entities,
- c) the application context state machine defining the application service behavior visible between communicating application entities; and
- d) the application relationship state machines defining the communication behavior visible between communicating application entities; and.

The purpose of this standard is to define the protocol provided to

- 1) define the wire-representation of the service primitives defined in IEC 61158-5-15, and
- 2) define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 15 IEC fieldbus Application Layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application Layer Structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-15.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in IEC 61158-6.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-5-15, *Industrial communication networks – Fieldbus specifications – Part 5-15: Application layer service definition – Type 15 elements*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model – Part 1: The Basic Model*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824, *Information technology – Open Systems Interconnection – Specification of Abstract Syntax Notation One (ASN.1)*

