

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Fältbuss – Del 6-20: Specifikation av protokoll i applikationsskiktet – Delar i fältbuss, Typ 20

*Industrial communication networks –
Fieldbus specifications –
Part 6-20: Application layer protocol specification –
Type 20 elements*

Som svensk standard gäller europastandarden EN 61158-6-20:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61158-6-20:2008.

Nationellt förord

Europastandarden EN 61158-6-20:2008

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-6-20, First edition, 2007 - Industrial communication networks - Fieldbus specifications - Part 6-20: Application layer protocol specification - Type 20 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Denna standard, och de andra delarna i serien SS-EN 61158-6, ersätter SS-EN 61158-6, utgåva 1, 2004.

Tidigare fastställd svensk standard SS-EN 61158-6, utgåva 1, 2004, gäller ej fr o m 2011-02-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-20: Application layer protocol specification -
Type 20 elements
(IEC 61158-6-20:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-20: Spécification des services
des couches d'application -
Éléments de type 20
(CEI 61158-6-20:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-20: Protokollspezifikation
des Application Layer
(Anwendungsschicht) -
Typ 20-Elemente
(IEC 61158-6-20:2007)

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/476/FDIS, future edition 1 of IEC 61158-6-20, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-6-20 on 2008-02-01.

This and the other parts of the EN 61158-6 series supersede EN 61158-6:2004.

With respect to EN 61158-6:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 6-2, 6-3, ...6-20.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-6-20:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- | | |
|-------------|--|
| IEC 61784-1 | NOTE Harmonized as EN 61784-1:2008 (not modified). |
| IEC 61784-2 | NOTE Harmonized as EN 61784-2:2008 (not modified). |
-

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60559	- ¹⁾	Binary floating-point arithmetic for microprocessor systems	HD 592 S1	1991 ²⁾
IEC 61158-5-20	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 5-20: Application layer service definition - Type 20 elements	EN 61158-5-20	2008 ²⁾
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 8824-2	- ¹⁾	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 8859-1	- ¹⁾	Information technology - 8-bit single-byte coded graphic character sets - Part 1: Latin alphabet No.1	-	-
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

CONTENTS

INTRODUCTION	7
1 Scope	8
1.1 General	8
1.2 Specifications	8
1.3 Conformance	8
2 Normative references	9
3 Terms, definitions, symbols, abbreviations and conventions	10
3.1 Terms and definitions from other ISO/IEC standards	10
3.2 IEC/TR 61158-1 terms	10
3.3 Type 20 fieldbus application-layer specific definitions	13
3.4 Abbreviations and symbols	15
3.5 Conventions	16
3.6 Conventions used in state machines	16
4 Abstract syntax	17
5 Transfer syntax	17
5.1 General	17
5.2 Common APDU structure	18
5.3 Service-specific APDU structures	20
5.4 Data coding rules	35
6 Structure of FAL protocol state machines	40
7 AP-context state machines	41
8 FAL service protocol machine (FSPM)	41
8.1 General	41
8.2 FSPM state tables	42
8.3 Functions used by FSPM	47
8.4 Parameters of FSPM/ARPM primitives	47
9 Application relationship protocol machines (ARPMs)	48
9.1 AREP mapping to data link layer	48
9.2 Application relationship protocol machines (ARPMs)	49
9.3 AREP state machine primitive definitions	51
9.4 AREP state machine functions	51
10 DLL mapping protocol machine (DMPM)	51
10.1 DMPM states	51
10.2 DMPM state machines	52
10.3 Primitives exchanged between data link layer and DMPM	52
10.4 Functions used by DMPM	53
Bibliography	54
Figure 1 – APDU format	18
Figure 2 – Normal response from slave to master	18
Figure 3 – Command error response from slave to master	19
Figure 4 – Communication error response from slave to master	20
Figure 5 – Coding without identification	35
Figure 6 – Coding of Integer type data	35

Figure 7 – Coding of Integer16 type data	36
Figure 8 – Coding of Unsigned type data	36
Figure 9 – Coding of Unsigned16 type data.....	36
Figure 10 – Coding of single precision Floating Point type data	36
Figure 11 – Coding of double precision Floating Point type data	37
Figure 12 – Coding of Date type data.....	37
Figure 13 – Relationships among protocol machines and adjacent layers	41
Figure 14 – State transition diagram of FSPM.....	42
Figure 15 – State transition diagram of the client ARPM	49
Figure 16 – State transition diagram of the server ARPM	50
Figure 17 – State transition diagram of DMPM	52
Table 1 – Conventions used for state machines	16
Table 2 – Response code values	19
Table 3 – Device status values	19
Table 4 – Response code values	20
Table 5 – Communication error codes.....	20
Table 6 – Identify request APDU	21
Table 7 – Identify response value field	22
Table 8 – Identify command specific response codes.....	22
Table 9 – Read primary variable response value field	23
Table 10 – Read primary variable command specific response codes	23
Table 11 – Read loop current and percent of range value field.....	23
Table 12 – Read loop current and percent of range command specific response codes	24
Table 13 – Read dynamic variables and loop current value field	24
Table 14 – Read dynamic variables and loop current command specific response codes.....	24
Table 15 – Write polling address value field	25
Table 16 – Loop current mode codes	25
Table 17 – Write polling address command specific response codes.....	25
Table 18 – Read loop configuration value field.....	26
Table 19 – Read loop configuration command specific response codes	26
Table 20 – Read dynamic variable families classifications value field.....	26
Table 21 – Read dynamic variable families classifications command specific response codes.....	27
Table 22 – Read device variables with status request value field	27
Table 23 – Read device variables with status command specific response codes.....	27
Table 24 – Read device variables with status value field.....	28
Table 25 – Variable status values	28
Table 26 – Read message response value field	29
Table 27 – Read message command specific response codes	29
Table 28 – Read tag, descriptor, date response value field	30
Table 29 – Read tag, descriptor, date command specific response codes	30
Table 30 – Read primary variable transducer information response value field.....	30

Table 31 – Read primary variable transducer information command specific response codes	31
Table 32 – Read device information response value field	31
Table 33 – Read device information command specific response codes	32
Table 34 – Read final assembly number response value field	32
Table 35 – Read final assembly number command specific response codes	32
Table 36 – Write message value field	32
Table 37 – Write message command specific response codes	33
Table 38 – Write tag, descriptor, date value field	33
Table 39 – Write tag, descriptor, date command specific response codes	33
Table 40 – Write final assembly number value field	34
Table 41 – Write final assembly number command specific response codes	34
Table 42 – Read long tag response value field	34
Table 43 – Read long tag command-specific response codes	34
Table 44 – Write long tag value field	35
Table 45 – Write long tag command specific Response codes	35
Table 46 – Coding for Date type	37
Table 47 – Coding for one octet Enumerated Type	38
Table 48 – One octet bit field	39
Table 49 – Packed ASCII character set	39
Table 50 – Acceptable subset of ISO Latin-1 characters	40
Table 51 – FSPM state table – client transactions	42
Table 52 – FSPM state table – server transactions	46
Table 53 – Function Command ()	47
Table 54 – Function CommErr ()	47
Table 55 – Function CommandErr ()	47
Table 56 – Function Resp ()	47
Table 57 – Function Device ()	47
Table 58 – Parameters used with primitives exchanged between FSPM and ARPM	47
Table 59 – Client ARPM states	49
Table 60 – Client ARPM state table	50
Table 61 – Server ARPM states	50
Table 62 – Server ARPM state table	50
Table 63 – Primitives issued from ARPM to DMPM	51
Table 64 – Primitives issued by DMPM to ARPM	51
Table 65 – Parameters used with primitives exchanged between ARPM and DMPM	51
Table 66 – DMPM state descriptions	52
Table 67 – DMPM state table – Client transactions	52
Table 68 – DMPM state table – Server transactions	52
Table 69 – Primitives exchanged between data-link layer and DMPM	53

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-20: Application layer protocol specification – Type 20 elements

1 Scope

1.1 General

The fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 20 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible behavior provided by the Type 20 of the fieldbus Application Layer in terms of

- a) the abstract syntax defining the application layer protocol data units conveyed between communicating application entities,
- b) the transfer syntax defining the application layer protocol data units conveyed between communicating application entities,
- c) the application context state machine defining the application service behavior visible between communicating application entities; and
- d) the application relationship state machines defining the communication behavior visible between communicating application entities; and.

The purpose of this standard is to define the protocol provided to define

- 1) the wire-representation of the service primitives defined in IEC 61158-5-20, and
- 2) the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 20 IEC fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application Layer Structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-20.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in IEC 61158-6.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60559, *Binary floating-point arithmetic for microprocessor systems*

IEC 61158-5-20, *Industrial communication networks – Fieldbus specifications – Part 5-20: Application layer service definition – Type 20 elements*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model – Part 1: The Basic Model*

ISO/IEC 8824, *Information technology – Open Systems Interconnection – Specification of Abstract Syntax Notation One (ASN.1)*

ISO/IEC 8859-1, *Information technology – 8-bit single-byte coded graphic character sets – Part 1: Latin alphabet No. 1*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*