

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Fältbuss – Del 6-4: Specifikation av protokoll i applikationsskiktet – Delar i fältbuss, Typ 4

*Industrial communication networks –
Fieldbus specifications –
Part 6-4: Application layer protocol specification –
Type 4 elements*

Som svensk standard gäller europastandarden EN 61158-6-4:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61158-6-4:2008.

Nationellt förord

Europastandarden EN 61158-6-4:2008

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-6-4, First edition, 2007 - Industrial communication networks - Fieldbus specifications - Part 6-4: Application layer protocol specification - Type 4 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Denna standard, och de andra delarna i serien SS-EN 61158-6, ersätter SS-EN 61158-6, utgåva 1, 2004.

Tidigare fastställd svensk standard SS-EN 61158-6, utgåva 1, 2004, gäller ej fr o m 2011-02-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-4: Application layer protocol specification -
Type 4 elements
(IEC 61158-6-4:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-4: Spécification des services
des couches d'application -
Éléments de type 4
(CEI 61158-6-4:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-4: Protokollspezifikation
des Application Layer
(Anwendungsschicht) -
Typ 4-Elemente
(IEC 61158-6-4:2007)

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/476/FDIS, future edition 1 of IEC 61158-6-4, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-6-4 on 2008-02-01.

This and the other parts of the EN 61158-6 series supersede EN 61158-6:2004.

With respect to EN 61158-6:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 6-2, 6-3, ...6-20.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-6-4:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60559	NOTE Harmonized as HD 592 S1:1991 (not modified).
IEC 61784-1	NOTE Harmonized as EN 61784-1:2008 (not modified).
IEC 61784-2	NOTE Harmonized as EN 61784-2:2008 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-3-4	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 3-4: Data-link layer service definition - Type 4 elements	EN 61158-3-4	2008 ²⁾
IEC 61158-4-4	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 4-4: Data-link layer protocol specification - Type 4 elements	EN 61158-4-4	2008 ²⁾
IEC 61158-5-4	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 5-4: Application layer service definition - Type 4 elements	EN 61158-5-4	2008 ²⁾
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 8822	- ¹⁾	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-2	- ¹⁾	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 10731	- ¹⁾	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

CONTENTS

INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications.....	8
1.3 Conformance.....	8
2 Normative references	9
3 Terms, definitions, symbols, abbreviations and conventions	10
3.1 Referenced terms and definitions	10
3.2 Abbreviations and symbols.....	11
3.3 Conventions	11
4 FAL syntax description	13
4.1 FAL-AR PDU abstract syntax	13
4.2 Data types.....	15
5 Transfer syntaxes.....	15
5.1 APDU encoding.....	15
5.2 Variable object encoding and packing	19
5.3 Error codes	22
6 FAL protocol state machines	22
7 AP-context state machine.....	23
8 FAL service protocol machine (FSPM).....	24
8.1 Primitives exchanged between FAL User and FSPM	24
8.2 FSPM states.....	24
9 Application relationship protocol machine (ARPM).....	30
9.1 Primitives exchanged between ARPM and FSPM	30
9.2 ARPM States.....	30
10 DLL mapping protocol machine (DMPM).....	32
10.1 Data-link Layer service selection.....	32
10.2 Primitives exchanged between ARPM and DLPM	32
10.3 Primitives exchanged between DLPM and data-link layer	33
10.4 DLPM states.....	33
11 Protocol options	35
Bibliography.....	36
Figure 1 – State transition diagram	12
Figure 2 – APDU header structure	16
Figure 3 – Instruction subfield of ControlStatus.....	16
Figure 4 – Errorcode subfield of ControlStatus.....	16
Figure 5 – Remaining subfields of ControlStatus.....	17
Figure 6 – DataFieldFormat encoding	17
Figure 7 – Structure of request APDU body	17
Figure 8 – Structure of response APDU body.....	18
Figure 9 – Variable identifier	18

Figure 10 – Code subfield of variable identifier	18
Figure 11 – Summary of FAL architecture	23
Figure 12 – FSPM proxy object state machine	25
Figure 13 – FSPM real object state machine	29
Figure 14 – ARPM state machine	30
Figure 15 – DLPM state machine	33
Table 1 – State machine description elements	12
Table 2 – APDU header	13
Table 3 – APDU body	14
Table 4 – Transfer syntax for Array	20
Table 5 – Transfer syntax for Structure	21
Table 6 – Common variable object attributes	21
Table 7 – Variable type identifiers	21
Table 8 – FIFO variable object attributes	22
Table 9 – Error codes	22
Table 10 – Primitives exchanged between FAL-User and FSPM	24
Table 11 – REQUEST.req FSPM constraints	25
Table 12 – REQUEST.req FSPM actions	26
Table 13 – RESPONSE.cnf FSPM constraints	27
Table 14 – RESPONSE.cnf FSPM actions	28
Table 15 – AR Send.ind proxy FSPM constraints	28
Table 16 – AR Send.ind proxy FSPM actions	28
Table 17 – AR Send.ind real FSPM constraints	29
Table 18 – AR Send.ind real FSPM Actions	29
Table 19 – Primitives issued by FSPM to ARPM	30
Table 20 – Primitives issued by ARPM to FSPM	30
Table 21 – Primitives issued by ARPM to ARPM	30
Table 22 – AR Send.req ARPM constraints	31
Table 23 – AR Send.req ARPM actions	31
Table 24 – AR Acknowledge.req ARPM constraints	31
Table 25 – AR Acknowledge.req ARPM actions	31
Table 26 – AR Send.ind ARPM constraints	31
Table 27 – AR Send.req ARPM actions	32
Table 28 – Primitives issued by ARPM to DLPM	33
Table 29 – Primitives issued by DLPM to ARPM	33
Table 30 – Primitives issued by DLPM to data-link layer	33
Table 31 – Primitives issued by data-link layer to DLPM	33
Table 32 – AR Send.req DLPM constraints	34
Table 33 – AR Send.req DLPM actions	34
Table 34 – AR Acknowledge.req DLPM constraints	34
Table 35 – AR Acknowledge.req DLPM actions	34
Table 36 – DL-UNITDATA.ind DLPM constraints	35

Table 37 – DL-UNITDATA.ind DLPM actions.....	35
--	----

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-4: Application layer protocol specification – Type 4 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 4 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard specifies interactions between remote applications and defines the externally visible behavior provided by the Type 4 fieldbus application layer in terms of

- a) the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this standard is to define the protocol provided to

- 1) define the wire-representation of the service primitives defined in IEC 61158-5-4, and
- 2) define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 4 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-4.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in IEC 61158-6.

1.3 Conformance

This standard do not specify individual implementations or products, nor do they constrain the implementations of application layer entities within industrial automation systems.

Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-3-4, *Industrial communication networks – Fieldbus specifications – Part 3-4: Data-link layer service definition – Type 4 elements*

IEC 61158-4-4, *Industrial communication networks – Fieldbus specifications – Part 4-4: Data-link layer protocol specification – Type 4 elements*

IEC 61158-5-4, *Industrial communication networks – Fieldbus specifications – Part 5-4: Application layer service definition – Type 4 elements*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model – Part1: The Basic Model*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824, *Information technology – Open Systems Interconnection – Specification of Abstract Syntax Notation One (ASN.1)*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*