

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Fältbuss – Del 6-7: Specifikation av protokoll i applikationsskiktet – Delar i fältbuss, Typ 7

*Industrial communication networks –
Fieldbus specifications –
Part 6-7: Application layer protocol specification –
Type 7 elements*

Som svensk standard gäller europastandarden EN 61158-6-7:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61158-6-7:2008.

Nationellt förord

Europastandarden EN 61158-6-7:2008

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-6-7, First edition, 2007 - Industrial communication networks - Fieldbus specifications - Part 6-7: Application layer protocol specification - Type 7 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Denna standard, och de andra delarna i serien SS-EN 61158-6, ersätter SS-EN 61158-6, utgåva 1, 2004.

Tidigare fastställd svensk standard SS-EN 61158-6, utgåva 1, 2004, gäller ej fr o m 2011-02-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-7: Application layer protocol specification -
Type 7 elements
(IEC 61158-6-7:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-7: Spécification des services
des couches d'application -
Éléments de type 7
(CEI 61158-6-7:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-7: Protokollspezifikation
des Application Layer
(Anwendungsschicht) -
Typ 7-Elemente
(IEC 61158-6-7:2007)

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/476/FDIS, future edition 1 of IEC 61158-6-7, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-6-7 on 2008-02-01.

This and the other parts of the EN 61158-6 series supersede EN 61158-6:2004.

With respect to EN 61158-6:2004 the following changes were made:

- deletion of Type 6 fieldbus for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 6-2, 6-3, ...6-20.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-6-7:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 61784-1 NOTE Harmonized as EN 61784-1:2008 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60559	- ¹⁾	Binary floating-point arithmetic for microprocessor systems	HD 592 S1	1991 ²⁾
IEC 61158-3-7	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 3-7: Data-link layer service definition - Type 7 elements	EN 61158-3-7	2008 ²⁾
IEC 61158-4-7	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 4-7: Data-link layer protocol specification - Type 7 elements	EN 61158-4-7	2008 ²⁾
IEC 61158-5-7	- ¹⁾	Industrial communication networks - Fieldbus specifications - Part 5-7: Application layer service definition - Type 7 elements	EN 61158-5-7	2008 ²⁾
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 8824-2	- ¹⁾	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 8825-1	- ¹⁾	Information technology - ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)	-	-
ISO/IEC 9506-2	- ¹⁾	Industrial automation systems - Manufacturing message specification - Part 2: Protocol specification	EN 29506-2	1990 ²⁾
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

CONTENTS

INTRODUCTION.....	8
1 Scope.....	9
1.1 General.....	9
1.2 Specifications.....	9
1.3 Conformance.....	9
2 Normative references	10
3 Terms, definitions, symbols, abbreviations and conventions	10
3.1 Terms and definitions from other ISO/IEC standards	10
3.2 Terms and definitions from IEC 61158-5-7.....	11
3.3 Additional terms and definitions.....	12
3.4 Abbreviations and symbols.....	16
3.5 Conventions	16
3.6 Conventions used in state machines	16
4 Abstract syntax of data type	17
4.1 Data abstract syntax specification	17
4.2 FAL PDU abstract syntax	21
5 Transfer syntaxes.....	22
5.1 Compact encoding.....	22
5.2 Data type encoding	23
6 Structure of protocol machines	82
7 AP-context state machine.....	83
8 Sub-MMS FAL service protocol machine (FSPM).....	83
8.1 General.....	83
8.2 Projection of the SUB-MMS PDUs on the MCS services	83
8.3 Projection of the SUB-MMS abort service on the MCS services.....	83
8.4 Construction of a SUB-MMS-PDU from a service primitive	84
8.5 Extraction of a valid service primitive from a SUB-MMS-PDU	84
8.6 Negotiation of an abstract syntax and a transfer syntax commonly called presentation-context.....	84
8.7 Identification of the SUB-MMS core abstract syntax	86
8.8 Identification of the application context name	87
8.9 Identification of the ASE of the core abstract syntax and the transfer syntax	87
9 Association relationship protocol machine (ARPM)	87
10 DLL mapping protocol machine (DMPM).....	88
10.1 MPS ARPM and DMPM	88
10.2 MCS ARPM and DMPM.....	99
11 Protocol options	135
11.1 Conformances classes	135
Bibliography.....	155
Figure 1 – Example of an evaluation net	17
Figure 2 – Encoding of a CompactValue	22
Figure 3 – Organisation of the bits and octets within a PDU	24

Figure 4 – Encoding of a Bitstring	27
Figure 5 – Encoding of a Floating point value	28
Figure 6 – Encoding of a structure	29
Figure 7 – Encoding of a Boolean array	30
Figure 8 – Representation of a MCS PDU	36
Figure 9 – Relationships among Protocol Machines and Adjacent Layers	82
Figure 10 – A_Readloc service evaluation net	88
Figure 11 – A_Writeloc service evaluation net.....	89
Figure 12 – A_Update service evaluation net.....	90
Figure 13 – A_Readfar service evaluation net.....	91
Figure 14 – A_Writefar service evaluation net.....	93
Figure 15 – A_Sent service evaluation net.....	94
Figure 16 – A_Received service evaluation net.....	94
Figure 17 – Association establishment: Requester element state machine	101
Figure 18 – Association establishment: Responder element state machine	102
Figure 19 – Association termination: Requester element state machine	104
Figure 20 – Association termination: Responder element state machine	106
Figure 21 – Association revocation: Requester element state machine	107
Figure 22 – Association revocation: Acceptor element state machine.....	108
Figure 23 – Interactions between state machine in an associated mode data transfer	110
Figure 24 – Transfer service: Requester element state machine	114
Figure 25 – Transfer service: Acceptor element state machine	115
Figure 26 – Unacknowledged transfer: Requester element state machine	116
Figure 27 – Unacknowledged transfer: Acceptor element state machine	116
Figure 28 – Acknowledged transfer: Requester element state machine	118
Figure 29 – Acknowledged transfer: Acceptor element state machine	119
Figure 30 – Numbering mechanism state machine	120
Figure 31 – Retry mechanism state machine.....	122
Figure 32 – Anticipation mechanism state machine	125
Figure 33 – Segmentation mechanism state machine.....	127
Figure 34 – Reassembly mechanism state machine	129
Figure 35 – Interaction of state machine in a non associated data transfer	131
Figure 36 – Unacknowledged transfer: Requester element state machine	132
Figure 37 – Unacknowledged transfer: Acceptor element state machine	132
Figure 38 – Acknowledged transfer: Requester element state machine	133
Figure 39 – Acknowledged transfer: Acceptor element state machine	134
Table 1 – Example of encoding of a SEQUENCE	19
Table 2 – Example of encoding of a SEQUENCE OF	19
Table 3 – Example of encoding of a CHOICE.....	20
Table 4 – Example of encoding of an object identifier	21
Table 5 – Example of encoding of a PDU.....	22
Table 6 – MPS PDU types	25

Table 7 – Fields of a CompactValuePDU	25
Table 8 – Fields of a VariableDescriptionPDU	32
Table 9 – Fields of an AccessDescriptionPDU	33
Table 10 – Fields of a TypeDescriptionPDU	34
Table 11 – Fields of a ListDescriptionPDU	35
Table 12 – Coding of the different MCS PDU types	37
Table 13 – Coding of the variable part of the PDU	37
Table 14 – Structure of association establishment request	38
Table 15 – Structure of an associated establishment response	42
Table 16 – Structure of an association termination request	44
Table 17 – Structure of an association termination response	44
Table 18 – Structure of an association revocation request	45
Table 19 – Structure of an associated transfer request	46
Table 20 – Structure of an associated transfer acknowledgement	46
Table 21 – Structure of a non-associated transfer request	47
Table 22 – Structure of a non-associated transfer acknowledgement	48
Table 23 – Definitions of object classes	50
Table 24 – Definition of Sub-MMS Services	51
Table 25 – Structure of the antiduplication list	123
Table 26 – Structure of the reassembly list	128
Table 27 – PV_R/W parameter values	136
Table 28 – PV_IND parameter values	136
Table 29 – PV_LIS parameter values	136
Table 30 – Constraints on PV_LIS parameter	137
Table 31 – PV_AT parameter values	137
Table 32 – PV_RE parameter values	137
Table 33 – PV_UT parameter values	137
Table 34 – Constraints on PV_RE parameter	137
Table 35 – PH_R_A parameter values	138
Table 36 – PH_R_S parameter values	138
Table 37 – PH_R_P parameter values	138
Table 38 – PH_P_A parameter values	139
Table 39 – PH_P_S parameter values	139
Table 40 – PH_P_P parameter values	139
Table 41 – PH_COH parameter values	139
Table 42 – PH_FIA parameter values	140
Table 43 – PH_SPF parameter values	140
Table 44 – PH_SPM parameter values	140
Table 45 – PH_ACC parameter values	141
Table 46 – PH_RES parameter values	141
Table 47 – PH_AK parameter values	141
Table 48 – PH_RA parameter values	141
Table 49 – PH_SR parameter values	141

Table 50 – PH_CF parameter values	142
Table 51 – Constraints on PH_RA parameter	142
Table 52 – Constraints on PH_SR parameter	142
Table 53 – PT_OCT parameter values	142
Table 54 – PT_BIN parameter values	143
Table 55 – PT_VIS parameter values	143
Table 56 – PT_BOO parameter values	143
Table 57 – PT_BCD parameter values	143
Table 58 – PT_BTM parameter values	144
Table 59 – PT_INT parameter values	144
Table 60 – PT_UNO parameter values	144
Table 61 – PT_FPT parameter values	144
Table 62 – PT_GTM parameter values	145
Table 63 – PT_TAB parameter values	145
Table 64 – PT_STR parameter values	145
Table 65 – Constraints on PT_TAB parameter	146
Table 66 – Constraints on PT_STR parameter	146
Table 67 – Conformance classes for environment management	149
Table 68 – Conformance classes for VMD management	150
Table 69 – Conformance classes for PI management	151
Table 70 – Conformance classes for domain management	152
Table 71 – Conformance classes for variable/variable list management	153
Table 72 – Conformance classes for event management	154

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-7: Application layer protocol specification – Type 7 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 7 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard specifies interactions between remote applications and defines the externally visible behavior provided by the Type 7 fieldbus application layer in terms of

- a) the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this standard is to define the protocol provided to

- define the wire-representation of the service primitives defined in IEC 61158-5-7, and
- define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 7 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-7.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in parts of the IEC 61158-6 series.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to the application layer service definition standard. Instead, conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60559, *Binary floating-point arithmetic for microprocessor systems*

IEC 61158-3-7, *Industrial communication networks – Fieldbus specifications – Part 3-7: Data-link layer service definition – Type 7 elements*

IEC 61158-4-7, *Industrial communication networks – Fieldbus specifications – Part 4-7: Data-link layer protocol specification – Type 7 elements*

IEC 61158-5-7, *Industrial communication networks – Fieldbus specifications – Part 5-7: Application layer service definition – Type 7 elements*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model – Part 1: The Basic Model*

ISO/IEC 8824, *Information technology – Open Systems Interconnection – Specification of Abstract Syntax Notation One (ASN.1)*

ISO/IEC 8825, *Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)*

ISO/IEC 9506-2, *Industrial automation systems – Manufacturing Message Specification – Part 2: Protocol specification*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

