

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Fältbuss – Del 5-9: Definition av tjänster i applikationsskiktet – Delar i fältbuss, Typ 9

*Industrial communication networks –
Fieldbus specifications –
Part 5-9: Application layer service definition –
Type 9 elements*

Som svensk standard gäller europastandarden EN 61158-5-9:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61158-5-9:2008.

Nationellt förord

Europastandarden EN 61158-5-9:2008

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-5-9, First edition, 2007 - Industrial communication networks - Fieldbus specifications - Part 5-9: Application layer service definition - Type 9 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Denna standard, och de andra delarna i serien SS-EN 61158-5, ersätter SS-EN 61158-5, utgåva 1, 2004.

Tidigare fastställd svensk standard SS-EN 61158-5, utgåva 1, 2004, gäller ej fr o m 2011-02-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Industrial communication networks -
Fieldbus specifications -
Part 5-9: Application layer service definition -
Type 9 elements
(IEC 61158-5-9:2007)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 5-9: Définition des services
des couches d'application -
Éléments de type 9
(CEI 61158-5-9:2007)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 5-9: Dienstfestlegungen
des Application Layer
(Anwendungsschicht) -
Typ 9-Elemente
(IEC 61158-5-9:2007)

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65C/475/FDIS, future edition 1 of IEC 61158-5-9, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-5-9 on 2008-02-01.

This and the other parts of the EN 61158-5 series supersede EN 61158-5:2004.

With respect to EN 61158-5:2004 the following changes were made:

- deletion of Type 6 fieldbus and Type 1 fieldbus application layer, for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 5-2, 5-3, ..., 5-20.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2008-11-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-5-9:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-3-1	NOTE Harmonized as EN 61158-3-1:2008 (not modified).
IEC 61158-4-1	NOTE Harmonized as EN 61158-4-1:2008 (not modified).
IEC 61158-5-5	NOTE Harmonized as EN 61158-5-5:2008 (not modified).
IEC 61158-6-9	NOTE Harmonized as EN 61158-6-9:2008 (not modified).
IEC 61784-1	NOTE Harmonized as EN 61784-1:2008 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60559	- ¹⁾	Binary floating-point arithmetic for microprocessor systems	HD 592 S1	1991 ²⁾
IEC /TR 61158-1	2007	Industrial communication networks - Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series	-	-
ISO/IEC 7498-1	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 7498-3	- ¹⁾	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	-	-
ISO/IEC 9545	- ¹⁾	Information technology - Open Systems Interconnection - Application Layer structure	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

CONTENTS

INTRODUCTION	7
1 Scope	8
1.1 Overview	8
1.2 Specifications	9
1.3 Conformance	9
2 Normative references	9
3 Terms, definitions, symbols, abbreviations and conventions	10
3.1 ISO/IEC 7498-1 terms	10
3.2 ISO/IEC 8822 terms	10
3.3 ISO/IEC 9545 terms	10
3.4 ISO/IEC 8824 terms	10
3.5 IEC/TR 61158-1 terms	10
3.6 Type 9 fieldbus application-layer specific definitions	14
3.7 Abbreviations and symbols	14
3.8 Conventions	15
4 Concepts	18
5 Data type ASE	18
5.1 Overview	18
5.2 Formal definition of data type objects	20
5.3 FAL defined data types	22
5.4 Data type ASE service specification	25
5.5 Summary of data types	25
6 Communication model specification	26
6.1 Concepts	26
6.2 Common parameters	26
6.3 ASEs	26
6.4 ARs	114
6.5 Summary of classes	118
6.6 Permitted services by AREP role	118
Bibliography	120
Figure 1 – Data type class hierarchy	19
Figure 2 – VFD model	26
Figure 3 – Abstract model of an automation system (VFD)	27
Figure 4 – Source OD/remote OD	33
Figure 5 – Put OD state machine	46
Figure 6 – Transaction object state machine	52
Figure 7 – Context test of two features-supported with different bitstring length	60
Figure 8 – Overview of event	79
Figure 9 – Event state machine	85
Figure 10 – Domain genericdownload/download state machine (server)	99
Figure 11 – Domain upload state machine (server)	101

Figure 12 – State diagram.....	112
Table 1 – Data type summary	25
Table 2 – Logical status	28
Table 3 – Status.....	29
Table 4 – Unsolicited status	30
Table 5 – Identify	31
Table 6 – Structure of the object dictionary	34
Table 7 – Structure of the static list of types	34
Table 8 – Structure of the static object dictionary	34
Table 9 – Structure of the dynamic list of variable lists.....	35
Table 10 – Structure of the dynamic list of program invocations	35
Table 11 – Empty object dictionary	39
Table 12 – Get OD service parameters	42
Table 13 – Initiate put OD service parameters	44
Table 14 – Put OD service parameters.....	45
Table 15 – Terminate put OD service parameters	46
Table 16 – Put OD state transitions.....	48
Table 17 – Attribute FMS features supported	50
Table 18 – Transaction object state transitions	53
Table 19 – Initiate service parameters	54
Table 20 – Failure reasons	55
Table 21 – Abort service parameters.....	56
Table 22 – User abort reasons	57
Table 23 – APO ASE abort reasons	57
Table 24 – Reject service parameters	58
Table 25 – Reject APDU reasons	58
Table 26 – Compatibility of the local context to the remote context	59
Table 27 – Unconfirmed send service parameters.....	62
Table 28 – Confirmed send service parameters	63
Table 29 – AR-Abort service parameters.....	63
Table 30 – Compel service parameters	64
Table 31 – Get buffered message service parameters.....	65
Table 32 – AR-Status service parameters	66
Table 33 – Simple variable access group membership	67
Table 34 – Simple variable access rights membership	67
Table 35 – Array variable access group membership	69
Table 36 – Array variable access rights membership.....	70
Table 37 – Variable list access group membership.....	71
Table 38 – Variable list access rights membership.....	72
Table 39 – Read service parameters.....	74
Table 40 – Write service parameters.....	75
Table 41 – Information report service parameters	76

Table 42 – Define variable list service parameters	77
Table 43 – Delete variable list service parameters	78
Table 44 – Event access group membership	80
Table 45 – Event access rights membership	81
Table 46 – Event notification service parameters	82
Table 47 – Acknowledge event notification service parameters	83
Table 48 – Alter event condition monitoring service parameters	84
Table 49 – Event state transitions	85
Table 50 – Domain access group membership	86
Table 51 – Domain access rights membership	86
Table 52 – GenericInitiateDownloadSequence	88
Table 53 – GenericDownloadSegment	89
Table 54 – GenericTerminateDownloadSequence	90
Table 55 – InitiateDownloadSequence	91
Table 56 – DownloadSegment	92
Table 57 – TerminateDownloadSequence	93
Table 58 – RequestDomainDownload	94
Table 59 – InitiateUploadSequence	95
Table 60 – UploadSegment	96
Table 61 – TerminateUploadSequence	97
Table 62 – RequestDomainUpload	98
Table 63 – Domain genericDownload/download state machine (server)	99
Table 64 – Domain upload state machine (server)	101
Table 65 – Program invocation access group membership	103
Table 66 – Program invocation access group membership	103
Table 67 – Create program invocation service parameters	105
Table 68 – Delete program invocation service parameters	106
Table 69 – Start service parameters	107
Table 70 – Stop service parameters	108
Table 71 – Resume service parameters	109
Table 72 – Reset service parameters	110
Table 73 – Kill service parameters	111
Table 74 – Program invocation state machine	113
Table 75 – Class summary	118
Table 76 – Services by AREP role	118

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This standard defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-9: Application layer service definition – Type 9 elements

1 Scope

1.1 Overview

The fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 9 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible service provided by the different Types of the fieldbus Application Layer in terms of

- a) an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service,
- b) the primitive actions and events of the service;
- c) the parameters associated with each primitive action and event, and the form which they take; and
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to

- 1) the FAL user at the boundary between the user and the Application Layer of the Fieldbus Reference Model, and
- 2) Systems Management at the boundary between the Application Layer and Systems Management of the Fieldbus Reference Model.

This standard specifies the structure and services of the IEC fieldbus Application Layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application Layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can send/receive is specified. This permits greater flexibility to the FAL users in standardizing

such object behavior. In addition to these services, some supporting services are also defined in this standard to provide access to the FAL to control certain aspects of its operation.

1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of services standardized as the various types of IEC 61158.

This specification may be used as the basis for formal application programming interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including

- a) the sizes and octet ordering of various multi-octet service parameters, and
- b) the correlation of paired request and confirm, or indication and response, primitives.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through implementation of conforming application layer protocols that fulfill the Type 9 application layer services as defined in this standard.

2 Normative references

The following referenced standards are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced standard (including any amendments) applies.

IEC 60559, *Binary Floating-point Arithmetic for Microprocessor Systems*

IEC/TR 61158-1 (Ed.2.0), *Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model – Part 1: The Basic Model*

ISO/IEC 7498-3, *Information technology – Open Systems Interconnection – Basic Reference Model – Part 3: Naming and addressing*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*