

© Copyright SEK. Reproduction in any form without permission is prohibited.

Kabelnät för television, ljudradio och interaktiva tjänster – Del 4: Passiva koaxialkomponenter för bredbandsnät

*Cable networks for television signals, sound signals and interactive services –
Part 4: Passive wideband equipment for coaxial cable networks*

Som svensk standard gäller europastandarden EN 60728-4:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60728-4:2008.

Nationellt förord

Europastandarden EN 60728-4:2008

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60728-4, Third edition, 2007 - Cable networks for television signals, sound signals and interactive services - Part 4: Passive wideband equipment for coaxial cable networks**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 50083-4, utgåva 2, 1998 och SS-EN 50083-4 C1, utgåva 1, 1999, gäller ej fr o m 2011-04-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

**Cable networks for television signals,
sound signals and interactive services -
Part 4: Passive wideband equipment for coaxial cable networks
(IEC 60728-4:2007)**

Réseaux de distribution par câbles
pour signaux de télévision,
signaux de radiodiffusion sonore
et services interactifs -
Partie 4: Equipements large bande passifs
relatifs aux réseaux câblés coaxiaux
(CEI 60728-4:2007)

Kabelnetze für Fernsehsignale,
Tonsignale und interaktive Dienste -
Teil 4: Passive Breitbandgeräte für
koaxiale Kabelnetze
(IEC 60728-4:2007)

This European Standard was approved by CENELEC on 2008-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in two official versions (English and German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 100/1243/FDIS, future edition 3 of IEC 60728-4, prepared by technical area 5, Cable networks for television signals, sound signals and interactive services, of IEC TC 100, Audio, video and multimedia systems and equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60728-4 on 2008-04-01.

This European Standard supersedes EN 50083-4:1998 + corrigendum January 1999.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2009-01-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-04-01

For this European Standard the informative Annex B of IEC 60728-4:2007 shall be disregarded and has been replaced by the normative Annex ZB, *Special national conditions*; and the informative Annex ZC, *A-deviations*.

Annexes ZA, ZB and ZC have been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60728-4:2007 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Where a standard cited below belongs to the EN 50000 series, the European Standard applies instead of the relevant International Standard.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068	Series	Environmental testing	EN 60068	Series
IEC 60417	Data-base	Graphical symbols for use on equipment	-	-
IEC 60529	- ¹⁾	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 ²⁾ 1993
IEC 60617	Data-base	Graphical symbols for diagrams	-	-
IEC 60728	Series	Cable networks for television signals, sound signals and interactive services	EN 60728 EN 50083	Series Series
IEC 60966-1	- ¹⁾	Radio frequency and coaxial cable assemblies - Part 1: Generic specification - General requirements and test methods	EN 60966-1	1999 ²⁾
IEC 60966-2-4	- ¹⁾	Radio frequency and coaxial cables assemblies - Part 2-4: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 to 3 000 MHz, IEC 61169-2 connectors	EN 60966-2-4	2003 ²⁾
IEC 60966-2-5	- ¹⁾	Radio frequency and coaxial cable assemblies - Part 2-5: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 to 1 000 MHz, IEC 61169-2 connectors	EN 60966-2-5	2003 ²⁾
IEC 60966-2-6	- ¹⁾	Radio frequency and coaxial cable assemblies - Part 2-6: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 to 3 000 MHz, IEC 61169-24 connectors	EN 60966-2-6	2003 ²⁾
IEC 61000-4-5	- ¹⁾	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2006 ²⁾

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61000-6-1	- ¹⁾	Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity for residential, commercial and light-industrial environments	EN 61000-6-1	2007 ²⁾
IEC 61169-1	- ¹⁾	Radio-frequency connectors - Part 1: Generic specification - General requirements and measuring methods	EN 61169-1	1994 ²⁾
IEC 61169-2	- ¹⁾	Radio-frequency connectors - Part 2: Sectional specification - Radio frequency coaxial connectors of type 9,52	EN 61169-2	2007 ²⁾
IEC 61169-24	- ¹⁾	Radio-frequency connectors - Part 24: Sectional specification - Radio frequency coaxial connectors with screw coupling, typically for use in 75 ohm cable distribution systems (type F)	EN 61169-24	2001 ²⁾

CONTENTS

INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, symbols and abbreviations.....	8
3.1 Terms and definitions	8
3.2 Symbols	12
3.3 Abbreviations	13
4 Methods of measurement	13
4.1 Attenuation.....	13
4.1.1 Test equipment.....	13
4.1.2 Measurement procedure.....	13
4.1.3 Presentation of the results.....	14
4.2 Isolation	14
4.2.1 Definition	14
4.2.2 Test equipment.....	14
4.2.3 Measurement procedure.....	14
4.2.4 Presentation of the results.....	15
4.3 Through-loss	15
4.3.1 Definition	15
4.3.2 Test equipment.....	15
4.3.3 Measurement procedure.....	15
4.3.4 Presentation of the results.....	15
4.4 Group delay variation	15
4.4.1 Definition	15
4.4.2 Test equipment.....	15
4.4.3 Method of measurement	16
4.4.4 Presentation of the result.....	16
4.5 Amplitude frequency response	16
4.6 Return loss.....	16
4.7 Hum modulation of carrier	16
4.7.1 Definition	16
4.7.2 Description of the method of measurement.....	17
4.7.3 Measuring procedure.....	18
4.7.4 Calculating the hum-modulation ratio.....	19
4.7.5 Presentation of the results.....	20
4.8 Two-carrier intermodulation measurements for second- and third-order products	20
5 Performance requirements and recommendations	21
5.1 General performance requirements and recommendations	21
5.1.1 Safety.....	21
5.1.2 Electromagnetic compatibility (EMC)	21
5.1.3 Environmental	21
5.1.4 Marking	22
5.1.5 Impedance.....	22

5.1.6	Degradation of performance caused by overvoltages	22
5.2	Performance requirements and recommendations for receiver lead	22
5.3	Performance requirements and recommendations for system outlets	22
5.3.1	Safety	22
5.3.2	Quality grading	22
5.3.3	Mechanical requirements	23
5.3.4	Electrical parameters and requirements	23
5.4	Performance requirements and recommendations for splitters and taps	26
5.4.1	Description	26
5.4.2	Mechanical requirements for connectors	26
5.4.3	Electrical parameters and requirements	26
5.5	Performance requirements and recommendations for all other passive equipment	28
5.5.1	Description	28
5.5.2	Mechanical requirements for connectors	28
5.5.3	Electrical parameters and requirements	28
Bibliography		32
Annex A (informative)	Measurement errors which occur due to mismatched equipment	30
Annex B (informative)	Differences in some countries	31
Figure 1	– Test set-up for the measurement of attenuation	14
Figure 2	– Test set-up for the measurement of isolation	14
Figure 3	– Measurement of through-loss	15
Figure 4	– Carrier/hum ratio	16
Figure 5	– Test set-up for power injectors	17
Figure 6	– Test set-up for passive equipment, excluding power injectors	18
Figure 7	– Oscilloscope display	18
Figure 8	– Harmonic/Intermodulation test circuit	20
Figure 9	– Types of losses of system outlets	25
Figure A.1	– Error concerning return loss measurement	30
Figure A.2	– Maximum ripple	30
Table 1	– Return loss of system outlets	23
Table 2	– Return loss of looped-through system outlets	24
Table 3	– Maximum return path signal level derived from maximum allowed intermodulation distortion level in the downstream frequency band	26
Table 4	– Return loss of splitters and taps	26
Table 5	– Isolation of splitters	27
Table 6	– Return loss for all other passive equipment	28

INTRODUCTION

Standards of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television signals, sound signals and their associated data signals and for processing, interfacing and transmitting all kinds of signals for interactive services using all applicable transmission media.

This includes

- CATV¹-networks;
- MATV-networks and SMATV-networks;
- individual receiving networks;

and all kinds of equipment, systems and installations installed in such networks.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input.

The standardization of any user terminals (i.e., tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

¹ This word encompasses the HFC networks used nowadays to provide telecommunications services, voice, data, audio and video both broadcast and narrowcast.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 4: Passive wideband equipment for coaxial cable networks

1 Scope

This part of IEC 60728 applies to system outlets, splitters and taps, passive single or multiple port equipment comprising filters, attenuators, equalizers, galvanic isolators, power injectors, cable splices, terminating resistors and transfer points, but excluding coaxial cables and receiver leads (see 5.2).

This standard

- covers the frequency range 5 MHz to 3 000 MHz;
- identifies performance requirements for certain parameters;
- lays down data publication requirements for certain parameters;
- stipulates methods of measurements;
- introduces minimum requirements defining quality grades.

There are three grades for all passive equipment except system outlets where there is only one.

Different networks require the same performance and, when integrating networks, upgrading will be avoided.

Practical experience has shown that these three grades meet most of the technical requirements necessary for supplying a minimum signal quality to the subscribers. This classification should not be considered as a requirement but as information for users and manufacturers on the minimum quality criteria of the material required to install networks of different sizes. The system operator should select appropriate material to meet the minimum signal quality at the subscriber's outlet and to optimize cost/performance, taking into account the size of the network and local circumstances.

All requirements and published data should be understood as guaranteed values within the specified frequency range and in well-matched conditions.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068 (all parts), *Environmental testing*

IEC 60417, *Graphical symbols for use on equipment*

NOTE IEC 60417 can be consulted on the IEC website.

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*