



SIS - Standardiseringskommissionen i Sverige

Standarden utarbetad av

SEK, SVENSKA ELEKTRISKA KOMMISSIONEN

SVENSKA ELEKTROTEKNISKA NORMER, SEN

SVENSK STANDARD SS IEC 255-11

Första giltighetsdag

1983-04-01

Utgåva

1

Sida

1 (8)

Ingår i

SEK Översikt 41

Registrering

Reg 428 19 07

SIS FASTSTÄLLER OCH UTGER SVENSK STANDARD SAMT SÄLJER NATIONELLA OCH INTERNATIONELLA STANDARDPUBLIKATIONER ©

Reläer – Avbrott och pulsation i hjälplikspänning för matning av mätande reläer

Relays –

Interruptions to and alternating component (ripple) in d.c.

auxiliary energizing quantity of measuring relays

Som svensk standard för avbrott och pulsation i hjälplikspänning för matning av mätande reläer gäller nedan angiven del av IEC Publication 255, Electrical relays, utgiven av International Electrotechnical Commission, IEC:

IEC 255–11, First edition, 1979

**Part 11: Interruptions to and alternating component (ripple) in d.c.
auxiliary energizing quantity of measuring relays (16 pp)**

IEC-publikationens tekniska innehåll återges nedan i engelskspråkig version.

CONTENTS

Clause	SECTION ONE — GENERAL
1. Scope	
	SECTION TWO — REQUIREMENTS CONCERNING INTERRUPTIONS TO D.C. AUXILIARY ENERGIZING QUANTITY
2. Interruption	
3. Standard reference conditions and test tolerances of influencing quantities and factors.....	
4. Standard values of the limits of the nominal range of influencing quantities and factors...	
5. Effects of interruptions to d.c. auxiliary energizing quantity.....	
	SECTION THREE — REQUIREMENTS CONCERNING ALTERNATING COMPONENT (RIPPLE) IN THE D.C. AUXILIARY ENERGIZING QUANTITY UNDER STEADY-STATE CONDITIONS
6. Definition of alternating component.....	
7. Conditions for determination of effects due to ripple.....	
8. Standard values of the limits of the nominal range.....	
APPENDIX A — Explanatory notes on auxiliary power supplies for static measuring relays....	

ELECTRICAL RELAYS

Part 11: Interruptions to and alternating component (ripple) in d.c. auxiliary energizing quantity of measuring relays

SECTION ONE — GENERAL

1. Scope

This standard specifies the additional requirements to be met, and the additional parameters whose values are to be declared by the manufacturer, in respect of interruptions to, and alternating components (ripple) in the d.c. auxiliary energizing quantities of static measuring relays.

The requirements of this standard may also apply to certain electromagnetic relays having a d.c. auxiliary energizing quantity.

SECTION TWO — REQUIREMENTS CONCERNING INTERRUPTIONS TO D.C. AUXILIARY ENERGIZING QUANTITY

This section deals with interruptions to the d.c. auxiliary energizing quantity which are considered as an influencing quantity having a standard reference value but no nominal range.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]