

© Copyright SEK. Reproduction in any form without permission is prohibited.

## **Explosiv atmosfär – Del 0: Utrustning – Allmänna fordringar**

*Explosive atmospheres –  
Part 0: Equipment –  
General requirements*

Som svensk standard gäller europastandarden EN 60079-0:2009. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60079-0:2009.

### **Nationellt förord**

Europastandarden EN 60079-0:2009

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60079-0, Fifth edition, 2007 - Explosive atmospheres - Part 0: Equipment - General requirements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60079-0, utgåva 2, 2006 och SS-EN 61241-0, utgåva 1, 2007, gäller ej fr o m 2012-06-01.

---

ICS 29.260.20

## *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## *SEK är Sveriges röst i standardiseringssarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

## *Stora delar av arbetet sker internationellt*

Utdriften av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

## *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtidens standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

## **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

**EUROPEAN STANDARD**  
**NORME EUROPÉENNE**  
**EUROPÄISCHE NORM**

**EN 60079-0**

August 2009

ICS 29.260.20

Supersedes EN 60079-0:2006 and EN 61241-0:2006

English version

**Explosive atmospheres -  
Part 0: Equipment -  
General requirements  
(IEC 60079-0:2007)**

Atmosphères explosives -  
Partie 0: Matériel -  
Exigences générales  
(CEI 60079-0:2007)

Explosionsfähige Atmosphäre -  
Teil 0: Geräte -  
Allgemeine Anforderungen  
(IEC 60079-0:2007)

This European Standard was approved by CENELEC on 2009-06-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Central Secretariat: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 31/708/FDIS, future edition 5 of IEC 60079-0, prepared by IEC TC 31, Equipment for explosive atmospheres, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60079-0 on 2009-06-01.

This European Standard supersedes EN 60079-0:2006 and EN 61241-0:2006.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2010-03-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2012-06-01

This European Standard has been prepared under a mandate given to CENELEC by the European Commission to provide a means of conforming to Essential Requirements of the New Approach Directive 94/9/EC, for electrical equipment of Equipment Groups I and II, Equipment Categories M1, M2, 1G, 2G, 3G, 1D, 2D and 3D. See Annex ZZ.

CENELEC/TC 31 as the responsible committee has concluded that this new edition of EN 60079-0 does not contain substantial changes regarding the ESRs.

Annexes ZA, ZY and ZZ have been added by CENELEC.

EN 60079-0 will be supplemented by standards EN 60079-X for specific types of protection and by standards for specific products. In all cases requirements given in these standards result from an ignition hazard assessment made on the electrical equipment. The ignition sources taken into account are those found associated with this type of equipment, such as hot surfaces, mechanically generated sparks, thermite reactions, electrical arcing and static electric discharge.

### **Endorsement notice**

The text of the International Standard IEC 60079-0:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC/TS 60034-17	NOTE	Harmonized as CLC/TS 60034-17:2004 (not modified).
IEC/TS 60034-25	NOTE	Harmonized as CLC/TS 60034-25:2005 (not modified).
IEC 60079-10	NOTE	Harmonized as EN 60079-10:2003 (not modified).
IEC 60079-14	NOTE	Harmonized as EN 60079-14:2003 (not modified).
IEC 60079-17	NOTE	Harmonized as EN 60079-17:2007 (not modified).
IEC 60079-19	NOTE	Harmonized as EN 60079-19:2007 (not modified).
IEC 60079-27	NOTE	Harmonized as EN 60079-27:2006 (not modified).
IEC/TR 61241-2-2	NOTE	Harmonized as EN 61241-2-2:1995 (not modified).
IEC 61241-14	NOTE	Harmonized as EN 61241-14:2004 (not modified).
ISO/IEC 17000	NOTE	Harmonized as EN ISO/IEC 17000:2004 (not modified).

---

**Annex ZA**  
(normative)

**Normative references to international publications  
with their corresponding European publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034-1	– <sup>1)</sup>	Rotating electrical machines - Part 1: Rating and performance	EN 60034-1	2004 <sup>2)</sup>
IEC 60034-5	– <sup>1)</sup>	Rotating electrical machines - Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) - Classification	EN 60034-5	2001 <sup>2)</sup>
IEC 60050-426	– <sup>1)</sup>	International Electrotechnical Vocabulary (IEV) - Chapter 426: Electrical apparatus for explosive atmospheres	–	–
IEC 60079-1	– <sup>1)</sup>	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"	EN 60079-1	2007 <sup>2)</sup>
IEC 60079-2	– <sup>1)</sup>	Explosive atmospheres - Part 2: Equipment protection by pressurized enclosure "p"	EN 60079-2	2007 <sup>2)</sup>
IEC 60079-4	– <sup>1)</sup>	Electrical apparatus for explosive gas atmospheres - Part 4: Method of test for ignition temperature	–	–
IEC 60079-5	– <sup>1)</sup>	Explosive atmospheres - Part 5: Equipment protection by powder filling "q"	EN 60079-5	2007 <sup>2)</sup>
IEC 60079-6	– <sup>1)</sup>	Explosive atmospheres - Part 6: Equipment protection by oil immersion "o"	EN 60079-6	2007 <sup>2)</sup>
IEC 60079-7	– <sup>1)</sup>	Explosive atmospheres - Part 7: Equipment protection by increased safety "e"	EN 60079-7	2007 <sup>2)</sup>
IEC 60079-11	– <sup>1)</sup>	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"	EN 60079-11	2007 <sup>2)</sup>
IEC 60079-15	– <sup>1)</sup>	Electrical apparatus for explosive gas atmospheres - Part 15: Construction, test and marking of type of protection "n" electrical apparatus	EN 60079-15	2005 <sup>2)</sup>

<sup>1)</sup> Undated reference.

<sup>2)</sup> Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-18	- <sup>1)</sup>	Electrical apparatus for explosive gas atmospheres - Part 18: Construction, test and marking of type of protection encapsulation "m" electrical apparatus	EN 60079-18 + corr. April	2004 <sup>2)</sup> 2006
IEC 60079-25	- <sup>1)</sup>	Electrical apparatus for explosive gas atmospheres - Part 25: Intrinsically safe systems	EN 60079-25 + corr. April	2004 <sup>2)</sup> 2006
IEC 60079-26	- <sup>1)</sup>	Explosive atmospheres - Part 26: Equipment with equipment protection level (EPL) Ga	EN 60079-26	2007 <sup>2)</sup>
IEC 60079-28	- <sup>1)</sup>	Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation	EN 60079-28	2007 <sup>2)</sup>
IEC 60079-30-1	- <sup>1)</sup>	Explosive atmospheres - Part 30-1: Electrical resistance trace heating - General and testing requirements	EN 60079-30-1	2007 <sup>2)</sup>
IEC 60079-31	- <sup>1)</sup>	Explosive Atmospheres - Part 31: Equipment dust ignition protection by enclosure "tD"	EN 60079-31	200X <sup>3)</sup>
IEC 60086-1	- <sup>1)</sup>	Primary batteries - Part 1: General	EN 60086-1	2007 <sup>2)</sup>
IEC 60095-1	- <sup>1)</sup>	Lead-acid starter batteries - Part 1: General requirements and methods of test	-	-
IEC 60192	- <sup>1)</sup>	Low pressure sodium vapour lamps - Performance specifications	EN 60192	2001 <sup>2)</sup>
IEC 60216-1	- <sup>1)</sup>	Electrical insulating materials - Properties of thermal endurance - Part 1: Ageing procedures and evaluation of test results	EN 60216-1	2001 <sup>2)</sup>
IEC 60216-2	- <sup>1)</sup>	Electrical insulating materials - Thermal endurance properties - Part 2: Determination of thermal endurance properties of electrical insulating materials - Choice of test criteria	EN 60216-2	2005 <sup>2)</sup>
IEC 60243-1	- <sup>1)</sup>	Electrical strength of insulating materials - Test methods - Part 1: Tests at power frequencies	EN 60243-1	1998 <sup>2)</sup>
IEC 60423	- <sup>1)</sup>	Conduit systems for cable management - Outside diameters of conduits for electrical installations and threads for conduits and fittings	EN 60423	2007 <sup>2)</sup>
IEC 60529	- <sup>1)</sup>	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 <sup>2)</sup> 1993
IEC 60622	- <sup>1)</sup>	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Sealed nickel-cadmium prismatic rechargeable single cells	EN 60622	2003 <sup>2)</sup>

<sup>3)</sup> At draft stage.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60623	- <sup>1)</sup>	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Vented nickel-cadmium prismatic rechargeable single cells	EN 60623	2001 <sup>2)</sup>
IEC 60662 (mod)	- <sup>1)</sup>	High pressure sodium vapour lamps	EN 60662	1993 <sup>2)</sup>
IEC 60664-1	- <sup>1)</sup>	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007 <sup>2)</sup>
IEC 60947-1	- <sup>1)</sup>	Low-voltage switchgear and controlgear - Part 1: General rules	EN 60947-1	2007 <sup>2)</sup>
IEC 61056-1	- <sup>1)</sup>	General purpose lead-acid batteries (valve regulated types) - Part 1: General requirements, functional characteristics - Methods of test	EN 61056-1	2003 <sup>2)</sup>
IEC 61241-1	- <sup>1)</sup>	Electrical apparatus for use in the presence of combustible dust - Part 1: Protection by enclosures "tD"	EN 61241-1 + corr. December	2004 <sup>2)</sup> 2006
IEC 61241-4	- <sup>1)</sup>	Electrical apparatus for use in the presence of combustible dust - Part 4: Type of protection 'pD'	EN 61241-4	2006 <sup>2)</sup>
IEC 61241-11	- <sup>1)</sup>	Electrical apparatus for use in the presence of combustible dust - Part 11: Protection by intrinsic safety 'iD'	EN 61241-11	2006 <sup>2)</sup>
IEC 61951-1	- <sup>1)</sup>	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Portable sealed rechargeable single cells - Part 1: Nickel-cadmium	EN 61951-1	2003 <sup>2)</sup>
IEC 61951-2	- <sup>1)</sup>	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Portable sealed rechargeable single cells - Part 2: Nickel-metal hydride	EN 61951-2	2003 <sup>2)</sup>
IEC 62013-1	- <sup>1)</sup>	Caplights for use in mines susceptible to firedamp - Part 1: General requirements - Construction and testing in relation to the risk of explosion	EN 62013-1	2006 <sup>2)</sup>
ISO 48	- <sup>1)</sup>	Rubber, vulcanized or thermoplastic - Determination of hardness (hardness between 10 IRHD and 100 IRHD)	-	-
ISO 178	- <sup>1)</sup>	Plastics - Determination of flexural properties	EN ISO 178	2003 <sup>2)</sup>
ISO 179	Series	Plastics - Determination of Charpy impact properties	EN ISO 179	Series
ISO 262	- <sup>1)</sup>	ISO general-purpose metric screw threads - Selected sizes for screws, bolts and nuts	-	-
ISO 273	- <sup>1)</sup>	Fasteners - Clearance holes for bolts and screws	EN 20273	1991 <sup>2)</sup>
ISO 286-2	- <sup>1)</sup>	ISO system of limits and fits - Part 2: Tables of standard tolerance grades and limit deviations for holes and shafts	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 527-2	- <sup>1)</sup>	Plastics - Determination of tensile properties - Part 2: Test conditions for moulding and extrusion plastics	EN ISO 527-2	1996 <sup>2)</sup>
ISO 965-1	- <sup>1)</sup>	ISO general-purpose metric screw threads - Tolerances - Part 1: Principles and basic data	-	-
ISO 965-3	- <sup>1)</sup>	ISO general-purpose metric screw threads - Tolerances - Part 3: Deviations for constructional threads	-	-
ISO 1817	- <sup>1)</sup>	Rubber, vulcanized - Determination of the effect of liquids	-	-
ISO 4014	- <sup>1)</sup>	Hexagon head bolts - Product grades A and B	EN ISO 4014	2000 <sup>2)</sup>
ISO 4017	- <sup>1)</sup>	Hexagon head screws - Product grades A and B	EN ISO 4017	2000 <sup>2)</sup>
ISO 4026	- <sup>1)</sup>	Hexagon socket set screws with flat point	EN ISO 4026	2003 <sup>2)</sup>
ISO 4027	- <sup>1)</sup>	Hexagon socket set screws with cone point	EN ISO 4027	2003 <sup>2)</sup>
ISO 4028	- <sup>1)</sup>	Hexagon socket set screws with dog point	EN ISO 4028	2003 <sup>2)</sup>
ISO 4029	- <sup>1)</sup>	Hexagon socket set screws with cup point	EN ISO 4029	2003 <sup>2)</sup>
ISO 4032	- <sup>1)</sup>	Hexagon nuts, style 1 - Product grades A and B	EN ISO 4032	2000 <sup>2)</sup>
ISO 4762	- <sup>1)</sup>	Hexagon socket head cap screws	EN ISO 4762	2004 <sup>2)</sup>
ISO 4892-1	- <sup>1)</sup>	Plastics - Methods of exposure to laboratory light sources - Part 1: General guidance	EN ISO 4892-1	2000 <sup>2)</sup>
ANSI/UL 746B	- <sup>1)</sup>	Polymeric Materials - Long-Term Property Evaluations	-	-

## CONTENTS

1	Scope .....	10
2	Normative references .....	11
3	Terms and definitions .....	14
4	Equipment grouping .....	24
4.1	Group I .....	24
4.2	Group II .....	24
4.3	Group III .....	25
4.4	Equipment for a particular explosive atmosphere .....	25
5	Temperatures .....	25
5.1	Environmental influences .....	25
5.1.1	Ambient temperature .....	25
5.1.2	External source of heating or cooling .....	25
5.2	Service temperature .....	26
5.3	Maximum surface temperature .....	26
5.3.1	Determination of maximum surface temperature .....	26
5.3.2	Limitation of maximum surface temperature .....	26
5.3.3	Small component temperature for Group I or Group II electrical equipment .....	27
6	Requirements for all electrical equipment .....	28
6.1	General .....	28
6.2	Mechanical strength of equipment .....	29
6.3	Opening times .....	29
6.4	Circulating currents .....	29
6.5	Gasket retention .....	30
6.6	Electromagnetic and ultrasonic energy radiating equipment .....	30
6.6.1	Radio frequency sources .....	30
6.6.2	Lasers or other continuous wave sources .....	31
6.6.3	Ultrasonic sources .....	31
7	Non-metallic enclosures and non-metallic parts of enclosures .....	31
7.1	General .....	31
7.1.1	Applicability .....	31
7.1.2	Specification of materials .....	31
7.1.3	Plastic materials .....	32
7.1.4	Elastomeric materials .....	32
7.2	Thermal endurance .....	32
7.2.1	Tests for thermal endurance .....	32
7.2.2	Material selection .....	32
7.3	Resistance to light .....	33
7.4	Electrostatic charges on external non-metallic materials .....	33
7.4.1	Applicability .....	33
7.4.2	Avoidance of a build-up of electrostatic charge on Group I or Group II electrical equipment .....	33
7.4.3	Avoidance of a build-up of electrostatic charge on equipment for Group III .....	35
7.5	Threaded holes .....	35

8	Metallic enclosures and metallic parts of enclosures.....	35
8.1	Material composition .....	35
8.1.1	Group I.....	35
8.1.2	Group II.....	35
8.1.3	Group III.....	36
8.2	Threaded holes .....	36
9	Fasteners .....	36
9.1	General .....	36
9.2	Special fasteners.....	36
9.3	Holes for special fasteners .....	37
9.3.1	Thread engagement .....	37
9.3.2	Tolerance and clearance .....	37
9.3.3	Hexagon socket set screws .....	38
10	Interlocking devices .....	38
11	Bushings .....	38
12	Materials used for cementing.....	38
13	Ex components.....	39
13.1	General .....	39
13.2	Mounting .....	39
13.3	Internal mounting .....	39
13.4	External mounting .....	39
14	Connection facilities and termination compartments .....	39
14.1	General .....	39
14.2	Termination compartment.....	39
14.3	Type of protection .....	40
14.4	Creepage and clearance .....	40
15	Connection facilities for earthing or bonding conductors .....	40
15.1	Equipment requiring earthing.....	40
15.1.1	Internal.....	40
15.1.2	External.....	40
15.2	Equipment not requiring earthing.....	40
15.3	Size of conductor connection.....	40
15.4	Protection against corrosion .....	41
15.5	Secureness of electrical connections .....	41
16	Entries into enclosures .....	41
16.1	General .....	41
16.2	Identification of entries .....	41
16.3	Cable glands .....	41
16.4	Blanking elements .....	42
16.5	Temperature at branching point and entry point.....	42
16.6	Electrostatic charges of cable sheaths .....	42
17	Supplementary requirements for rotating electrical machines .....	43
17.1	Fans and fan hoods.....	43
17.2	Ventilation openings for external fans.....	43
17.3	Construction and mounting of the ventilating systems .....	44
17.4	Clearances for the ventilating system .....	44
17.5	Materials for external fans and fan hoods .....	44
17.6	Equipotential bonding conductors .....	44

18	Supplementary requirements for switchgear .....	44
18.1	Flammable dielectric .....	44
18.2	Disconnectors .....	44
18.3	Group I – Provisions for locking.....	45
18.4	Doors and covers .....	45
19	Supplementary requirements for fuses .....	45
20	Supplementary requirements for plugs, socket outlets and connectors .....	45
20.1	Interlocking .....	45
20.1.1	Explosive gas atmospheres .....	46
20.1.2	Explosive dust atmospheres .....	46
20.2	Energized plugs .....	46
21	Supplementary requirements for luminaires .....	46
21.1	General .....	46
21.2	Covers for luminaires of EPL Gb or EPL Db .....	47
21.3	Covers for luminaires of EPL Gc or EPL Dc.....	47
21.4	Special lamps.....	47
22	Supplementary requirements for caplights and handlights .....	47
22.1	Group I caplights .....	47
22.2	Group II and Group III caplights and handlights .....	48
23	Equipment incorporating cells and batteries .....	48
23.1	General .....	48
23.2	Batteries .....	48
23.3	Cell types .....	48
23.4	Cells in a battery .....	49
23.5	Ratings of batteries .....	49
23.6	Interchangeability .....	49
23.7	Charging of primary batteries.....	49
23.8	Leakage .....	49
23.9	Connections .....	49
23.10	Orientation.....	50
23.11	Replacement of cells or batteries.....	50
23.12	Replaceable battery pack .....	50
24	Documentation .....	50
25	Compliance of prototype or sample with documents .....	50
26	Type tests .....	50
26.1	General .....	50
26.2	Test configuration.....	51
26.3	Tests in explosive test mixtures.....	51
26.4	Tests of enclosures .....	51
26.4.1	Order of tests .....	51
26.4.2	Resistance to impact .....	53
26.4.3	Drop test .....	54
26.4.4	Acceptance criteria .....	54
26.4.5	Degree of protection (IP) by enclosures .....	54
26.5	Thermal tests .....	55
26.5.1	Temperature measurement.....	55
26.5.2	Thermal shock test .....	56
26.5.3	Small component ignition test (Group I and Group II).....	56

26.6	Torque test for bushings.....	57
26.6.1	Test procedure .....	57
26.6.2	Acceptance criteria.....	58
26.7	Non-metallic enclosures or non-metallic parts of enclosures.....	58
26.7.1	General .....	58
26.7.2	Test temperatures .....	58
26.8	Thermal endurance to heat.....	58
26.9	Thermal endurance to cold.....	59
26.10	Resistance to light .....	59
26.10.1	Test procedure .....	59
26.10.2	Acceptance criteria.....	59
26.11	Resistance to chemical agents for Group I electrical equipment.....	59
26.12	Earth continuity .....	60
26.13	Surface resistance test of parts of enclosures of non-metallic materials.....	61
26.14	Charging tests .....	62
26.14.1	Introduction .....	62
26.14.2	Principle of the test .....	62
26.14.3	Samples and test apparatus .....	63
26.14.4	Ambient conditions .....	63
26.14.5	Conditioning .....	63
26.14.6	Determination of the most efficient charging method .....	63
26.14.7	Assessment of discharge .....	65
26.15	Measurement of capacitance .....	66
26.15.1	Test procedure .....	66
26.15.2	Acceptance criteria.....	66
27	Routine tests .....	66
28	Manufacturer's responsibility .....	66
28.1	Conformity with the documentation.....	66
28.2	Certificate .....	66
28.3	Responsibility for marking .....	66
29	Marking .....	67
29.1	Location .....	67
29.2	General .....	67
29.3	Ex marking for explosive gas atmospheres .....	67
29.4	Ex marking for explosive dust atmospheres .....	69
29.5	Combined types of protection .....	70
29.6	Multiple types of protection .....	70
29.7	Ga using two independent Gb types of protection .....	71
29.8	Ex components .....	71
29.9	Small equipment and small Ex components .....	71
29.10	Extremely small equipment and extremely small Ex components .....	72
29.11	Warning markings.....	72
29.12	Alternate marking of Equipment Protection Levels (EPLs).....	72
29.12.1	Alternate marking of type of protection for explosive gas atmospheres .....	72
29.12.2	Alternate marking of type of protection for explosive dust atmospheres .....	73
29.13	Cells and batteries.....	73
29.14	Examples of marking .....	74

30 Instructions.....	76
30.1 General .....	76
30.2 Cells and batteries .....	77
Annex A (normative) Supplementary requirements for cable glands .....	78
Annex B (normative) Requirements for Ex components.....	85
Annex C (informative) Example of rig for resistance to impact test.....	87
Annex D (informative) Introduction of an alternative risk assessment method encompassing “equipment protection levels” for Ex equipment .....	88
Annex E (informative) Motors supplied by converters.....	93
Bibliography.....	94
Figure 1 – Tolerances and clearance for threaded fasteners .....	37
Figure 2 – Contact surface under head of fastener with a reduced shank.....	38
Figure 3 – Illustration of entry points and branching points .....	43
Figure 4 – Assembly of test sample for earth-continuity test.....	61
Figure 5 – Test piece with painted electrodes .....	62
Figure 6 – Rubbing with a pure polyamide or cotton cloth .....	64
Figure 7 – Discharging of a container with a probe connected to earth via a 0,1 µF capacitor.....	64
Figure 8 – Charging by influence with a d.c. voltage power supply.....	65
Figure A.1 – Illustration of the terms used for cable glands .....	78
Figure A.2 – Rounded edge of the point of entry of the flexible cable .....	79
Figure C.1 – Example of rig for resistance to impact test .....	87
Table 1 – Ambient temperatures in service and additional marking .....	25
Table 2 – Classification of maximum surface temperatures for Group II electrical equipment.....	27
Table 3a – Assessment of temperature classification according to component size at 40°C ambient temperature .....	28
Table 3b – Assessment of temperature classification according to component size – Variation in maximum power dissipation with ambient temperature .....	28
Table 4 – Radio frequency power thresholds.....	30
Table 5 – Radio-frequency energy thresholds .....	30
Table 6 – Limitation of surface areas .....	34
Table 7 – Diameter or width of long parts.....	34
Table 8 – Limitation of thickness of non-metallic layer .....	34
Table 9 – Minimum cross-sectional area of protective conductors .....	41
Table 10 – Primary cells .....	48
Table 11 – Secondary cells .....	49
Table 12 – Tests for resistance to impact.....	53
Table 13 – Torque to be applied to the stem of bushing used for connection facilities .....	58
Table 14 – Text of warning markings .....	72
Table B.1 – Clauses with which Ex components shall comply .....	85

Table D.1 – Traditional relationship of EPLs to zones (no additional risk assessment) .....	90
Table D.2 – Description of risk of ignition protection provided .....	91

## EXPLOSIVE ATMOSPHERES –

### Part 0: Equipment – General requirements

#### 1 Scope

This part of IEC 60079 specifies the general requirements for construction, testing and marking of electrical equipment and Ex components intended for use in explosive atmospheres.

Unless modified by one of the standards supplementing this standard, electrical equipment complying with this standard is intended for use in hazardous areas in which explosive atmospheres exist under normal atmospheric conditions of

- temperature -20 °C to +60 °C;
- pressure 80 kPa (0,8 bar) to 110 kPa (1,1 bar); and
- air with normal oxygen content, typically 21 % v/v.

The application of electrical equipment in atmospheric conditions outside this range requires special consideration and may require additional assessment and testing.

NOTE 1 Although the normal atmospheric conditions above give a temperature range for the atmosphere of -20°C to +60°C, the normal ambient temperature range for the equipment is -20°C to +40°C, unless otherwise specified and marked. See 5.1.1.

NOTE 2 In designing equipment for operation in explosive atmospheres under conditions other than the atmospheric conditions given above, this standard may be used for guidance. However, additional testing related specifically to the intended conditions of use is recommended. This is particularly important when the types of protection 'flameproof enclosure "d"' (IEC 60079-1) and 'intrinsic safety "i"' (IEC 60079-11 or IEC 61241-11) are applied.

NOTE 3 Requirements given in this standard result from an ignition hazard assessment made on electrical equipment. The ignition sources taken into account are those found associated with this type of equipment, such as hot surfaces, mechanically generated sparks, thermite reactions, electrical arcing and static electric discharge in normal industrial environments.

NOTE 4 It is acknowledged that, with developments in technology, it may be possible to achieve the objectives of the IEC 60079 series of standards in respect of explosion prevention by methods that are not yet fully defined. Where a manufacturer wishes to take advantage of such developments, this International Standard, as well as other standards in the IEC 60079 series, may be applied in part. It is intended that the manufacturer prepare documentation that clearly defines how the IEC 60079 series of standards has been applied, together with a full explanation of the additional techniques employed. The designation "Ex s" has been reserved to indicate a type of protection that is not defined by the IEC 60079 series of standards, but may be referenced in national requirements.

NOTE 5 Where an explosive gas atmosphere and a combustible dust atmosphere are, or may be, present at the same time, the simultaneous presence of both should be considered and may require additional protective measures.

This standard does not specify requirements for safety, other than those directly related to the explosion risk. Ignition sources like adiabatic compression, shock waves, exothermic chemical reaction, self ignition of dust, naked flames and hot gases/liquids, are not addressed by this standard.

NOTE 6 Such equipment should be subjected to a hazard analysis that identifies and lists all of the potential sources of ignition by the electrical equipment and the measures to be applied to prevent them becoming effective.

This standard is supplemented or modified by the following standards concerning specific types of protection:

- IEC 60079-1: Gas – Flameproof enclosures "d";
- IEC 60079-2: Gas – Pressurized enclosures "p";
- IEC 60079-5: Gas – Powder filling "q";
- IEC 60079-6: Gas – Oil immersion "o";
- IEC 60079-7: Gas – Increased safety "e";
- IEC 60079-11: Gas – Intrinsic safety "i";
- IEC 60079-15: Gas – Type of protection "n";
- IEC 60079-18: Gas and Dust – Encapsulation "m";
- IEC 61241-1: Dust – Protection by enclosures "tD";
- IEC 61241-2 (IEC 61241-4): Dust – Pressurization "pD";
- IEC 61241-11: Dust – Intrinsic safety "iD".

NOTE 7 The former requirements of IEC 61241-18, Encapsulation "mD", have been incorporated in IEC 60079-18.

This standard is supplemented or modified by the following equipment standards:

IEC 60079-25: Electrical apparatus for explosive gas atmospheres – Part 25: Intrinsically safe systems

IEC 60079-26: Explosive atmospheres – Part 26: Equipment with equipment protection level (EPL) Ga

IEC 60079-28: Explosive atmospheres – Part 28: Protection of equipment and transmission systems using optical radiation

IEC 62013-1: Caplights for use in mines susceptible to firedamp – Part 1: General requirements – Construction and testing in relation to the risk of explosion

IEC 60079-30-1: Explosive atmospheres – Part 30-1: Electrical resistance trace heating – General and testing requirements.

This standard with the additional standards mentioned above, are not applicable to the construction of

- electromedical apparatus,
- shot-firing exploders,
- test devices for exploders, and
- shot-firing circuits.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-5, *Rotating electrical machines – Part 5: Classification of degrees of protection provided by the enclosures of rotating electrical machines (IP Code)*

IEC 60050(426), *International Electrotechnical Vocabulary (IEV) – Chapter 426: Electrical apparatus for explosive atmospheres*

IEC 60079-1, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-2, *Explosive atmospheres – Part 2: Equipment protection by pressurized enclosures "p"*

IEC 60079-4, *Electrical apparatus for explosive gas atmospheres – Part 4: Method of test for ignition temperature*

IEC 60079-5, *Explosive atmospheres – Part 5: Equipment protection by powder filling "q"*

IEC 60079-6, *Explosive atmospheres – Part 6: Equipment protection by oil-immersion "o"*

IEC 60079-7, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i"*

IEC 60079-15, *Electrical apparatus for explosive gas atmospheres – Part 15: Construction, test and marking of type of protection "n" electrical apparatus*

IEC 60079-18, *Electrical apparatus for explosive gas atmospheres – Part 18: Construction, test and marking of type of protection encapsulation "m" electrical apparatus*

IEC 60079-25: *Electrical apparatus for explosive gas atmospheres – Part 25: Intrinsically safe systems*

IEC 60079-26: *Explosive atmospheres – Part 26: Equipment with equipment protection level (EPL)Ga*

IEC 60079-28: *Explosive atmospheres – Part 28: Protection of equipment and transmission systems using optical radiation*

IEC 60079-30-1: *Explosive atmospheres – Part 30-1: Electrical resistance trace heating – General and testing requirements*

IEC 60079-31, *Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosures "tD"*

IEC 60086-1, *Primary batteries – Part 1: General*

IEC 60095-1, *Lead-acid starter batteries – Part 1: General requirements and methods of test*

IEC 60192, *Low-pressure sodium vapour lamps – Performance specifications*

IEC 60216-1, *Electrical insulating materials – Properties of thermal endurance – Part 1: Ageing procedures and evaluation of test results*

IEC 60216-2, *Electrical insulating materials – Thermal endurance properties – Part 2: Determination of thermal endurance properties of electrical insulating materials – Choice of test criteria*

IEC 60243-1, *Electrical strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

IEC 60423, *Conduits for electrical purposes – Outside diameters of conduits for electrical installations and threads for conduits and fittings*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60622, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Sealed nickel-cadmium prismatic rechargeable single cells*

IEC 60623, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Vented nickel-cadmium prismatic rechargeable single cells*

IEC 60662, *High-pressure sodium vapour lamps*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60947-1, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 61056-1, *General purpose lead-acid batteries (valve-regulated types) – Part 1: General requirements, functional characteristics – Methods of tests*

IEC 61241-1, *Electrical apparatus for use in the presence of combustible dust – Part 1: Protection by enclosures “tD”*

IEC 61241-4, *Electrical apparatus for use in the presence of combustible dust – Part 4: Type of protection “pD”*

IEC 61241-11, *Electrical apparatus for use in the presence of combustible dust – Part 11: Protection by intrinsic safety “iD”*

IEC 61951-1, *Secondary cells and batteries containing alkaline and other non-acid electrolytes – Portable sealed rechargeable single cells – Part 1: Nickel-cadmium*

IEC 61951-2, *Secondary cells and batteries containing alkaline and other non-acid electrolytes – Portable sealed rechargeable single cells – Part 2: Nickel-metal hydride*

IEC 62013-1, *Caplights for use in mines susceptible to firedamp – Part 1: General requirements – Construction and testing in relation to the risk of explosion*

ISO 48, *Rubber, vulcanized or thermoplastic – Determination of hardness (hardness between 10 IRHD and 100 IRHD)*

ISO 178, *Plastics – Determination of flexural properties*

ISO 179 (all parts), *Plastics – Determination of Charpy impact properties*

ISO 262, *ISO general-purpose metric screw threads – Selected sizes for screws, bolts and nuts*

ISO 273, *Fasteners – Clearance holes for bolts and screws*

ISO 286-2, *ISO system of limits and fits – Part 2: Tables of standard tolerance grades and limit deviations for holes and shafts*

ISO 527-2, *Plastics – Determination of tensile properties – Part 2: Test conditions for moulding and extrusion plastics*

ISO 965-1, *ISO general-purpose metric screw threads – Tolerances – Part 1: Principles and basic data*

ISO 965-3, *ISO general-purpose metric screw threads – Tolerances – Part 3: Deviations for constructional screw threads*

ISO 1817, *Rubber, vulcanized – Determination of the effect of liquids*

ISO 4014, *Hexagon head bolts – Product grades A and B*

ISO 4017, *Hexagon head screws – Product grades A and B*

ISO 4026, *Hexagon socket set screws with flat point*

ISO 4027, *Hexagon socket set screws with cone point*

ISO 4028, *Hexagon socket set screws with dog point*

ISO 4029, *Hexagon socket set screws with cup point*

ISO 4032, *Hexagon nuts, style 1 – Product grades A and B*

ISO 4762, *Hexagon socket head cap screws*

ISO 4892-1, *Plastics – Methods of exposure to laboratory light sources – Part 1: General guidance*

ANSI/UL 746B, *Polymeric Materials – Long-Term Property Evaluations*

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]