

# INTERNATIONAL STANDARD

# IEC 62216-1

First edition  
2001-10

---

---

## Digital terrestrial television receivers for the DVB-T system –

### Part 1: Baseline receiver specification

© IEC 2001 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, rue de Varembé Geneva, Switzerland  
Telefax: +41 22 919 0300 e-mail: [inmail@iec.ch](mailto:inmail@iec.ch) IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE **XE**

*For price, see current catalogue*

## CONTENTS

FOREWORD.....	7
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references.....	10
3 Abbreviations and symbols.....	11
4 Receiver capabilities.....	12
4.1 Frequency spectrum.....	12
4.2 Conditional access.....	12
4.3 Return path.....	12
4.4 Navigator (SI).....	13
4.5 Auto installation.....	13
4.6 Teletext carried in digital streams.....	13
4.7 Analogue recording/copy management.....	13
4.8 Services.....	13
4.9 Future versions of this specification.....	13
5 Video system characteristics.....	14
5.1 Introduction.....	14
5.2 Essential requirements.....	14
5.3 Constraints and extensions.....	14
5.3.1 Support for rapid channel acquisition.....	14
5.3.2 Picture types.....	14
5.3.3 ISO/IEC 11172-2 compatibility.....	14
5.3.4 User data.....	15
5.3.5 Video alignment.....	15
6 Video display formatting.....	16
6.1 Introduction.....	16
6.2 Video format.....	16
6.2.1 Requirements for DVB compliance.....	16
6.3 Recommendations for signalling in the video stream.....	16
6.3.1 Sequence header.....	17
6.3.2 Sequence display extension.....	17
6.3.3 Constraints on the use of the picture display extension.....	18
6.3.4 Format switching.....	18
6.4 Video format signalling extensions.....	18
6.4.1 MPEG signalling.....	19
6.4.2 DVB signalling.....	19
6.4.3 Active format description.....	19
6.5 Recommendations for ISO/IEC 13818-1 signalling.....	26
6.6 Alignment of video and graphics.....	26
6.6.1 Video with graphics.....	26
6.6.2 Uncertainty of position of graphics over video.....	26
7 Audio system characteristics.....	27
7.1 Introduction.....	27
7.2 Essential requirements.....	27
7.2.1 Scope of requirements.....	27
7.2.2 Synchronisation.....	27

7.2.3	Decoding requirements.....	28
7.3	Constraints and extensions .....	28
7.3.1	Surround sound .....	28
7.4	Audio description.....	28
7.4.1	Background (informative).....	28
7.4.2	Receiver implementation minima .....	28
7.4.3	Signalling .....	28
7.4.4	Constraints on audio description stream coding.....	32
7.4.5	Implementation notes .....	32
7.5	Audio only services .....	34
7.6	PSI signalling .....	34
8	Multiplex and transport stream characteristics .....	34
8.1	Scope.....	34
8.2	Essential requirements .....	34
8.2.1	Multiplexing .....	34
8.2.2	Demultiplexing.....	35
8.3	Constraints and extensions .....	35
8.3.1	Multicomponent programs.....	35
9	Service and program specific information .....	36
9.1	Introduction .....	36
9.1.1	General requirements.....	36
9.1.2	General receiver requirements.....	36
9.1.3	General broadcaster requirements.....	37
9.1.4	Notation.....	38
9.2	SI & PSI Specification .....	38
9.2.1	Summary.....	38
9.2.2	Program association table .....	39
9.2.3	Program map table .....	39
9.2.4	Conditional access table.....	41
9.2.5	Network information table .....	41
9.2.6	Bouquet association table.....	43
9.2.7	Service description table .....	43
9.2.8	Event information table.....	45
9.2.9	Time and date table and time offset table .....	47
9.2.10	Running status table.....	48
9.2.11	Private data.....	48
9.3	Receiver functions.....	52
9.3.1	Information typically available to the user .....	52
9.3.2	Service change.....	52
9.3.3	Parental control .....	55
9.3.4	Receiver behaviour when a service stops .....	55
9.4	Establishing and maintaining the network connection .....	55
9.4.1	Use of SI identifiers .....	55
9.4.2	Auto installation.....	57
9.4.3	Network evolution .....	58
9.4.4	Logical channel numbers (LCN).....	61
9.4.5	Recommendation for robust SI acquisition .....	64
9.5	User interface.....	66
9.5.1	Presentation of text .....	66

9.5.2	Information presentation .....	67
9.5.3	Service navigation .....	69
9.5.4	Display of time .....	70
9.6	Recording devices .....	70
9.6.1	Programming .....	70
9.6.2	Execution of recording .....	70
9.6.3	Control of analogue recorders .....	71
10	Subtitles .....	71
10.1	Introduction .....	71
10.2	Broadcast specifications .....	71
10.2.1	DVB subtitles .....	71
10.2.2	Signalling .....	72
10.2.3	Recommendation .....	72
10.3	Receiver functions .....	72
10.3.1	Background .....	72
10.3.2	User control of receiver behaviour .....	73
11	VBI based services .....	73
11.1	Introduction .....	73
11.2	Broadcast specifications .....	73
11.3	Receiver functions .....	74
11.3.1	Processing capabilities .....	74
11.3.2	Control .....	74
11.4	Extended VBI format support .....	74
11.4.1	VPS .....	75
11.4.2	WSS .....	75
11.4.3	Teletext and teletext subtitles .....	75
12	RF-part and channel decoder .....	75
12.1	General .....	75
12.2	Frequencies and channel bandwidth .....	75
12.3	DVB-T modes .....	75
12.4	Tuning procedure .....	76
12.5	Change of modulation parameters .....	76
12.6	Connector .....	76
12.7	Performance .....	76
12.7.1	C/N performance .....	76
12.7.2	Minimum receiver signal input levels .....	76
12.7.3	Maximum input level .....	77
12.7.4	Resistance to analogue and/or digital signals in other channels .....	77
12.7.5	Resistance to co-channel interference from analogue TV signals .....	77
12.7.6	Guard interval utilisation in single frequency networks .....	78
13	Conditional access and the common interface .....	78
13.1	Introduction .....	78
13.2	Minimum Requirements .....	78
Annex A (normative)	SI character set .....	79
A.1	Set of languages supported .....	79
A.2	Structure of character table .....	79
Annex B (normative)	DVB-SI PDC descriptor .....	88
B.1	Introduction .....	88

B.2 PDC descriptor .....	88
Annex C (informative) Bootloader and software download.....	90
C.1 Overview .....	90
C.2 Signalling .....	90
C.3 User interface.....	91
Annex D (normative) Subtitling.....	92
D.1 Introduction .....	92
D.2 Essential requirements .....	92
D.3 Corrigenda to ETS 300 743 .....	92
D.4 Clarifications to ETS 300 743 .....	93
D.5 Revised decoder model .....	99
D.6 UK specific features .....	105
D.7 OSD Conflicts.....	106
D.8 System capabilities (informative).....	106
D.9 Encoding Guidelines (informative).....	106
D.10 Decoder treatment of errors.....	107
Annex E (informative) An example of frequencies and offsets .....	109
E.1 UHF .....	109
E.2 VHF.....	109
Annex F (informative) Noise model .....	110
Annex G (informative) An example of C/N-performance with a practical transmitter .....	111
Bibliography.....	112
Figure 1 – Relationship between digital video and analogue video .....	15
Figure 2 – Receiver and display format processing reference model.....	21
Figure 3 – Uncertainty of positioning graphics over video.....	27
Figure 4 – Illustration of control of audio level.....	29
Figure 5 – Mapping of pan byte onto sound presentation .....	32
Figure 6 – The “cold-cut” approach illustrated .....	33
Figure 7 – Generic single external decoder approach illustrated .....	33
Figure 8 – Possible single external decoder approaches illustrated.....	34
Figure 9 – Service regionalisation .....	62
Figure D.1 – High level bitstream organisation .....	94
Figure D.2 – Region depth selection .....	96
Figure D.3 – Mapping code strings to pixels in “requested” depth region.....	97
Figure D.4 – Mapping code strings to pixels.....	98
Figure D.5 – Subtitle reference decoder model .....	100
Figure D.6 – The two modelled decoding phases .....	101
Figure D.7 – Detail of data decoding phase.....	102
Figure D.8 – Disruption to display at start of new epoch.....	102
Figure F.1 – Tuner Noise Model.....	110
Table 1 – Horizontal scaling where format is signalled by the sequence header alone .....	17
Table 2 – Pan scan window .....	17
Table 3 – Non “full screen” .....	18
Table 4 – Formats described by the active_format description .....	19

Table 5 – Processing by STB connected to 4:3 TV.....	22
Table 6 – User options for displaying 16:9 on 4:3.....	23
Table 7 – User options for displaying >16:9 on 4:3.....	23
Table 8 – Processing by STB connected to 16:9 TV.....	24
Table 9 – WSS codes for aspect ratio .....	25
Table 10 – Values for other WSS bits .....	25
Table 11 – Audio Description Descriptor .....	29
Table 12 – Illustration of PES packet header .....	31
Table 13 – Key to symbols.....	38
Table 14 – Summary of required tables.....	38
Table 15 – Program descriptors .....	39
Table 16 – Elementary streams descriptors .....	39
Table 17 – Network descriptors (first loop).....	41
Table 18 – Transport stream descriptors (second loop).....	42
Table 19 – Service descriptors.....	43
Table 20 – Event information descriptors .....	45
Table 21 – Time Offset Table descriptors.....	47
Table 22 – Private SI recognised by this specification.....	48
Table 23 – Syntax of the eacem stream identifier descriptor .....	48
Table 24 – Syntax of the logical channel descriptor .....	49
Table 25 – Logical Channel Number .....	50
Table 26 – Syntax of the preferred name list descriptor .....	50
Table 27 – Syntax of the preferred name identifier descriptor .....	51
Table 28 – Subtitle preference modes defined .....	53
Table 29 – Receiver Response to Missing SI Tables.....	65
Table 30 – Text Field Lengths.....	67
Table 31 – Subtitle preference modes defined .....	73
Table 32 – C/N (dB) for Reference BER.....	76
Table A.1 – Allowed character codes in SI text fields .....	80
Table B.1 – Syntax of the PDC descriptor .....	88
Table C.1 – Example download information structure.....	91
Table D.1 – Corrigenda to ETS 300 743.....	92
Table D.2 – Notes to Figure D-1.....	95
Table D.3 – Additional display update budget for page/region operations.....	103
Table D.4 – End of display set segment syntax .....	105
Table D.5 – Example subtitle system performance .....	106
Table G.1 – C/N (dB) for Reference BER.....	111

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**DIGITAL TERRESTRIAL TELEVISION RECEIVERS  
FOR THE DVB-T SYSTEM –**
**Part 1: Baseline receiver specification**

## FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62216-1 has been prepared by technical area 1, Digital receiving equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment

The text of this standard is based on the following documents:

CDV	Report on voting
100/211/CDV	100/267/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annexes A, B and D form an integral part of this standard. Annexes C, E, F and G are for information only.

The committee has decided that this publication remains valid until 2003. At this date, in accordance with the committee's decision, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

## INTRODUCTION

Television has evolved over the last half century from an up-market entertainment medium to becoming the major information tool around the world.

Television is available to virtually all people around the globe, be it individually or in a community setting.

The advent of the “personal computer”, enabling global reach and instant interaction has escalated the demand for more and more information and the ability to respond to it instantly.

It is thus that the broadcasters and content providers set out to seek new means of delivering higher levels of content, be it in volume or quality using existing or new transport mechanisms available.

Digitalisation, taken from the world of information technology was the obvious choice.

It further brought the added benefits of efficient use of spectrum and energy, not to mention interaction through a return path.

Terrestrial television has to migrate from analogue to digital in order to survive in the new information society.

Without any doubt, all means of information and content dissemination technology will merge over time, provided that sound business models find uptake by consumers at large.

Governments are keen to switch off the inefficient analogue broadcasts for a number of obvious reasons, but only will be able to do so when consumers are confident that the new proposition is attractive and affordable.

Business models are being developed to promote the uptake of digital receivers, however this activity up to now is mainly led by private enterprises targeting the public sector willing to pay for services in addition to those available from established public broadcasters.

This in itself is fine, but will not enable the migration from analogue to digital of all broadcasts, however funded.

The more so as it has led to a variety of incompatible platforms tied to particular TV operators, and this in turn does not allow for economy of scale for all parties concerned, be it content providers, broadcasters, network providers or equipment manufacturers.

After over two years of requirement capture in DigiTAG (Digital Television Action Group) and other fora, EACEM (European Association of Consumer Electronics Manufacturers) decided to address this situation by developing a basic specification as a minimum platform, providing secure reception of broadcast content and associated services. This includes both free to air as well as pay TV services by means of the DVB common interface.

This is in order to provide a stable base from which new applications and services can be built up, and ensuring backwards compatibility for products in the market based on this specification, thus ensuring that the consumer will continue to receive the services they have grown accustomed to.

EACEM has taken into consideration all other documents and specifications that were freely available from various bodies (NorDig Group, ANIEL, etc.) in order to develop a pan European specification.

# DIGITAL TERRESTRIAL TELEVISION RECEIVERS FOR THE DVB-T SYSTEM –

## Part 1: Baseline receiver specification

### 1 Scope

This part of IEC 62216 specifies the baseline receiver for the DVB-T system.

It concerns:

- broadcasters, and
- receiver manufacturers.

The objective is to define:

- how to provide broadcasts that are understood by all receivers and enable receivers to provide good facilities to their users;
- the behaviour required from receivers to work well with these broadcasts and to be attractive to consumers.

To avoid doubt, the words “shall”, “should” etc. are used in the traditional way to distinguish issues that are important versus those that are optional. The term “shall” is also used to identify mandatory requirements that are inherited from other specifications that have greater force.

This specification does not consider interactive applications and the data broadcasting that would support them. Subtitling and teletext are considered to be components of TV services. Standalone teletext services are not part of this standard.

This specification primarily addresses terrestrial delivery of digital transmissions.

This specification primarily addresses deployment in countries that use European Latin script based languages.

### 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 62216. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 62216 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60169-2, *Radio-frequency connectors - Part 2: Coaxial unmatched connector*

ISO/IEC 6937, *Information technology – Coded graphic character set for text communication – Latin alphabet*

ISO/IEC 8859-9, *Information technology – 8-bit single-byte coded graphic character sets – Part 9: Latin alphabet No. 5*

ISO/IEC 11172-2, *Information technology – Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s – Part 2: Video*

ISO/IEC 13818-1, *Information technology – Generic coding of moving pictures and associated audio information: systems*

ISO/IEC 13818-2, *Information technology – Generic coding of moving pictures and associated audio information: Video*

ISO/IEC 13818-3, *Information technology – Generic coding of moving pictures and associated audio information: Audio*

ITU-R BT.470-6, *Conventional television systems*

ITU-R BS.775-1, *Multichannel stereophonic sound system with and without accompanying picture*

ITU-R BT.1119-2, *Wide-screen signalling for broadcasting (Signalling for wide-screen and other enhanced television parameters)*

ITU-R BT.1359-1, *Relative timing of sound and vision for broadcasting*

EN 50049-1, *Domestic and Similar Electronic Equipment Interconnection Requirements: Peritelevision Connector*

EN 50221, *Common Interface Specification for Conditional Access and Other Digital Video Broadcasting Decoder Applications*

EN 300 468, *Digital Video Broadcasting (DVB) - Specification for Service Information (SI) in DVB systems*

EN 300 744, *Digital Video Broadcasting (DVB) - Framing structure, channel coding and modulation for digital terrestrial television (DVB-T)*

EN 301 775, *Digital Video Broadcasting (DVB) - Specification for the carriage of Vertical Blanking Information (VBI) data in DVB bitstreams*

ETR 289, *Digital Video Broadcasting (DVB) - Support for Use of Scrambling and Conditional Access (CA) within digital broadcasting systems*

ETR 154, *Digital Video Broadcasting (DVB) - Implementation guidelines for the use of MPEG-2 Systems, Video and Audio in satellite, cable and terrestrial broadcasting applications*

ETR 162, *Digital Broadcasting Systems for Television Sound and Data services; Allocation of Service Information (SI) codes for Digital Video Broadcasting (DVB) systems*

ETR 211, *Digital Video Broadcasting (DVB) - Guidelines on implementation and usage of Service Information (SI)*

ETS 300 231, *Television Systems - Specification of the domestic video Programme Delivery Control system (PDC)*

ETS 300 294, *Television Systems; 625 - Line television Wide Screen Signalling (WSS)*

ETS 300 472, *Digital Video Broadcasting (DVB) - Specification for conveying ITU-R System B Teletext in DVB bitstreams*

ETS 300 706, *Enhanced Teletext specification*

ETS 300 743, *Digital Video Broadcasting (DVB) - Subtitling systems*

R206-001, *Guidelines for Implementation and Use of the Common Interface for DVB Decoder Applications*

TS 101 699, *Digital Video Broadcasting (DVB) - Extensions to the Common Interface Specification*