

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Profiler – Del 1: Fältbussprofiler

*Industrial communication networks –
Profiles –
Part 1: Fieldbus profiles*

Som svensk standard gäller europastandarden EN 61784-1:2010. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61784-1:2010.

Nationellt förord

Europastandarden EN 61784-1:2010

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61784-1, Third edition, 2010 - Industrial communication networks - Profiles - Part 1: Fieldbus profiles**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61784-1, utgåva 1, 2009, gäller ej fr o m 2013-09-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Industrial communication networks -
Profiles -
Part 1: Fieldbus profiles
(IEC 61784-1:2010)**

Réseaux de communication industriels -
Profils -
Partie 1: Profils pour les bus de terrain
(CEI 61784-1:2010)

Industrielle Kommunikationsnetze -
Profile -
Teil 1: Feldbusprofile
(IEC 61784-1:2010)

This European Standard was approved by CENELEC on 2010-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 65C/600/FDIS, future edition 3 of IEC 61784-1, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61784-1 on 2010-09-01.

This European Standard supersedes EN 61784-1:2008.

The main changes with respect to the previous edition are listed below:

- update of the dated references to the EN 61158 series, to EN 61784-2, to the EN 61784-3 series, to the EN 61784-5 series and to EN 61918 throughout the document;
- update of the titles of the referenced documents and references if needed;
- update of selection tables for CPF 1, CPF 2, CPF 5 and CPF 8.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-06-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2013-09-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61784-1:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60079-14:2007	NOTE Harmonized as EN 60079-14:2008 (not modified).
IEC 60079-25	NOTE Harmonized as EN 60079-25.
IEC 60793 series	NOTE Harmonized in EN 60793 series (partially modified).
IEC 61131-3	NOTE Harmonized as EN 61131-3.
IEC/TR 61158-1:2010	NOTE Harmonized as CLC/TR 61158-1:2010 (not modified).
ISO/IEC 7498-1	NOTE Harmonized as EN ISO/IEC 7498-1.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-11	-	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"	EN 60079-11	-
IEC 60079-27	-	Explosive atmospheres - Part 27: Fieldbus intrinsically safe concept (FISCO)	EN 60079-27	-
IEC 61010	Series	Safety requirements for electrical equipment for measurement, control and laboratory use	EN 61010	Series
IEC 61131-2	-	Programmable controllers - Part 2: Equipment requirements and tests	EN 61131-2	-
IEC 61158-2	2010	Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition	EN 61158-2	2010
IEC 61158-3-1	2007	Industrial communication networks - Fieldbus specifications - Part 3-1: Data-link layer service definition - Type 1 elements	EN 61158-3-1	2008
IEC 61158-3-2	2007	Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements	EN 61158-3-2	2008
IEC 61158-3-3	2007	Industrial communication networks - Fieldbus specifications - Part 3-3: Data-link layer service definition - Type 3 elements	EN 61158-3-3	2008
IEC 61158-3-4	2007	Industrial communication networks - Fieldbus specifications - Part 3-4: Data-link layer service definition - Type 4 elements	EN 61158-3-4	2008
IEC 61158-3-7	2007	Industrial communication networks - Fieldbus specifications - Part 3-7: Data-link layer service definition - Type 7 elements	EN 61158-3-7	2008
IEC 61158-3-8	2007	Industrial communication networks - Fieldbus specifications - Part 3-8: Data-link layer service definition - Type 8 elements	EN 61158-3-8	2008

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-3-16	2007	Industrial communication networks - Fieldbus specifications - Part 3-16: Data-link layer service definition - Type 16 elements	EN 61158-3-16	2008
IEC 61158-3-18	2007	Industrial communication networks - Fieldbus specifications - Part 3-18: Data-link layer service definition - Type 18 elements	EN 61158-3-18	2008
IEC 61158-4-1	2007	Industrial communication networks - Fieldbus specifications - Part 4-1: Data-link layer protocol specification - Type 1 elements	EN 61158-4-1	2008
IEC 61158-4-2	2010	Industrial communication networks - Fieldbus - specifications - Part 4-2: Data-link layer protocol specification - Type 2 elements	-	-
IEC 61158-4-3	2010	Industrial communication networks - Fieldbus - specifications - Part 4-3: Data-link layer protocol specification - Type 3 elements	-	-
IEC 61158-4-4	2007	Industrial communication networks - Fieldbus specifications - Part 4-4: Data-link layer protocol specification - Type 4 elements	EN 61158-4-4	2008
IEC 61158-4-7	2007	Industrial communication networks - Fieldbus specifications - Part 4-7: Data-link layer protocol specification - Type 7 elements	EN 61158-4-7	2008
IEC 61158-4-8	2007	Industrial communication networks - Fieldbus specifications - Part 4-8: Data-link layer protocol specification - Type 8 elements	EN 61158-4-8	2008
IEC 61158-4-16	2007	Industrial communication networks - Fieldbus specifications - Part 4-16: Data-link layer protocol specification - Type 16 elements	EN 61158-4-16	2008
IEC 61158-4-18	2010	Industrial communication networks - Fieldbus - specifications - Part 4-18: Data-link layer protocol specification - Type 18 elements	-	-
IEC 61158-5-2	2010	Industrial communication networks - Fieldbus - specifications - Part 5-2: Application layer service definition - Type 2 elements	-	-
IEC 61158-5-3	2010	Industrial communication networks - Fieldbus - specifications - Part 5-3: Application layer service definition - Type 3 elements	-	-
IEC 61158-5-4	2007	Industrial communication networks - Fieldbus specifications - Part 5-4: Application layer service definition - Type 4 elements	EN 61158-5-4	2008

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-5-5	2007	Industrial communication networks - Fieldbus specifications - Part 5-5: Application layer service definition - Type 5 elements	EN 61158-5-5	2008
IEC 61158-5-7	2007	Industrial communication networks - Fieldbus specifications - Part 5-7: Application layer service definition - Type 7 elements	EN 61158-5-7	2008
IEC 61158-5-8	2007	Industrial communication networks - Fieldbus specifications - Part 5-8: Application layer service definition - Type 8 elements	EN 61158-5-8	2008
IEC 61158-5-9	2007	Industrial communication networks - Fieldbus specifications - Part 5-9: Application layer service definition - Type 9 elements	EN 61158-5-9	2008
IEC 61158-5-10	2010	Industrial communication networks - Fieldbus - specifications - Part 5-10: Application layer service definition - Type 10 elements	-	-
IEC 61158-5-16	2007	Industrial communication networks - Fieldbus specifications - Part 5-16: Application layer service definition - Type 16 elements	EN 61158-5-16	2008
IEC 61158-5-18	2010	Industrial communication networks - Fieldbus - specifications - Part 5-18: Application layer service definition - Type 18 elements	-	-
IEC 61158-5-20	2010	Industrial communication networks - Fieldbus - specifications - Part 5-20: Application layer service definition - Type 20 elements	-	-
IEC 61158-6-2	2010	Industrial communication networks - Fieldbus - specifications - Part 6-2: Application layer protocol specification - Type 2 elements	-	-
IEC 61158-6-3	2010	Industrial communication networks - Fieldbus - specifications - Part 6-3: Application layer protocol specification - Type 3 elements	-	-
IEC 61158-6-4	2007	Industrial communication networks - Fieldbus specifications - Part 6-4: Application layer protocol specification - Type 4 elements	EN 61158-6-4	2008
IEC 61158-6-5	2007	Industrial communication networks - Fieldbus specifications - Part 6-5: Application layer protocol specification - Type 5 elements	EN 61158-6-5	2008
IEC 61158-6-7	2007	Industrial communication networks - Fieldbus specifications - Part 6-7: Application layer protocol specification - Type 7 elements	EN 61158-6-7	2008

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-6-8	2007	Industrial communication networks - Fieldbus specifications - Part 6-8: Application layer protocol specification - Type 8 elements	EN 61158-6-8	2008
IEC 61158-6-9	2010	Industrial communication networks - Fieldbus - specifications - Part 6-9: Application layer protocol specification - Type 9 elements	-	-
IEC 61158-6-10	2010	Industrial communication networks - Fieldbus - specifications - Part 6-10: Application layer protocol specification - Type 10 elements	-	-
IEC 61158-6-16	2007	Industrial communication networks - Fieldbus specifications - Part 6-16: Application layer protocol specification - Type 16 elements	EN 61158-6-16	2008
IEC 61158-6-18	2010	Industrial communication networks - Fieldbus - specifications - Part 6-18: Application layer protocol specification - Type 18 elements	-	-
IEC 61158-6-20	2010	Industrial communication networks - Fieldbus - specifications - Part 6-20: Application layer protocol specification - Type 20 elements	-	-
IEC 61784-2	2010	Industrial communication networks - Profiles - Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3	EN 61784-2	2010
IEC 61784-5-2	2010	Industrial communication networks - Profiles - Part 5-2: Installation of fieldbuses - Installation profiles for CPF 2	-	-
IEC 61918 (mod)	2010	Industrial communication networks - Installation of communication networks in industrial premises	prEN 61918	2009
IEC 62026-3	-	Low-voltage switchgear and controlgear - Controller-device interfaces (CDIs) - Part 3: DeviceNet	EN 62026-3	-
ISO/IEC 8802-2	1998	Information technology - Telecommunications - and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 2: Logical link control	-	-
ISO/IEC 8802-3	2000	Information technology - Telecommunications - and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO 15745-3	2003	Industrial automation systems and integration - Open systems application integration framework - Part 3: Reference description for IEC 61158 based control systems	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 15745-4	2003	Industrial automation systems and integration - - Open systems application integration framework - Part 4: Reference description for Ethernet- based control systems	-	-
ANSI TIA/EIA-232-F	1997	Interface between data terminal equipment and data circuit - Terminating equipment employing serial binary data interchange	-	-
ANSI TIA/EIA-485-A	1998	Electrical Characteristics of Generators and Receivers for Use in Balanced Digital Multipoint Systems	-	-
IEEE 802.3	2002	IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - Access Method and Physical Layer Specifications	-	-
IETF RFC 768	-	User Datagram Protocol	-	-
IETF RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 792	-	Internet Control Message Protocol	-	-
IETF RFC 793	-	Transmission Control Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 826	-	Ethernet Address Resolution Protocol	-	-
IETF RFC 894	-	Standard for the Transmission of IP Datagrams over Ethernet Networks	-	-
IETF RFC 1112	-	Host Extensions for IP Multicasting	-	-
IETF RFC 1123	-	Requirements for Internet Hosts - Application and Support	-	-
IETF RFC 1122	-	Requirements for Internet Hosts - Communication Layers	-	-
IETF RFC 1127	-	Perspective on the Host Requirements RFCs	-	-
IETF RFC 2236	-	Internet Group Management Protocol A	-	-

CONTENTS

INTRODUCTION.....	15
1 Scope.....	16
2 Normative references	17
3 Definitions	21
3.1 Terms and definitions	21
3.2 Abbreviations and symbols	21
3.2.1 IEC 61158 abbreviations and symbols	21
3.2.2 Other abbreviations and symbols	21
3.3 Conventions	22
3.3.1 Conventions common to all layers	22
3.3.2 Physical layer	23
3.3.3 Data-link layer	23
3.3.4 Application layer	24
4 Conformance to communication profiles	24
5 Communication Profile Family 1 (FOUNDATION® Fieldbus)	25
5.1 General overview	25
5.2 Profile 1/1 (FF H1).....	26
5.2.1 Physical layer	26
5.2.2 Data-link layer	41
5.2.3 Application layer	105
5.3 Profile 1/2 (FF HSE).....	106
5.3.1 Physical layer	106
5.3.2 Data-link layer	106
5.3.3 Network layer	106
5.3.4 Transport layer	106
5.3.5 Application layer	107
5.4 Profile 1/3 (FF H2).....	107
5.4.1 Physical layer	107
5.4.2 Data-link layer	109
5.4.3 Application layer	109
6 Communication Profile Family 2 (CIP™)	109
6.1 General overview	109
6.2 Profile 2/1 (ControlNet)	110
6.2.1 Physical layer	110
6.2.2 Data-link layer	111
6.2.3 Application layer	113
6.3 Profile 2/2 (EtherNet/IP)	114
6.3.1 Physical layer	114
6.3.2 Data-link layer	114
6.3.3 Application layer	115
6.4 Profile 2/3 (DeviceNet)	116
6.4.1 Physical layer	116
6.4.2 Data-link layer	116
6.4.3 Application layer	117
7 Communication Profile Family 3 (PROFIBUS & PROFINET)	119

7.1	General overview	119
7.2	Profile 3/1 (PROFIBUS DP)	121
7.2.1	Physical layer	121
7.2.2	Data-link layer	123
7.2.3	Application layer	142
7.3	Profile 3/2 (PROFIBUS PA)	188
7.3.1	Physical layer	188
7.3.2	Data-link layer	191
7.3.3	Application layer	201
7.4	Profile 3/3 (PROFINET CBA)	201
7.4.1	Physical layer	201
7.4.2	Data-link layer	201
7.4.3	Application layer	202
8	Communication Profile Family 4 (P-NET®)	203
8.1	General overview	203
8.2	Profile 4/1 (P-NET RS-485)	203
8.2.1	Physical layer	203
8.2.2	Data-link layer	204
8.2.3	Application layer	205
8.3	Profile 4/2 (P-NET RS-232)	206
8.3.1	Physical layer	206
8.3.2	Data-link layer	207
8.3.3	Application layer	207
9	Communication Profile Family 5 (WorldFIP®)	208
9.1	General overview	208
9.2	Profile 5/1 (WorldFIP)	209
9.2.1	Physical layer	209
9.2.2	Data-link layer	210
9.2.3	Application layer	212
9.3	Profile 5/2 (WorldFIP)	217
9.3.1	Physical layer	217
9.3.2	Data-link layer	217
9.3.3	Application layer	217
9.4	Profile 5/3 (WorldFIP)	221
9.4.1	Physical layer	221
9.4.2	Data-link layer	222
9.4.3	Application layer	222
10	Communication Profile Family 6 (INTERBUS®)	223
10.1	General overview	223
10.2	Profile 6/1	224
10.2.1	Physical layer	224
10.2.2	Data-link layer	225
10.2.3	Application layer	226
10.3	Profile 6/2	227
10.3.1	Physical layer	227
10.3.2	Data-link layer	227
10.3.3	Application layer	228
10.4	Profile 6/3	230
10.4.1	Physical layer	230

10.4.2	Data-link layer	230
10.4.3	Application layer	231
11	Communication Profile Family 7 (This Clause has been removed)	232
12	Communication Profile Family 8 (CC-Link)	232
12.1	General overview	232
12.1.1	General	232
12.1.2	Profile 8/1	232
12.1.3	Profile 8/2	233
12.1.4	Profile 8/3	233
12.2	Profile 8/1	233
12.2.1	Physical layer	233
12.2.2	Data-link layer	234
12.2.3	Application layer	236
12.3	Profile 8/2	239
12.3.1	Physical layer	239
12.3.2	Data-link layer	239
12.3.3	Application layer	239
12.4	Profile 8/3	239
12.4.1	Physical layer	239
12.4.2	Data-link layer	240
12.4.3	Application layer	242
13	Communication Profile Family 9 (HART)	244
13.1	General Overview	244
13.2	Profile 9/1, universal command	244
13.2.1	Physical layer	244
13.2.2	Data-link layer	244
13.2.3	Application layer	244
14	Communication Profile Family 16 (SERCOS)	245
14.1	General overview	245
14.2	Profile 16/1 (SERCOS I)	246
14.2.1	Physical layer selection	246
14.2.2	Data-link layer	246
14.2.3	Application layer	247
14.3	Profile 16/2 (SERCOS II)	247
14.3.1	Physical layer	247
14.3.2	Data-link layer	248
14.3.3	Application layer	248
	Annex A (informative) Communication concepts	249
	Annex B (informative) Added value of IEC 61784-1	263
	Bibliography	264
	Figure 1 – Communication profile families and profiles	16
	Figure 2 – Example optical power budget for a 100/140 µm fiber system with a 16/16 optical passive star coupler	40
	Figure 3 – CP 3/2 Slave devices usable in applications	121
	Figure A.1 – Ring structure	261
	Figure A.2 – Topology example	262

Table 1 – Relations of Communication Profile Families to type numbers	17
Table 2 – Layout of profile (sub)clause selection tables	22
Table 3 – Contents of (sub)clause selection tables	22
Table 4 – Layout of service selection tables	22
Table 5 – Contents of service selection tables	23
Table 6 – Layout of parameter selection tables	23
Table 7 – Contents of parameter selection tables	23
Table 8 – Layout of class attribute selection tables	24
Table 9 – Contents of class attribute selection tables	24
Table 10 – CPF 1: overview of profile sets	25
Table 11 – CP 1/1: PhL selection for communicating devices and their MAUs	26
Table 12 – CP 1/1: PhL classification of MAUs and attached devices	28
Table 13 – CP 1/1: PhL selection of Clause 16 for devices and their MAUs	28
Table 14 – CP 1/1: PhL selection of Clause 12 for devices and their MAUs	29
Table 15 – CP 1/1: PhL selection of Clause 21 for devices and their MAUs (denigrated)	30
Table 16 – CP 1/1: PhL selection of recommended IS parameters for FF MAU classes 111, 112, 121, 122, 511 and 512	31
Table 17 – CP 1/1: PhL selection for media components	32
Table 18 – CP 1/1: PhL selection of imperative IS parameters for media in FISCO systems	32
Table 19 – CP 1/1: PhL selection for power supplies	33
Table 20 – CP 1/1: PhL selection of power supply types	33
Table 21 – CP 1/1: PhL selection of permissible output voltage and IS parameters for FISCO power supplies	34
Table 22 – CP 1/1: PhL selection for terminators	35
Table 23 – CP 1/1: PhL selection of IS parameters for terminators	35
Table 24 – CP 1/1: PhL selection of Clause 12 for intrinsic safety barriers	36
Table 25 – CP 1/1: PhL selection of recommended IS parameters for intrinsic safety barriers and galvanic isolators (Entity model only)	37
Table 26 – CP 1/1: PhL selection of Clause 12 for intrinsically safe galvanic isolators	38
Table 27 – CP 1/1: PhL selection of Clause 15, recommended optical fiber types	39
Table 28 – CP 1/1: PhL selection of passive star couplers, recommended maximum insertion loss	39
Table 29 – CP 1/1: PhL selection of active star couplers	39
Table 30 – CP 1/1: Optical power budget considerations	40
Table 31 – CP 1/1: DLL service selection	41
Table 32 – CP 1/1: DLL service selection of Clause 5	41
Table 33 – CP 1/1: DLL service selection of 5.4	41
Table 34 – CP 1/1: DLL service selection of 5.4.1	42
Table 35 – CP 1/1: DLL service selection of 5.4.3	42
Table 36 – CP 1/1: DLL service selection of 5.4.6	43
Table 37 – CP 1/1: DLL service selection of Clause 6	43
Table 38 – CP 1/1: DLL service selection of the summary of 6.3, DL-connection QoS	44
Table 39 – CP 1/1: DLL service selection of figures 9–14 of 6.4	44

Table 40 – CP 1/1: DLL service selection of 6.5.....	44
Table 41 – CP 1/1: DLL service selection: replacement for Table 13 of 6.5.....	45
Table 42 – CP 1/1: DLL service selection of 6.5, replacement for Table 14.....	45
Table 43 – CP 1/1: DLL service selection of 6.5 for use of addresses for peer DLC.....	46
Table 44 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at publisher.....	46
Table 45 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at subscriber.....	46
Table 46 – CP 1/1: DLL service selection of 6.6.....	46
Table 47 – CP 1/1: DLL service selection: replacement for Table 15 of 6.6.....	47
Table 48 – CP 1/1: DLL service selection of 6.7.....	47
Table 49 – CP 1/1: DLL service selection of 6.7, replacement for Table 16.....	47
Table 50 – CP 1/1: DLL service selection of 6.7, replacement for Table 17.....	47
Table 51 – CP 1/1: DLL service selection of 6.7, replacement for Table 18.....	48
Table 52 – CP 1/1: DLL service selection of Clause 7.....	48
Table 53 – CP 1/1: DLL service selection of 7.5, replacement for Table 23.....	49
Table 54 – CP 1/1: DLL service selection of Clause 8.....	49
Table 55 – CP 1/1: DLL service selection of 8.5, replacement for Table 28.....	49
Table 56 – CP 1/1: DLL protocol selection.....	50
Table 57 – CP 1/1: DLL protocol selection of Clause 4.....	50
Table 58 – CP 1/1: DLL protocol selection of 4.3.....	51
Table 59 – CP 1/1: DLL protocol selection of 4.3.2.1 for use of link designators.....	51
Table 60 – CP 1/1: DLL protocol selection of 4.3.2.2 for use of node designators.....	51
Table 61 – CP 1/1: DLL protocol selection of 4.3.3.1 for predefined flat non-local DL-addresses.....	51
Table 62 – CP 1/1: DLL protocol selection of 4.3.3.2 for predefined flat link-local DL-addresses.....	52
Table 63 – CP 1/1: DLL protocol selection of 4.3.3.3 for predefined node-local DL-addresses.....	52
Table 64 – CP 1/1: DLL protocol selection of 4.7.....	52
Table 65 – CP 1/1: DLL protocol selection of 4.7.4.....	53
Table 66 – CP 1/1: DLL protocol selection of 4.7.5.....	54
Table 67 – CP 1/1: DLL protocol selection of Clause 6.....	55
Table 68 – CP 1/1: DLL protocol selection, replacement for Table 10 of 6.0.....	56
Table 69 – CP 1/1: DLL protocol selection of 6.5.....	57
Table 70 – CP 1/1: DLL protocol selection of 6.7.....	60
Table 71 – CP 1/1: DLL protocol selection of 6.8.....	64
Table 72 – CP 1/1: DLL protocol selection of 6.11.....	65
Table 73 – CP 1/1: DLL protocol selection of 6.12.....	65
Table 74 – CP 1/1: DLL protocol selection of 6.15.....	66
Table 75 – CP 1/1: DLL protocol selection of 6.20.....	67
Table 76 – CP 1/1: DLL protocol selection of Clause 7.....	68
Table 77 – CP 1/1: DLL protocol selection of 7.4.....	69
Table 78 – CP 1/1: DLL protocol selection of Clause 8.....	70
Table 79 – CP 1/1: DLL protocol selection of 8.2.....	71

Table 80 – CP 1/1: DLL protocol selection of 8.2.2	81
Table 81 – CP 1/1: DLL protocol selection of 8.3	93
Table 82 – CP 1/1: DLL protocol selection of 8.4	94
Table 83 – CP 1/1: DLL protocol selection of Clause 9.....	95
Table 84 – CP 1/1: DLL protocol selection of 9.3	96
Table 85 – CP 1/1: DLL protocol selection of 9.3.5	98
Table 86 – CP 1/1: DLL protocol selection of 9.3.5.2.2, replacement for element encoding.....	99
Table 87 – CP 1/1: DLL protocol selection of Clause 10.....	99
Table 88 – CP 1/1: DLL protocol selection of 10.2	99
Table 89 – CP 1/1: DLL protocol selection of 10.3	100
Table 90 – CP 1/1: DLL protocol selection of 10.3.7, specification of errors	102
Table 91 – CP 1/1: DLL protocol selection of 10.4	103
Table 92 – CP 1/1: DLL protocol selection of 10.5	104
Table 93 – CP 1/1: DLL protocol selection of 10.6	104
Table 94 – CP 1/1: AL service selection.....	105
Table 95 – CP 1/1: AL data type selection of Clause 4.....	105
Table 96 – CP 1/1: AL protocol selection	106
Table 97 – CP 1/2: AL service selection.....	107
Table 98 – CP 1/2: AL protocol selection	107
Table 99 – CP 1/3: PhL selection for FF H2 devices	108
Table 100 – CP 1/3: PhL selection for FF H2 media and related components.....	109
Table 101 – CPF 2: overview of profile sets	110
Table 102 – CP 2/1: PhL selection.....	111
Table 103 – CP 2/1: DLL service selection.....	112
Table 104 – CP 2/1: DLL protocol selection	112
Table 105 – CP 2/1: DLL protocol selection of management objects	112
Table 106 – CP 2/1: AL service selection.....	113
Table 107 – CP 2/1: AL protocol selection	113
Table 108 – CP 2/2: DLL protocol selection	114
Table 109 – CP 2/2: DLL protocol selection of management objects	115
Table 110 – CP 2/2: AL service selection.....	115
Table 111 – CP 2/2: AL protocol selection	116
Table 112 – CP 2/3: DLL protocol selection	117
Table 113 – CP 2/3: DLL protocol selection of management objects	117
Table 114 – CP 2/3: AL service selection.....	118
Table 115 – CP 2/3: AL protocol selection	119
Table 116 – CPF 3: overview of profile sets	120
Table 117 – CP 3/1: PhL selection.....	122
Table 118 – CP 3/1: PhL selection of Clause 3	123
Table 119 – CP 3/1: PhL selection of Clause 4	123
Table 120 – CP 3/1: General DLL service selection	124
Table 121 – CP 3/1: DLL service selection for DP-V0 master (class 1).....	124

Table 122 – CP 3/1: DLM service selection for DP-V0 master (class 1).....	125
Table 123 – CP 3/1: DLL service selection for DP-V1 master (class 1).....	126
Table 124 – CP 3/1: DLM service selection for DP-V1 master (class 1).....	127
Table 125 – CP 3/1: DLL service selection for DP-V0 master (class 2).....	127
Table 126 – CP 3/1: DLL service selection for DP-V1 master (class 2).....	128
Table 127 – CP 3/1: DLL service selection for DP-V0 slave	129
Table 128 – CP 3/1: DLM service selection for DP-V0 slave	130
Table 129 – CP 3/1: DLL service selection for DP-V1 slave	131
Table 130 – CP 3/1: DLM service selection for DP-V1 slave	132
Table 131 – CP 3/1: General DLL protocol selection	132
Table 132 – CP 3/1: DLL protocol selection of Clause 5.....	133
Table 133 – CP 3/1: DLL protocol selection of Clause 6.....	133
Table 134 – CP 3/1: DLL protocol selection of Clause 7.....	134
Table 135 – CP 3/1: Time variable selection for DP-V0 master (class 1).....	134
Table 136 – CP 3/1: Timer and counter selection for DP-V0 master (class 1).....	135
Table 137 – CP 3/1: DLPDU selection for DP-V0 master (class 1)	135
Table 138 – CP 3/1: MAC state selection for DP-V0 master (class 1).....	135
Table 139 – CP 3/1: Time selection for DP-V1 master (class 1)	136
Table 140 – CP 3/1: Timer and counter selection for DP-V1 master (class 1).....	136
Table 141 – CP 3/1: DLPDU selection for DP-V1 master (class 1)	137
Table 142 – CP 3/1: MAC state selection for DP-V1 master (class 1).....	137
Table 143 – CP 3/1: CS protocol selection for DP-V1 master (class 1).....	137
Table 144 – CP 3/1: Time selection for DP-V1 master (class 2)	138
Table 145 – CP 3/1: Timer and counter selection for DP-V1 master (class 2).....	138
Table 146 – CP 3/1: DLPDU selection for DP-V1 master (class 2)	139
Table 147 – CP 3/1: Time selection for DP-V0 slave	139
Table 148 – CP 3/1: Timer and counter selection for DP-V0 slave	140
Table 149 – CP 3/1: DLPDU selection for DP-V0 slave	140
Table 150 – CP 3/1: MAC state selection for DP-V0 slave	140
Table 151 – CP 3/1: Time selection for DP-V1 slave	141
Table 152 – CP 3/1: Timer and counter selection for DP-V1 slave	141
Table 153 – CP 3/1: DLPDU selection for DP-V1 slave	142
Table 154 – CP 3/1: CS protocol selection for DP-V1 slave	142
Table 155 – CP 3/1, 3/2: AL service selection.....	142
Table 156 – CP 3/1, 3/2: AL service selection of data types.....	143
Table 157 – CP 3/1, 3/2: AL service selection of Clause 6	144
Table 158 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	145
Table 159 – CP 3/1, 3/2: AL service selection of Diagnosis ASE.....	145
Table 160 – CP 3/1, 3/2: AL service selection of Context ASE	146
Table 161 – CP 3/1, 3/2: AL service selection of Management ASE	146
Table 162 – CP 3/1, 3/2: AL service selection of AR ASE	147
Table 163 – CP 3/1, 3/2: AL service selection of Clause 6	148
Table 164 – CP 3/1, 3/2: AL service selection of Process data ASE.....	148

Table 165 – CP 3/1, 3/2: AL service selection of I/O data ASE	148
Table 166 – CP 3/1, 3/2: AL service selection of Alarm ASE	149
Table 167 – CP 3/1, 3/2: AL service selection of Context ASE	149
Table 168 – CP 3/1, 3/2: AL service selection of Load region ASE	149
Table 169 – CP 3/1, 3/2: AL service selection of Function invocation ASE	149
Table 170 – CP 3/1, 3/2: AL service selection of Time ASE	150
Table 171 – CP 3/1, 3/2: AL service selection of AR ASE	150
Table 172 – CP 3/1, 3/2: AL service selection of Clause 6	151
Table 173 – CP 3/1, 3/2: AL service selection of I/O data ASE	151
Table 174 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	152
Table 175 – CP 3/1, 3/2: AL service selection of Context ASE	152
Table 176 – CP 3/1, 3/2: AL service selection of Management ASE	152
Table 177 – CP 3/1, 3/2: AL service selection of AR ASE	153
Table 178 – CP 3/1, 3/2: AL service selection of Clause 6	154
Table 179 – CP 3/1, 3/2: AL service selection of Process data ASE	154
Table 180 – CP 3/1, 3/2: AL service selection of Context ASE	154
Table 181 – CP 3/1, 3/2: AL service selection of Load region ASE	155
Table 182 – CP 3/1, 3/2: AL service selection of Function invocation ASE	155
Table 183 – CP 3/1, 3/2: AL service selection of Time ASE	155
Table 184 – CP 3/1, 3/2: AL service selection of AR ASE	156
Table 185 – CP 3/1, 3/2: AL service selection of Clause 6	157
Table 186 – CP 3/1, 3/2: AL service selection of I/O data ASE	157
Table 187 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	158
Table 188 – CP 3/1, 3/2: AL service selection of Context ASE	158
Table 189 – CP 3/1, 3/2: AL service selection of AR ASE	159
Table 190 – CP 3/1, 3/2: AL service selection of Clause 6	160
Table 191 – CP 3/1, 3/2: AL service selection of Process data ASE	160
Table 192 – CP 3/1, 3/2: AL service selection of I/O data ASE	160
Table 193 – CP 3/1, 3/2: AL service selection of diagnosis ASE	161
Table 194 – CP 3/1, 3/2: AL service selection of Alarm ASE	161
Table 195 – CP 3/1, 3/2: AL service selection of Context ASE	162
Table 196 – CP 3/1, 3/2: AL service selection of Load region ASE	162
Table 197 – CP 3/1, 3/2: AL service selection of Function invocation ASE	163
Table 198 – CP 3/1, 3/2: AL service selection of Time ASE	163
Table 199 – CP 3/1, 3/2: AL service selection of AR ASE	164
Table 200 – CP 3/1, 3/2: AL protocol selection	165
Table 201 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	165
Table 202 – CP 3/1, 3/2: AL protocol selection of APDUs	167
Table 203 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	167
Table 204 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives	168
Table 205 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	168
Table 206 – CP 3/1, 3/2: AL protocol selection of APDUs	170
Table 207 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	171

Table 208 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	172
Table 209 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 6	172
Table 210 – CP 3/1, 3/2: AL protocol selection of APDUs	174
Table 211 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	174
Table 212 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	175
Table 213 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	175
Table 214 – CP 3/1, 3/2: AL protocol selection of APDUs	176
Table 215 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	178
Table 216 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	178
Table 217 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	179
Table 218 – CP 3/1, 3/2: AL protocol selection of APDU selection	180
Table 219 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	181
Table 220 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	181
Table 221 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	182
Table 222 – CP 3/1, 3/2: AL protocol selection of APDUs	184
Table 223 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	185
Table 224 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	186
Table 225 – CP 3/2: PhL selection	188
Table 226 – CP 3/2: PhL selection of Clause 12 for devices and their MAUs.....	190
Table 227 – CP 3/2: PhL selection of recommended IS parameters	190
Table 228 – CP 3/2: PhL selection of Clause 21 for devices and their MAUs.....	191
Table 229 – CP 3/2: General DLL protocol selection	192
Table 230 – CP 3/2: DLL protocol selection of Clause 4.....	192
Table 231 – CP 3/2: DLL protocol selection of Clause 5.....	193
Table 232 – CP 3/2: DLL protocol selection of Clause 6.....	193
Table 233 – CP 3/2: DLL protocol selection of Clause 7.....	194
Table 234 – CP 3/2: Time variable selection for DP-V0 master (class 1).....	194
Table 235 – CP 3/2: Timer and counter selection for DP-V0 master (class 1).....	195
Table 236 – CP 3/2: DLPDU selection for DP-V0 master (class 1)	195
Table 237 – CP 3/2: Time variable selection for DP-V1 master (class 1).....	196
Table 238 – CP 3/2: Timer and counter selection for DP-V1 master (class 1).....	196
Table 239 – CP 3/2: DLPDU selection for DP-V1 master (class 1)	197
Table 240 – CP 3/2: Time variable selection for DP-V1 master (class 2).....	197
Table 241 – CP 3/2: Timer and counter selection for DP-V1 master (class 2).....	198
Table 242 – CP 3/2: DLPDU selection for DP-V1 master (class 2)	198
Table 243 – CP 3/2: Time variable selection for DP-V0 slave.....	199
Table 244 – CP 3/2: Timer and counter selection for DP-V0 slave	199
Table 245 – CP 3/2: DLPDU selection for DP-V0 slave	199
Table 246 – CP 3/2: Time variable selection for DP-V1 slave.....	200
Table 247 – CP 3/2: Timer and counter selection for DP-V1 slave	200
Table 248 – CP 3/2: DLPDU selection for DP-V1 slave	201
Table 249 – CP 3/3: AL service selection.....	202
Table 250 – CP 3/3: AL protocol selection	202

Table 251 – CP 4/1: PhL selection	204
Table 252 – CP 4/1: DLL service selection	205
Table 253 – CP 4/1: DLL protocol selection	205
Table 254 – CP 4/1: AL service selection	205
Table 255 – CP 4/1: AL protocol selection	206
Table 256 – CP 4/2: PhL selection	207
Table 257 – CPF 5: overview of profile sets	208
Table 258 – CPF 5: PhL selection	209
Table 259 – CPF 5: DLL service selection	210
Table 260 – CPF 5: DLL service selection of Clause 4	210
Table 261 – CPF 5: DLL protocol selection	211
Table 262 – CPF 5: DLL protocol selection of variables and resources	211
Table 263 – CPF 5: DLL protocol selection of DLPDUs	212
Table 264 – CP 5/1: AL service selection	212
Table 265 – CP 5/1: AL service selection of ASEs	212
Table 266 – CPF 5: AL service selection of MPS ASEs	213
Table 267 – CPF 5: AL service selection of variable elements	213
Table 268 – CPF 5: AL service selection of produced variable elements	213
Table 269 – CPF 5: AL service selection of consumed variable elements	213
Table 270 – CP 5/1: AL service selection of MPS services	214
Table 271 – CP 5/1, 5/2: AL service selection of A_Readloc service parameters	214
Table 272 – CP 5/1, 5/2: AL service selection of A_Readfar service parameters	214
Table 273 – CP 5/1, 5/2: AL service selection of A_Read service parameters	214
Table 274 – CP 5/1: AL service selection of MCS service classes	214
Table 275 – CP 5/1: AL service selection of QoS	215
Table 276 – CP 5/1: AL service selection of MCS services	215
Table 277 – CP 5/1, 5/2: AL service selection of A_Data parameters	215
Table 278 – CP 5/1: AL protocol selection	215
Table 279 – CPF 5/1: AL protocol selection of MPS data types	216
Table 280 – CPF 5/1: AL protocol selection of MPS PDUs	216
Table 281 – CPF 5/1: AL protocol selection of MPS encoding rules	216
Table 282 – CP 5/1, 5/2: AL protocol selection of MCS PDUs	216
Table 283 – CP 5/1: AL protocol selection of MCS state machines	217
Table 284 – CP 5/2: AL service selection	217
Table 285 – CP 5/2: AL service selection of ASEs	217
Table 286 – CP 5/2: AL service selection of MPS services	218
Table 287 – CP 5/2: AL service selection of MCS service classes	218
Table 288 – CP 5/2: AL service selection of QoS	218
Table 289 – CP 5/2: AL service selection of MCS services	218
Table 290 – CP 5/2: AL service selection of domain services	219
Table 291 – CP 5/2: AL service selection of domain object attributes	219
Table 292 – CP 5/2: AL service selection of program services	219
Table 293 – CP 5/2: AL service selection of program object attributes	219

Table 294 – CP 5/2: AL service selection of variable services	220
Table 295 – CP 5/2: AL service selection of variable classes	220
Table 296 – CP 5/2: AL service selection of variable class attributes	220
Table 297 – CP 5/2: AL protocol selection	220
Table 298 – CP 5/2: AL protocol selection of MCS state machines.....	221
Table 299 – CP 5/2: AL protocol selection of sub-MMS coding rules	221
Table 300 – CP 5/2: AL protocol selection of sub-MMS PDUs	221
Table 301 – CP 5/3: AL service selection.....	222
Table 302 – CP 5/3: AL service selection of ASEs	222
Table 303 – CP 5/3: AL protocol selection	222
Table 304 – CPF 6: device CP identifier assignment.....	223
Table 305 – CPF 6: PhL selection.....	224
Table 306 – CP 6/1: DLL service selection, assignment of DLL services to device types.....	225
Table 307 – CPF 6: DLL protocol selection of data widths supported by master	226
Table 308 – CP 6/1: AL service selection, assignment of AL services to device types.....	227
Table 309 – CP 6/2: DLL service selection, assignment of DLL services to device types.....	228
Table 310 – CP 6/2: AL service selection, assignment of AL services to device types.....	229
Table 311 – CP 6/2: AL service selection of AR-Data-Send-Acknowledge service parameters	229
Table 312 – CP 6/3: DLL service selection, assignment of DLL services to device types.....	230
Table 313 – CP 6/3: AL service selection, assignment of AL services to device types.....	231
Table 314 – CP 8/1 transmission support level	233
Table 315 – CP 8/1 PhL selection	234
Table 316 – CP 8/1 DLL services selection	234
Table 317 – CP 8/1 DLL protocol selection	235
Table 318 – CP 8/1 AL services selection	237
Table 319 – CP 8/1 AL protocol selection	238
Table 320 – CP 8/2 DLL protocol selection	239
Table 321 – CP 8/3 PhL selection	240
Table 322 – CP 8/3 DLL services selection	240
Table 323 – CP 8/3 DLL protocol selection	241
Table 324 – CP 8/3 AL services selection	242
Table 325 – CP 8/3 AL protocol selection	243
Table 326 – CP 9/1: AL service selection.....	245
Table 327 – CP 9/1: AL protocol selection	245
Table 328 – CP 16/1: PhL selection	246
Table 329 – CP 16/1: DLL protocol selection	247
Table 330 – CP 16/1: AL service selection.....	247
Table 331 – CP 16/2: PhL selection	248
Table A.1 – Number of devices per CP16/1 and CP16/2 systems (examples)	262

INTRODUCTION

This part of IEC 61784 provides a set of Communication Profiles (CP) in the sense of ISO/IEC TR 10000-1. These answer the need of identifying the protocol families co-existing within the IEC 61158 series, as a result of the international harmonization of fieldbus technologies available on the market. More specifically, these profiles help to correctly state the compliance to the IEC 61158 series, and to avoid the spreading of divergent implementations, which would limit its use, clearness and understanding. Additional profiles to address specific market concerns, such as functional safety or information security, may be addressed by future parts of this standard.

This standard contains several Communication Profile Families (CPF), which specify one or more communication profiles. Such profiles identify, in a strict sense, protocol subsets of the IEC 61158 series via protocol specific communication profiles. They do not define device-type-specific communication profiles for the purpose of guiding manufacturers in feature set selection – for example, in selecting the minimum set of communication services and protocol to implement a specific class of devices, such as generic slaves or transmitters ("implementation profiles"). Neither do they define device profiles that specify communication profiles together with application functions needed to answer the need of a specific application ("application profiles").

It is agreed that these latter classes of profiles would help the use of the IEC 61158 series of standards; the profiles defined in this document are a necessary step to achieve that task.

It is also important to clarify that interoperability — defined as the ability of two or more network systems to exchange information and to make mutual use of the information that has been exchanged (see 3.2.1 of ISO/IEC TR 10000-1) — can be directly achieved on the same link only for those devices complying to the same communication profile.

Profiles contained in this International Standard are constructed of references to IEC 61158-2 and the IEC 61158-3, IEC 61158-4, IEC 61158-5 and IEC 61158-6 series, and other IS, TS or worldwide-accepted standards, as appropriate¹. Each profile is required to reference at least one (sub)part of IEC 61158-2 through IEC 61158-6.

Two or more Profiles, which are related to a common family, are specified within a "Communication Profile Family" (CPF).

¹ International Standardised Profiles may contain normative references to specifications other than International Standards; see ISO/IEC JTC 1 N 4047.

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 1: Fieldbus profiles


1 Scope

This part of IEC 61784 defines a set of protocol specific communication profiles based primarily on the IEC 61158 series, to be used in the design of devices involved in communications in factory manufacturing and process control.

Each profile selects specifications for the communications protocol stack at a device. It contains a minimal set of required services at the application layer and specification of options in intermediate layers defined through references. If no application layer is included, then a minimal set of required services at the Data-link layer is specified. The appropriate references to the protocol specific types are given in each communication profile family or associated profiles.

NOTE All profiles are based on standards or draft standards or International Standards published by the IEC or from standards or International Standards established by other standards bodies or open standards processes.

The structure of communication profile families is specified in Figure 1.



IEC 1651/10

Figure 1 – Communication profile families and profiles

Each profile selects an appropriate consistent and compatible subset of services and protocols from the total available set that is defined and modeled in IEC 61158. For the selected subset of services and protocols, the profile also describes any possible or necessary constraints in parameter values.

Table 1 shows the communication profile families that are defined in this standard.

Table 1 – Relations of Communication Profile Families to type numbers

IEC 61784-1 contents			Corresponding IEC 61158 Types
CPF	Clause	Communication Profile Families (Note 1)	Type
1	5	FOUNDATION® Fieldbus	1, 5, 9 (see Note 2)
2	6	CIP™	2
3	7	PROFIBUS & PROFINET	3, 10 (see Note 3)
4	8	P-NET®	4
5	9	WorldFIP®	7
6	10	INTERBUS®	8
7	11	Has been removed based for lack of market relevance	6
8	12	CC-Link	18
9	13	HART	20
16	14	SERCOS	16
NOTE 1 See the specific CPF clauses for information on the respective trademark holders.			
NOTE 2 CP 1/1 has a denigrated PhL device profile subclass, which uses a variant of a Type 3 PhL.			
NOTE 3 CP 3/2 has a denigrated PhL device profile subclass, which uses a variant of a Type 1 PhL.			
NOTE 4 Other CPFs can be found in IEC 61784-2.			

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references the latest edition of the referenced document (including any amendments) applies.

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i"*

IEC 60079-27, *Explosive atmospheres – Part 27: Fieldbus intrinsically safe concept (FISCO)*

IEC 61010 (all parts), *Safety requirements for electrical equipment for measurement, control and laboratory use*

IEC 61131-2, *Programmable controllers – Part 2: Equipment requirements and tests*

IEC 61158-2:2010 *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61158-3-1:2007, *Industrial communication networks – Fieldbus specifications – Part 3-1: Data-link layer service definition – Type 1 elements*

IEC 61158-3-2:2007, *Industrial communication networks – Fieldbus specifications – Part 3-2: Data-link layer service definition – Type 2 elements*

IEC 61158-3-3:2007, *Industrial communication networks – Fieldbus specifications – Part 3-3: Data-link layer service definition – Type 3 elements*

IEC 61158-3-4:2007, *Industrial communication networks – Fieldbus specifications – Part 3-4: Data-link layer service definition – Type 4 elements*

IEC 61158-3-7:2007, *Industrial communication networks – Fieldbus specifications – Part 3-7: Data-link layer service definition – Type 7 elements*

IEC 61158-3-8:2007, *Industrial communication networks – Fieldbus specifications – Part 3-8: Data-link layer service definition – Type 8 elements*

IEC 61158-3-16:2007, *Industrial communication networks – Fieldbus specifications – Part 3-16: Data-link layer service definition – Type 16 elements*

IEC 61158-3-18:2007, *Industrial communication networks – Fieldbus specifications – Part 3-18: Data-link layer service definition – Type 18 elements*

IEC 61158-4-1:2007, *Industrial communication networks – Fieldbus specifications – Part 4-1: Data-link layer protocol specification – Type 1 elements*

IEC 61158-4-2:2010, *Industrial communication networks – Fieldbus specifications – Part 4-2: Data-link layer protocol specification – Type 2 elements*

IEC 61158-4-3:2010^{Error! Bookmark not defined.}, *Industrial communication networks – Fieldbus specifications – Part 4-3: Data-link layer protocol specification – Type 3 elements*

IEC 61158-4-4:2007, *Industrial communication networks – Fieldbus specifications – Part 4-4: Data-link layer protocol specification – Type 4 elements*

IEC 61158-4-7:2007, *Industrial communication networks – Fieldbus specifications – Part 4-7: Data-link layer protocol specification – Type 7 elements*

IEC 61158-4-8:2007, *Industrial communication networks – Fieldbus specifications – Part 4-8: Data-link layer protocol specification – Type 8 elements*

IEC 61158-4-16:2007, *Industrial communication networks – Fieldbus specifications – Part 4-16: Data-link layer protocol specification – Type 16 elements*

IEC 61158-4-18:2010, *Industrial communication networks – Fieldbus specifications – Part 4-18: Data-link layer protocol specification – Type 18 elements*

IEC 61158-5-2:2010, *Industrial communication networks – Fieldbus specifications – Part 5-2: Application layer service definition – Type 2 elements*

IEC 61158-5-3:2010, *Industrial communication networks – Fieldbus specifications – Part 5-3: Application layer service definition – Type 3 elements*

IEC 61158-5-4:2007, *Industrial communication networks – Fieldbus specifications – Part 5-4: Application layer service definition – Type 4 elements*

IEC 61158-5-5:2007, *Industrial communication networks – Fieldbus specifications – Part 5-5: Application layer service definition – Type 5 elements*

IEC 61158-5-7:2007, *Industrial communication networks – Fieldbus specifications – Part 5-7: Application layer service definition – Type 7 elements*

IEC 61158-5-8:2007, *Industrial communication networks – Fieldbus specifications – Part 5-8: Application layer service definition – Type 8 elements*

IEC 61158-5-9:2007, *Industrial communication networks – Fieldbus specifications – Part 5-9: Application layer service definition – Type 9 elements*

IEC 61158-5-10:2010, *Industrial communication networks – Fieldbus specifications – Part 5-10: Application layer service definition – Type 10 elements*

IEC 61158-5-16:2007, *Industrial communication networks – Fieldbus specifications – Part 5-16: Application layer service definition – Type 16 elements*

IEC 61158-5-18:2010, *Industrial communication networks – Fieldbus specifications – Part 5-18: Application layer service definition – Type 18 elements*

IEC 61158-5-20:2010, *Industrial communication networks – Fieldbus specifications – Part 5-20: Application layer service definition – Type 20 elements*

IEC 61158-6-2:2010, *Industrial communication networks – Fieldbus specifications – Part 6-2: Application layer protocol specification – Type 2 elements*

IEC 61158-6-3:2010, *Industrial communication networks – Fieldbus specifications – Part 6-3: Application layer protocol specification – Type 3 elements*

IEC 61158-6-4:2007, *Industrial communication networks – Fieldbus specifications – Part 6-4: Application layer protocol specification – Type 4 elements*

IEC 61158-6-5:2007, *Industrial communication networks – Fieldbus specifications – Part 6-5: Application layer protocol specification – Type 5 elements*

IEC 61158-6-7:2007, *Industrial communication networks – Fieldbus specifications – Part 6-7: Application layer protocol specification – Type 7 elements*

IEC 61158-6-8:2007, *Industrial communication networks – Fieldbus specifications – Part 6-8: Application layer protocol specification – Type 8 elements*

IEC 61158-6-9:2010, *Industrial communication networks – Fieldbus specifications – Part 6-9: Application layer protocol specification – Type 9 elements*

IEC 61158-6-10:2010, *Industrial communication networks – Fieldbus specifications – Part 6-10: Application layer protocol specification – Type 10 elements*

IEC 61158-6-16:2007, *Industrial communication networks – Fieldbus specifications – Part 6-16: Application layer protocol specification – Type 16 elements*

IEC 61158-6-18:2010, *Industrial communication networks – Fieldbus specifications – Part 6-18: Application layer protocol specification – Type 18 elements*

IEC 61158-6-20:2010, *Industrial communication networks – Fieldbus specifications – Part 6-20: Application layer protocol specification – Type 20 elements*

IEC 61784-2:2010, *Industrial communication networks – Profiles – Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3*

IEC 61784-5-2:2010, *Industrial communication networks – Profiles – Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2*

IEC 61918:2010, *Industrial communication networks – Installation of communication networks in industrial premises*

IEC 62026-3, *Low-voltage switchgear and controlgear – Controller-device interfaces (CDIs) – Part 3: DeviceNet*

ISO/IEC 8802-2:1998, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 2: Logical link control*

ISO/IEC 8802-3:2000, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO 15745-3:2003, *Industrial automation systems and integration – Open systems application integration framework – Part 3: Reference description for IEC 61158-based control systems*

ISO 15745-4:2003, *Industrial automation systems and integration – Open systems application integration framework – Part 4: Reference description for Ethernet-based control systems, Amendment 1 (2006): PROFINET profiles*

ANSI TIA/EIA-232F:1997, *Interface Between Data Terminal Equipment and Data Circuit-Terminating Equipment Employing Serial Binary Data Interchange*

ANSI TIA/EIA-485-A:1998, *Electrical Characteristics of Generators and Receivers for Use in Balanced Digital Multipoint Systems*

IEEE 802.3-2002: *IEEE Standard for Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications*

IETF RFC 768, *User Datagram Protocol*; available at <<http://www.ietf.org>>

IETF RFC 791, *Internet Protocol*; available at <<http://www.ietf.org>>

IETF RFC 792, *Internet Control Message Protocol*; available at <<http://www.ietf.org>>

IETF RFC 793, *Transmission Control Protocol*; available at <<http://www.ietf.org>>

IETF RFC 826, *Ethernet Address Resolution Protocol*; available at <<http://www.ietf.org>>

IETF RFC 894, *A standard for the Transmission of IP Datagrams over Ethernet Networks*; available at <<http://www.ietf.org>>

IETF RFC 1112, *Host Extensions for IP Multicasting*; available at <<http://www.ietf.org>>

IETF RFC 1122, *Requirements for Internet Hosts – Communication Layers*; available at <<http://www.ietf.org>>

IETF RFC 1123, *Requirements for Internet Hosts – Application and Support*; available at <<http://www.ietf.org>>

IETF RFC 1127, *A Perspective on the Host Requirements RFCs*; available at <<http://www.ietf.org>>

IETF RFC 2236, *Internet Group Management Protocol, Version 2*; available at <<http://www.ietf.org>>