

© Copyright SEK. Reproduction in any form without permission is prohibited.

## Tillförlitlighet – Metoder för tillförlitighetsanalys – Händelseträdsanalys (ETA)

*Analysis techniques for dependability –  
Event tree analysis (ETA)*

Som svensk standard gäller europastandarden EN 62502:2010. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62502:2010.

### Nationellt förord

Europastandarden EN 62502:2010

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62502, First edition, 2010 - Analysis techniques for dependability - Event tree analysis (ETA)**

utarbetad inom International Electrotechnical Commission, IEC.

---

ICS 21.020

## *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## *SEK är Sveriges röst i standardiseringssarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

## *Stora delar av arbetet sker internationellt*

Utdriften av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

## *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtidens standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

**Analysis techniques for dependability -  
Event tree analysis (ETA)  
(IEC 62502:2010)**

Techniques d'analyse de la sûreté de  
fonctionnement -  
Analyse par arbre d'événement (AAE)  
(CEI 62502:2010)

Verfahren zur Analyse  
der Zuverlässigkeit -  
Ereignisbaumanalyse (ETA)  
(IEC 62502:2010)

This European Standard was approved by CENELEC on 2010-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 56/1380/FDIS, future edition 1 of IEC 62502, prepared by IEC TC 56, Dependability, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62502 on 2010-11-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2011-08-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2013-11-01

Annex ZA has been added by CENELEC.

---

## Endorsement notice

The text of the International Standard IEC 62502:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- [12] ISO/IEC 31010 NOTE Harmonized as EN 31010.
  - [13] IEC 60300-3-1:2003 NOTE Harmonized as EN 60300-3-1:2004 (not modified).
  - [15] IEC 60812:2006 NOTE Harmonized as EN 60812:2006 (not modified)
  - [16] IEC 61078:2006 NOTE Harmonized as EN 61078:2006 (not modified)
  - [17] IEC 61165:2006 NOTE Harmonized as EN 61165:2006 (not modified)
  - [18] IEC 61508 series NOTE Harmonized in EN 61508 series (not modified)
  - [19] IEC 61511-3:2003 NOTE Harmonized as EN 61511-3:2004 (not modified)
  - [20] IEC 61703:2001 NOTE Harmonized as EN 61703:2002 (not modified)
  - [22] IEC 62429:2007 NOTE Harmonized as EN 62429:2008 (not modified)
  - [23] IEC 62508:2010 NOTE Harmonized as EN 62508:2010 (not modified)
  - [24] IEC 62551<sup>1)</sup> NOTE Harmonized as EN 62551<sup>2)</sup> (not modified)
- 

<sup>1)</sup> To be published.

<sup>2)</sup> At draft stage.

**Annex ZA**  
(normative)

**Normative references to international publications  
with their corresponding European publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-191	1990	International Electrotechnical Vocabulary (IEV) - Chapter 191: Dependability and quality of service	-	-
IEC 61025	2006	Fault Tree Analysis (FTA)	EN 61025	2007

## CONTENTS

INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions, abbreviations and symbols.....	7
3.1 Terms and definitions .....	7
3.2 Abbreviations and symbols.....	8
3.2.1 Abbreviations .....	8
3.2.2 Symbols .....	9
4 General description .....	9
5 Benefits and limitations of ETA.....	11
5.1 Benefits.....	11
5.2 Limitations.....	11
6 Relationship with other analysis techniques.....	12
6.1 Combination of ETA and FTA .....	12
6.2 Layer of protection analysis (LOPA) .....	13
6.3 Combination with other techniques .....	13
7 Development of event trees .....	14
7.1 General .....	14
7.2 Steps in ETA .....	14
7.2.1 Procedure.....	14
7.2.2 Step 1: Definition of the system or activity of interest.....	15
7.2.3 Step 2: Identification of the initiating events of interest.....	15
7.2.4 Step 3: Identification of mitigating factors and physical phenomena.....	16
7.2.5 Step 4: Definition of sequences and outcomes, and their quantification .....	16
7.2.6 Step 5: Analysis of the outcomes.....	17
7.2.7 Step 6: Uses of ETA results.....	17
8 Evaluation .....	18
8.1 Preliminary remarks .....	18
8.2 Qualitative analysis – Managing dependencies.....	18
8.2.1 General .....	18
8.2.2 Functional dependencies .....	19
8.2.3 Structural or physical dependencies .....	20
8.3 Quantitative analysis .....	22
8.3.1 Independent sequence of events .....	22
8.3.2 Fault tree linking and boolean reduction .....	23
9 Documentation .....	24
Annex A (informative) Graphical representation .....	26
Annex B (informative) Examples .....	27
Bibliography.....	41
Figure 1 – Process for development of event trees .....	10
Figure 2 – Simple graphical representation of an event tree.....	18
Figure 3 – Functional dependencies in event trees .....	20

Figure 4 – Modelling of structural or physical dependencies.....	21
Figure 5 – Sequence of events .....	22
Figure 6 – Fault tree linking .....	23
Figure A.1 – Frequently used graphical representation for event trees .....	26
Figure B.1 – Event tree for a typical fire incident in a diesel generator building .....	28
Figure B.2 – Simplified event tree for a fire event .....	29
Figure B.3 – Level-crossing system (LX) .....	31
Figure B.4 – ETA for the level-crossing system .....	33
Figure B.5 – Simple example .....	36
Figure B.6 – Fault Tree for the Failure of System 1.....	36
Figure B.7 – Fault Tree for the Failure of System 2.....	37
Figure B.8 – Modified event tree .....	38
Figure B.9 – Event tree with "grouped faults" .....	39
Table A.1 – Graphical elements .....	26
Table B.1 – Symbols used in Annex B .....	29
Table B.2 – System overview .....	31
Table B.3 – Risk reduction parameters for accidents from Figure B.4 .....	34

## INTRODUCTION

This International Standard defines the basic principles and procedures for the dependability technique known as Event Tree Analysis (ETA).

IEC 60300-3-1 explicitly lists ETA as an applicable method for general dependability assessment. It is also used in risk and safety analysis studies. ETA is also briefly described in the IEC 60300-3-9.

The basic principles of this methodology have not changed since the conception of the technique in the 1960's. ETA was first successfully used in the nuclear industry in a study by the U.S. Nuclear Regulatory Commission, the so-called WASH 1400 report in the year 1975 [31]<sup>1</sup>.

Over the following years, ETA has gained widespread acceptance as a mature methodology for dependability and risk analysis and is applied in diverse industry branches ranging from the aviation industry, nuclear installations, the automotive industry, chemical processing, offshore oil and gas production, to defence industry and transportation systems.

In contrast to some other dependability techniques such as Markov modelling, ETA is based on relatively elementary mathematical principles. However, as mentioned in IEC 60300-3-1, the implementation of ETA requires a high degree of expertise in the application of the technique. This is due in part to the fact that particular care has to be taken when dealing with dependent events. Furthermore, one can utilize the close relationship between Fault Tree Analysis (FTA) and the qualitative and quantitative analysis of event trees.

This standard aims at defining the consolidated basic principles of the ETA and the current usage of the technique as a means for assessing the dependability and risk related measures of a system.

---

<sup>1</sup> Figures in square brackets refer to the bibliography.

## ANALYSIS TECHNIQUES FOR DEPENDABILITY – EVENT TREE ANALYSIS (ETA)

### 1 Scope

This International Standard specifies the consolidated basic principles of Event Tree Analysis (ETA) and provides guidance on modelling the consequences of an initiating event as well as analysing these consequences qualitatively and quantitatively in the context of dependability and risk related measures.

More specifically, this standard deals with the following topics in relation to event trees:

- a) defining the essential terms and describing the usage of symbols and ways of graphical representation;
- b) specifying the procedural steps involved in the construction of the event tree;
- c) elaborating on the assumptions, limitations and benefits of performing the analysis;
- d) identifying relationships with other dependability and risk-related techniques and elucidating suitable fields of applications;
- e) giving guidelines for the qualitative and quantitative aspects of the evaluation;
- f) providing practical examples.

This standard is applicable to all industries where the dependability and risk-related measures for the consequences of an initiating event have to be assessed.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-191:1990, *International Electrotechnical Vocabulary – Chapter 191: Dependability and quality of service*

IEC 61025:2006, *Fault tree analysis (FTA)*