

© Copyright SEK. Reproduction in any form without permission is prohibited.

## **Larmsystem – Del 5: Miljötålighetsprovning**

*Alarm systems –  
Part 5: Environmental test methods*

Som svensk standard gäller europastandarden EN 50130-5:2011. Den svenska standarden innehåller den officiella engelska språkversionen av EN 50130-5:2011.

### **Nationellt förord**

Tidigare fastställd svensk standard SS-EN 50130-5, utgåva 1, 1999 gäller ej fr o m 2014-06-13.

I en bilaga NA återfinns en svensk översättning av definitionerna i avsnitt 3 i standarden.

---

ICS 13.320; 29.020

## *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## *SEK är Sveriges röst i standardiseringssarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

## *Stora delar av arbetet sker internationellt*

Utdriften av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

## *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

English version

**Alarm systems -  
Part 5: Environmental test methods**

Systèmes d'alarme -  
Partie 5: Méthodes d'essai  
d'environnement

Alarmanlagen -  
Teil 5: Methoden für Umweltprüfungen

This European Standard was approved by CENELEC on 2011-06-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 79, Alarm systems.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50130-5 on 2011-06-13.

This document supersedes EN 50130-5:1998.

The main changes with respect to EN 50130-5:1998 are listed below:

- 1) updating of the referenced base standards to the latest editions, this updating has caused changes therefore in the test methods used in several clauses.
- 2) Clauses 8 and 9 have had changes made to the requirements in class IV limits.
- 3) Clause 27 was removed.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-06-13
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2014-06-13

This European Standard is part of the EN 50130 series of standards. This series is intended to give the requirements applicable to alarm systems in general (e.g. the environmental test methods, in this case, and EMC immunity requirements in the case of EN 50130-4). The following associated series of European standards are intended to give the other requirements (e.g. performance requirements), which are applicable to the specific types of alarm systems:

- EN 50131 Alarm systems – Intrusion and hold-up systems;
- EN 50132 Alarm systems – CCTV surveillance systems for use in security applications;
- EN 50133 Alarm systems – Access control systems for use in security applications;
- EN 50134 Alarm systems – Social alarm systems;
- EN 50136 Alarm systems – Alarm transmission systems and equipment;
- CLC/TS 50398 Alarm systems – Combined and integrated alarm systems – General requirements.

## Contents

<b>1</b>	<b>Scope .....</b>	<b>6</b>
<b>2</b>	<b>Normative references .....</b>	<b>7</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>8</b>
<b>4</b>	<b>Environmental classes .....</b>	<b>9</b>
<b>5</b>	<b>Standard laboratory conditions .....</b>	<b>9</b>
<b>6</b>	<b>Tolerances .....</b>	<b>9</b>
<b>7</b>	<b>Information to be included in the relevant product standard .....</b>	<b>9</b>
<b>8</b>	<b>Dry heat (operational).....</b>	<b>10</b>
8.1	Object of the test .....	10
8.2	Principle .....	10
8.3	Test procedure .....	10
<b>9</b>	<b>Dry heat (endurance).....</b>	<b>11</b>
9.1	Object of the test .....	11
9.2	Principle .....	11
9.3	Test procedure .....	12
<b>10</b>	<b>Cold (operational) .....</b>	<b>13</b>
10.1	Object of the test .....	13
10.2	Principle .....	13
10.3	Test procedure .....	13
<b>11</b>	<b>Temperature change (operational).....</b>	<b>14</b>
11.1	Object of the test .....	14
11.2	Principle .....	14
11.3	Test procedure .....	14
<b>12</b>	<b>Damp heat, steady state (operational).....</b>	<b>15</b>
12.1	Object of the test .....	15
12.2	Principle .....	15
12.3	Test procedure .....	15
<b>13</b>	<b>Damp heat, steady state (endurance).....</b>	<b>16</b>
13.1	Object of the test .....	16
13.2	Principle .....	16
13.3	Test procedure .....	16
<b>14</b>	<b>Damp heat, cyclic (operational).....</b>	<b>17</b>
14.1	Object of the test .....	17
14.2	Principle .....	17
14.3	Test procedure .....	17
<b>15</b>	<b>Damp heat, cyclic (endurance).....</b>	<b>18</b>
15.1	Object of the test .....	18
15.2	Principle .....	18
15.3	Test procedure .....	19
<b>16</b>	<b>Water ingress (operational).....</b>	<b>19</b>
16.1	Object of the test .....	19
16.2	Principle .....	20
16.3	Test procedure .....	20
<b>17</b>	<b>Sulphur dioxide (SO<sub>2</sub>) (endurance).....</b>	<b>23</b>
17.1	Object of the test .....	23
17.2	Principle .....	23
17.3	Test procedure .....	23

<b>18</b>	<b>Salt mist, cyclic (endurance).....</b>	<b>24</b>
18.1	Object of the test .....	24
18.2	Principle .....	24
18.3	Test procedure .....	24
<b>19</b>	<b>Shock (operational) .....</b>	<b>25</b>
19.1	Object of the test .....	25
19.2	Principle .....	25
19.3	Test procedure .....	26
<b>20</b>	<b>Impact (operational).....</b>	<b>27</b>
20.1	Object of the test .....	27
20.2	Principle .....	27
20.3	Test procedure .....	27
<b>21</b>	<b>Free fall (operational) .....</b>	<b>28</b>
21.1	Object of the test .....	28
21.2	Principle .....	28
21.3	Test procedure .....	29
<b>22</b>	<b>Vibration, sinusoidal (operational) .....</b>	<b>29</b>
22.1	Object of the test .....	29
22.2	Principle .....	30
22.3	Test procedure .....	30
<b>23</b>	<b>Vibration, sinusoidal (endurance).....</b>	<b>31</b>
23.1	Object of the test .....	31
23.2	Principle .....	31
23.3	Test procedure .....	31
<b>24</b>	<b>Simulated solar radiation, temperature rise (operational) .....</b>	<b>32</b>
24.1	Object of the test .....	32
24.2	Principle .....	32
24.3	Test procedure .....	32
<b>25</b>	<b>Simulated solar radiation, surface degradation (endurance) .....</b>	<b>33</b>
25.1	Object of the test .....	33
25.2	Principle .....	33
25.3	Test procedure .....	34
<b>26</b>	<b>Dust tightness (endurance).....</b>	<b>34</b>
26.1	Object of the test .....	34
26.2	Principle .....	35
26.3	Test procedure .....	35
	<b>Bibliography.....</b>	<b>37</b>

**Figure**

Figure 1 – Graph showing peak acceleration vs. specimen mass ..... 27

**Tables**

Table 1 – Dry heat (operational) – Conditioning.....	11
Table 2 – Dry heat (endurance) – Conditioning .....	12
Table 3 – Cold (operational) – Conditioning.....	13
Table 4 – Temperature change (operational) – Conditioning.....	14
Table 5 – Damp heat, steady state (operational) – Conditioning .....	16
Table 6 – Damp heat, steady state (endurance) – Conditioning.....	17
Table 7 – Damp heat, cyclic (operational) – Conditioning.....	18
Table 8 – Damp heat, cyclic (endurance) – Conditioning .....	19
Table 9 – Water ingress (operational) – Conditioning for fixed and movable equipment class .....	21
Table 10 – Water ingress (operational) – Conditioning for portable equipment class .....	22
Table 11 – Sulphur dioxide (SO <sub>2</sub> ) (endurance) – Conditioning .....	23
Table 12 – Salt mist, cyclic (endurance) – Conditioning.....	25
Table 13 – Shock (operational) – Conditioning .....	26
Table 14 – Impact (operational) – Conditioning .....	28
Table 15 – Free fall (operational) – Conditioning .....	29
Table 16 – Vibration, sinusoidal (operational) – Conditioning .....	30
Table 17 – Vibration, sinusoidal (endurance) – Conditioning.....	32
Table 18 – Simulated solar radiation, Temperature rise (operational) – Conditioning.....	33
Table 19 – Simulated solar radiation, surface degradation (endurance) – Conditioning .....	34
Table 20 – Dust tightness (endurance) – Conditioning for Category 1 .....	36
Table 21 – Dust tightness (endurance) – Conditioning for Category 2 .....	36

## 1 Scope

This European Standard specifies environmental test methods to be used for testing the system components of the following alarm systems, intended for use in and around buildings:

- intruder alarm systems;
- hold-up alarm systems;
- social alarm systems;
- CCTV systems, for security applications;
- access control systems, for security applications;
- alarm transmission systems <sup>1)</sup>.

This European Standard specifies three equipment classes (fixed, movable & portable equipment) and four environmental classes.

The environmental classes only include the general service environments envisaged for equipment installed in typical residential, commercial and industrial environments. It may be necessary for the product standard to require additional or different environmental tests or severities where

- a) there could be specific environmental problems (e.g. some different severities may be required for break glass detectors stuck to glass windows, due to the local extremes of temperature and humidity),
- b) the test exposure falls within the intended detection phenomenon of the detector (e.g. during a vibration test on a seismic detector).

In order to provide reproducible test methods and to avoid the proliferation of technically similar test methods, the test procedures have been chosen, where possible, from internationally accepted standards (e.g. IEC publications). For specific guidance on these tests, reference should be made to the appropriate document, which is indicated in the relevant sub-section. For more general guidance and background information on environmental testing, reference should be made to EN 60068-1 and to the EN 60068-3 series.

This European Standard does not specify

- a) the requirements or performance criteria to be applied, which should be specified in the relevant product standard,
- b) special tests only applicable to a particular device (e.g. the effects of turbulent air draughts on ultrasonic movement detectors),
- c) basic safety requirements, such as protection against electrical shocks, unsafe operation, insulation coordination and related dielectric tests,
- d) tests relating to deliberate acts of damage or tampering.

---

<sup>1)</sup> Apart from equipment which is part of a public communication network.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60068-1:1994	Environmental testing – Part 1: General and guidance (IEC 60068-1:1988 + corr. Oct. 1988 + A1:1992)
EN 60068-2-1:2007	Environmental testing – Part 2-1: Tests – Test A: Cold (IEC 60068-2-1:2007)
EN 60068-2-2:2007	Environmental testing – Part 2-2: Tests – Test B: Dry heat (IEC 60068-2-2:2007)
EN 60068-2-5:1999	Environmental testing – Part 2-5: Tests – Test Sa: Simulated solar radiation at ground level (IEC 60068-2-5:1975)
EN 60068-2-6:2008	Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal) (IEC 60068-2-6:2007)
EN 60068-2-14:2009	Environmental testing – Part 2-14: Tests – Test N: Change of temperature (IEC 60068-2-14:2009)
EN 60068-2-18:2001	Environmental testing – Part 2-18: Tests – Tests R and guidance: Water (IEC 60068-2-18:2000)
EN 60068-2-27:2009	Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock (IEC 60068-2-27:2008)
EN 60068-2-30:2005	Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle) (IEC 60068-2-30:2005)
EN 60068-2-31:2008	Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens (IEC 60068-2-31:2008)
EN 60068-2-42:2003	Environmental testing – Part 2-42: Tests – Test Kc: Sulphur dioxide test for contacts and connections (IEC 60068-2-42:2003)
EN 60068-2-52:1996	Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution) (IEC 60068-2-52:1996)
EN 60068-2-75:1997	Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests (IEC 60068-2-75:1997)
EN 60068-2-78:2001	Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state (IEC 60068-2-78:2001)
EN 60529:1991 + corr. May. 1993 + A1:2000	Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989 + A1:1999)
EN 62262:2002	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code) (IEC 62262:2002)