

SVENSK STANDARD

SS-EN 54-25:2008

Fastställt/Approved: 2008-03-14

Publicerad/Published: 2008-04-07

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 13.220.20

Brand och räddning – Branddetekterings- och brandlarm-system – Del 25: Radiolänkade komponenter

Fire detection and fire alarm systems – Part 25: Components using radio links

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på.

På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Europastandarden EN 54-25:2008 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 54-25:2008.

The European Standard EN 54-25:2008 has the status of a Swedish Standard. This document contains the official English version of EN 54-25:2008.

! © Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

■ © Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.
E-mail: sis.sales@sis.se Internet: www.sis.se

English Version

Fire detection and fire alarm systems - Part 25: Components using radio links

Systèmes de détection et d'alarme incendie - Partie 25:
Composants utilisant des liaisons radioélectriques

Brandmeldeanlagen - Teil 25: Bestandteile, die
Hochfrequenz-Verbindungen nutzen

This European Standard was approved by CEN on 20 January 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword	4
Introduction.....	6
1 Scope	7
2 Normative references	7
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions	8
3.2 Abbreviations.....	10
4 System requirements	10
4.1 General	10
4.2 Radio frequency links	10
4.2.1 Immunity to site attenuation	10
4.2.2 Alarm signal integrity.....	11
4.2.3 Identification of the RF linked component	11
4.2.4 Receiver performance.....	11
4.2.5 Immunity to interference	12
4.2.6 Loss of communication	12
4.2.7 Antenna	13
5 Components requirements.....	13
5.1 Compliance	13
5.2 General	13
5.3 Power supply equipment.....	13
5.4 Environmental related requirements.....	14
5.4.1 General	14
5.4.2 General test procedure	14
5.4.3 Provision for testing	15
6 Documentation	15
7 Marking.....	16
8 Tests	16
8.1 General requirements	16
8.1.1 General	16
8.1.2 Standard atmospheric conditions for testing	16
8.1.3 Operating conditions for tests	16
8.1.4 Mounting and orientation	16
8.1.5 Tolerances.....	16
8.2 System tests	17
8.2.1 Test schedule for system tests.....	17
8.2.2 Test for immunity to site attenuation	17
8.2.3 Test for alarm signal integrity.....	18
8.2.4 Test for identification of RF linked components.....	18
8.2.5 Test for the receiver performance	18
8.2.6 Test for mutual disturbance between systems of the same manufacturer.....	19
8.2.7 Test of compatibility with other band users	20
8.2.8 Test for the detection of a loss of communication on a link	21
8.2.9 Test of the antenna	22
8.3 Components tests	22
8.3.1 General	22
8.3.2 Test schedule for components tests.....	22

8.3.3	Verification of the service life of the autonomous power source(s)	24
8.3.4	Test for the low power condition fault signal	24
8.3.5	Test for the polarity reversal.....	25
8.3.6	Repeatability test	26
8.3.7	Reproducibility test.....	26
8.3.8	Variation of supply parameters	27
8.3.9	Dry heat (operational).....	27
8.3.10	Dry heat (endurance)	28
8.3.11	Cold (operational)	28
8.3.12	Damp heat, cyclic (operational).....	29
8.3.13	Damp heat, steady state (operational)	30
8.3.14	Damp heat, steady state (endurance)	31
8.3.15	SO ₂ -corrosion (endurance)	31
8.3.16	Shock (operational).....	32
8.3.17	Impact (operational).....	33
8.3.18	Vibration, sinusoidal (operational).....	33
8.3.19	Vibration, sinusoidal (endurance)	34
8.3.20	Electromagnetic Compatibility (EMC), Immunity tests (operational)	35
Annex A (normative) Test configuration by using radio frequency shielded test equipment		36
Annex B (normative) Immunity to site attenuation (path loss).....		40
Annex C (informative) Data and calculation of the service life of the autonomous power source(s)		41
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive (89/106/EEC).....		43
Bibliography		52

Foreword

This document (EN 54-25:2008) has been prepared by Technical Committee CEN/TC 72 “Fire detection and fire alarm systems”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2008, and conflicting national standards shall be withdrawn at the latest by March 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

EN 54 *Fire detection and fire alarm systems* consists of the following parts:

- *Part 1: Introduction*
- *Part 2: Control and indicating equipment*
- *Part 3: Fire alarm devices – Sounders*
- *Part 4: Power supply equipment*
- *Part 5: Heat detectors – Point detectors*
- *Part 7: Smoke detectors – Point detectors using scattered light, transmitted light or ionisation*
- *Part 10: Flame detectors – Point detectors*
- *Part 11: Manual call points*
- *Part 12: Smoke detectors – Line detectors using an optical light beam*
- *Part 13: Compatibility assessment of system components*
- *Part 14: Guidelines for planning, design, installation, commissioning, use and maintenance*
- *Part 15: Point detectors using a combination of detected fire phenomena*
- *Part 16: Voice alarm control and indicating equipment*
- *Part 17: Short-circuit isolators*
- *Part 18: Input/output devices*
- *Part 20: Aspirating smoke detectors*
- *Part 21: Alarm transmission and fault warning routing equipment*

- *Part 22: Line-type heat detectors*
- *Part 23: Fire alarm devices – Visual alarms*
- *Part 24: Components of voice alarm systems – Loudspeakers*
- *Part 25: Components using radio links*
- *Part 26: Point fire detectors using carbon monoxide sensors¹⁾*
- *Part 27: Duct smoke detectors¹⁾*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1) Under preparation.

Introduction

The aim of this European Standard is to define additional requirements to other parts of EN 54 and tests that allow radio fire detection systems and components complying with them to be at least efficient and stable as wired fire detection systems and components complying with the current requirements of cable based systems in the EN 54 standards.

System and component aspects are dealt with in this European Standard because it is difficult to describe the components of a radio-linked system separately.

Capacity limitations with respect to the use of radio components may be specified in national technical rules or guidelines.

Technical aspects of the assessment of frequencies, bands and channels should be considered.

1 Scope

This European Standard specifies requirements, test methods and performance criteria for components used in fire alarms systems, installed in and around buildings, which use radio frequency links (RF links) to communicate. It also provides requirements for the evaluation of conformity of the components to the requirements of this European Standard.

Where components work together and this requires knowledge of the system design, this document also specifies requirements on the system.

When the fire detection and fire alarm systems (FDAS) use wired and RF links, the relevant parts of EN 54 apply together with this document. Requirements relevant to wire links are superseded or modified by those included in this European Standard.

This document does not restrict:

- the intended use of radio spectrum, e.g. frequency, power output of devices;
- the allowed maximum number of the components using RF links within the FDAS or one transmission path and/or RF link;
- the allowed maximum number of the components affected by loss of one transmission path and/or RF link.

These requirements relate to national regulations and can vary from member state to member state.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 54-2, *Fire detection and fire alarm systems — Part 2: Control and indicating equipment*

EN 54-4, *Fire detection and fire alarm systems — Part 4: Power supply equipment*

EN 54-5, *Fire detection and fire alarm systems — Part 5: Heat detectors — Point detectors*

EN 54-11, *Fire detection and fire alarm systems — Part 11: Manual call points*

EN 50130-4, *Alarm systems — Part 4: Electromagnetic compatibility — Product family standard: Immunity requirements for components of fire, intruder and social alarm systems*

EN 60068-2-1, *Environmental testing — Part 2-1: Tests — Tests A: Cold (IEC 60068-2-1:2007)*

EN 60068-2-2, *Basic environmental testing procedures — Part 2-2: Tests — Tests B: Dry heat (IEC 60068-2-2:1974 + IEC 60068-2-2A:1976)*

EN 60068-2-6, *Environmental testing — Part 2-6: Tests — Tests Fc: Vibration (sinusoidal) (IEC 60068-2-6:1995 + Corrigendum 1995)*

EN 60068-2-27, *Basic environmental testing procedures — Part 2: Tests — Test Ea and guidance: Shock (IEC 60068-2-27:1987)*

EN 60068-2-30, *Environmental testing — Part 2-30: Tests — Test Db: Damp heat, cyclic (12 h + 12 h cycle) (IEC 60068-2-30:2005)*

EN 60068-2-42, *Environmental testing — Part 2-42: Test methods — Test Kc: Sulphur dioxide test for contacts and connections (IEC 60068-2-42:2003)*

EN 60068-2-78, *Environmental testing — Part 2-78: Tests — Test Cab: Damp heat, steady state (IEC 60068-2-78:2001)*

EN 300113-1 V 1.4.1:2002, *Electromagnetic compatibility and Radio spectrum Matters (ERM) — Land mobile service — Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector — Part 1: Technical characteristics and methods of measurement*

EN 300220-1 V 1.3.1:2000, *Electromagnetic compatibility and Radio spectrum Matters (ERM) — Short range devices — Radio equipment to be used in the 25 MHz to 1000 MHz frequency range with power levels ranging up to 500 mW — Part 1: Technical characteristics and test methods*

EN ISO 9001, *Quality management systems — Requirements (ISO 9001:2000)*