

© Copyright SEK. Reproduction in any form without permission is prohibited.

Tillförlitlighetsverksamhet – Del 3-12: Riktlinjer – Integrerat logistikstöd (ILS)

*Dependability management –
Part 3-12: Application guide –
Integrated logistic support*

Som svensk standard gäller europastandarden EN 60300-3-12:2011. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60300-3-12:2011.

Nationellt förord

Europastandarden EN 60300-3-12:2011

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60300-3-12, Second edition, 2011 - Dependability management - Part 3-12: Application guide - Integrated logistic support**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60300-3-12, utgåva 1, 2008, gäller ej fr o m 2014-03-24.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Dependability management -
Part 3-12: Application guide -
Integrated logistic support
(IEC 60300-3-12:2011)**

Gestion de la sûreté de fonctionnement -
Partie 3-12: Guide d'application -
Soutien logistique intégré
(CEI 60300-3-12:2011)

Zuverlässigkeitsmanagement -
Teil 3-12: Anwendungsleitfaden -
Integrierte logistische Unterstützung
(IEC 60300-3-12:2011)

This European Standard was approved by CENELEC on 2011-03-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 56/1398/FDIS, future edition 2 of IEC 60300-3-12, prepared by IEC TC 56, Dependability, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60300-3-12 on 2011-03-24.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

This European Standard supersedes EN 60300-3-12:2004.

EN 60300-3-12:2011 includes the following significant technical changes with respect to EN 60300-3-12:2004:

- provision of a better overview of the whole ILS process;
- updating of the document to align with associated dependability standards that were introduced after EN 60300-3-12:2004.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2011-12-24
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2014-03-24

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60300-3-12:2011 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-191	-	International Electrotechnical Vocabulary (IEV) - Chapter 191: Dependability and quality of service	-	-
IEC 60300-3-1	-	Dependability management - Part 3-1: Application guide - Analysis techniques for dependability - Guide on methodology	EN 60300-3-1	-
IEC 60300-3-2	-	Dependability management - Part 3-2: Application guide - Collection of dependability data from the field	EN 60300-3-2	-
IEC 60300-3-3	-	Dependability management - Part 3-3: Application guide - Life cycle costing	EN 60300-3-3	-
IEC 60300-3-4	-	Dependability management - Part 3-4: Application guide - Guide to the specification of dependability requirements	EN 60300-3-4	-
IEC 60300-3-10	-	Dependability management - Part 3-10: Application guide - Maintainability	-	-
IEC 60300-3-11	-	Dependability management - Part 3-11: Application guide - Reliability centred maintenance	EN 60300-3-11	-
IEC 60300-3-14	-	Dependability management - Part 3-14: Application guide - Maintenance and maintenance support	EN 60300-3-14	-
IEC 60300-3-16	-	Dependability management - Part 3-16: Application guide - Guidelines for specification of maintenance support services	EN 60300-3-16	-
IEC 60706-2	-	Maintainability of equipment - Part 2: Maintainability requirements and studies during the design and development phase	EN 60706-2	-
IEC 60706-3	-	Maintainability of equipment - Part 3: Verification and collection, analysis and presentation of data	EN 60706-3	-
IEC 60706-5	-	Maintainability of equipment - Part 5: Testability and diagnostic testing	EN 60706-5	-
IEC 60812	-	Analysis techniques for system reliability - Procedure for failure mode and effects analysis (FMEA)	EN 60812	-
IEC 61160	-	Design review	EN 61160	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62402	-	Obsolescence management - Application guide	EN 62402	-
IEC 62508	-	Guidance on human aspects of dependability	EN 62508	-

CONTENTS

INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviations	9
3.1 Terms and definitions	9
3.2 Abbreviations	10
4 Principles of integrated logistic support (ILS).....	11
4.1 ILS objectives.....	11
4.2 Application of ILS	11
4.3 Elements of ILS.....	12
4.4 Structure of ILS.....	13
5 Planning and management of ILS	15
5.1 General.....	15
5.2 Management structure and responsibilities.....	15
5.3 Controlling documentation and review processes	16
5.3.1 Planning documentation	16
5.3.2 Recommended review procedures.....	16
5.3.3 Identification of supportability issues	16
6 Logistic support analysis (LSA)	17
7 Customer profile constraints and supportability factors	18
7.1 General.....	18
7.2 Customer profile constraints.....	18
7.3 Supportability factors.....	19
7.3.1 Logistic support harmonization	19
7.3.2 Logistic support improvement (LSI)	20
7.3.3 Technological opportunities to improve logistic support	20
7.3.4 Supportability options	20
7.4 Supportability factors report	21
8 Identification of maintenance and logistic support activities	21
8.1 Purpose and process.....	21
8.2 Identifying options	22
8.3 Factors influencing a trade-off study.....	23
8.4 Establishing the criteria to conduct a trade-off study.....	24
8.5 Conducting a trade-off study	25
8.6 Trade-off study reports	25
9 Investigation of maintenance activities and determination of LSA activities.....	26
9.1 General.....	26
9.2 Maintenance support task (MST).....	26
9.2.1 General	26
9.2.2 Maintenance support task process.....	27
9.2.3 LSA database.....	27
9.2.4 Outputs	27
9.3 Potential impact on existing logistic support for new items.....	29
9.3.1 General	29

9.3.2	Activity description	29
9.4	Post-production support (PPS)	30
9.4.1	General	30
9.4.2	Activity description	30
9.4.3	Post-production support (PPS) plan	30
10	Verification of logistic supportability	31
10.1	General	31
10.2	Logistic support acceptance strategy	31
10.3	Monitoring of field data	32
11	ILS outputs	33
11.1	General	33
11.2	Outputs used to influence the design process	34
11.3	Outputs used to identify or provide the logistic support elements	34
11.3.1	General	34
11.3.2	Maintenance plan	34
11.3.3	Personnel	35
11.3.4	Training and certification	35
11.3.5	Provisioning of spares	35
11.3.6	Support equipment	35
11.3.7	Technical documentation	36
11.3.8	Facilities	36
11.3.9	Packaging, handling, storage and transportation (PHS&T)	36
11.3.10	Software support	37
12	LSA database	37
12.1	General	37
12.2	Interfaces with other databases	38
12.3	Tailoring of the database	38
12.4	Format of data	38
12.5	Configuration management of the LSA database	38
12.6	Configuration management of the data within the LSA database	39
Annex A (informative)	Illustrative examples of LSA activities	40
Annex B (informative)	Illustrative example of trade-off analysis emanating from the evaluation of design and logistic support options series of activities	44
Annex C (informative)	Examples of LSA database	46
Bibliography	50
Figure 1	– Structure of ILS	13
Figure 2	– Interrelationship of LSA analyses and other design activities	14
Figure 3	– Applicability of LSA activities by life cycle phases	17
Figure 4	– Identification of maintenance and logistic support activities	22
Figure 5	– Maintenance support task	27
Figure 6	– Test and evaluation procedure	32
Table A.1	– Illustrative example of customer profile – Constraints data	40
Table A.2	– Illustrative example of logistic standardization analysis	40
Table A.3	– Illustrative example of logistic improvement analysis (photocopier test cable – H1 as replacement for G1)	41

Table A.4 – Illustrative example of logistic technological opportunity analysis to improve or reduce logistic requirements.....	41
Table A.5 – Illustrative example of logistic support characteristics calculated from supportability factors analysis.....	42
Table A.6 – Illustrative example of initial supportability and logistic support requirements emanating from the customer profile – Constraints and supportability factors.....	43
Table B.1 – Example of a simple scoring system.....	44
Table B.2 – Illustrative example of trade-off analysis.....	45
Table C.1 – Selected data element definitions.....	47

INTRODUCTION

The successful operation of an item in service depends to a large extent upon the effective acquisition and management of logistic support in order to achieve and sustain the required levels of performance and customer satisfaction over the entire life cycle.

Logistic support encompasses the activities and resources required to permit operation and maintain an item (hardware and software) in service. Logistic support covers maintenance, manpower and personnel, training, spares, technical documentation, packaging, handling, storage and transportation, logistic support resources and disposal. In most cases, maintenance support is considered to be synonymous with logistic support. Logistic support may also include operational tasks but the differentiation between operational and maintenance tasks varies with industry and individual practices.

The cost of logistic support is a major contributor to the life cycle costing (LCC) of an item and increasingly, customers are making purchase decisions based on life cycle cost rather than initial purchase price alone. Logistic support considerations may therefore have a major impact on item sales by ensuring that the item can be operated and supported at an affordable cost and that all the necessary resources have been provided to fully support the item so that it meets the customer requirements.

Quantification of logistic support costs allows the manufacturer to define the logistic support cost elements and evaluate the warranty implications. This provides the opportunity to reduce risk and allows logistic support costs to be set at competitive rates.

Integrated logistic support (ILS) is a management method by which all the logistic support services required by a customer can be brought together in a structured way and in harmony with an item. ILS should be applied to ensure that supportability considerations influence the concept and design of an item and to ensure that logistic support arrangements are consistent with the design and each other throughout the item's life.

The successful application of ILS will result in a number of customer and supplier benefits. For the customer, these can include increased satisfaction, lower logistic support costs, greater availability and lower life cycle costs. For the supplier, benefits can include lower logistic support costs, a better and more saleable item with fewer item modifications due to supportability deficiencies.

This part of IEC 60300 provides guidance on the minimum activities necessary to implement an effective ILS management system for a wide range of commercial suppliers.

DEPENDABILITY MANAGEMENT –

Part 3-12: Application guide – Integrated logistic support

1 Scope

This part of IEC 60300 is an application guide for establishing an integrated logistic support (ILS) management system.

It is intended to be used by a wide range of suppliers including large and small companies wishing to offer a competitive and quality item which is optimized for the purchaser and supplier for the complete life cycle of the item.

It also includes common practices and logistic data analyses that are related to ILS.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-191, *International Electrotechnical Vocabulary – Chapter 191: Dependability and quality of service*

IEC 60300-3-1, *Dependability management – Part 3-1: Application guide – Analysis techniques for dependability - Guide on methodology*

IEC 60300-3-2, *Dependability management – Part 3-2: Application guide – Collection of dependability data from the field*

IEC 60300-3-3, *Dependability management – Part 3-3: Application guide – Life cycle costing*

IEC 60300-3-4, *Dependability management – Part 3-4: Application guide – Guide to the specification of dependability requirements*

IEC 60300-3-10, *Dependability management – Part 3-10: Application guide – Maintainability*

IEC 60300-3-11, *Dependability management – Part 3-11: Application guide – Reliability centred maintenance*

IEC 60300-3-14, *Dependability management – Part 3-14: Application guide – Maintenance and maintenance support*

IEC 60300-3-16, *Dependability management – Part 3-16: Application guide – Guidelines for specification of maintenance support services*

IEC 60706-2, *Maintainability of equipment – Part 2: Maintainability requirements and studies during the design and development phase*

IEC 60706-3, *Maintainability of equipment – Part 3: Verification and collection, analysis and presentation of data*

IEC 60706-5, *Maintainability of equipment – Part 5: Testability and diagnostic testing*

IEC 60812, *Analysis techniques for system reliability – Procedure for failure mode and effects analysis (FMEA)*

IEC 61160, *Design review*

IEC 62402, *Obsolescence management – Application guide*

IEC 62508, *Guidance on human aspects of dependability*